

# Valorisation of surplus food in the French retail sector: Environmental and economic impacts

Albizzati, Paola Federica; Tonini, Davide; Chammard, Charlotte Boyer; Astrup, Thomas Fruergaard

Published in: Waste Management

Link to article, DOI: 10.1016/j.wasman.2019.04.034

Publication date: 2019

Document Version Peer reviewed version

Link back to DTU Orbit

*Citation (APA):* Albizzati, P. F., Tonini, D., Chammard, C. B., & Astrup, T. F. (2019). Valorisation of surplus food in the French retail sector: Environmental and economic impacts. *Waste Management*, *90*, 141-151. https://doi.org/10.1016/j.wasman.2019.04.034

#### **General rights**

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

• Users may download and print one copy of any publication from the public portal for the purpose of private study or research.

- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

| 1  | Valorisation of surplus food in the French retail sector: Environmental and economic                                |
|----|---|
| 2  | impacts   |
| 3  |   |
| 4  | Paola Federica Albizzati <sup>1</sup> , Davide Tonini <sup>2</sup> , Charlotte Boyer Chammard <sup>3</sup> , Thomas |
| 5  | Fruergaard Astrup <sup>1</sup>  |
| 6  |   |
| 7  | <sup>1</sup> Technical University of Denmark, Department of Environmental Engineering,                              |
| 8  | Bygninstorvet 113, 2800 Lyngby, Denmark   |
| 9  | <sup>2</sup> Joint Research Centre of the European Commission, Edificio Expo, Inca Garcilaso 3,                     |
| 10 | 41092 Seville, Spain  |
| 11 | <sup>3</sup> PHENIX, 16 rue Darcet, 75017 Paris, France   |
| 12 |   |
| 13 | Correspondent author: Paola Federica Albizzati (paal@env.dtu.dk)  |
| 14 |   |
| 15 |   |
| 16 | Abstract  |
| 17 | The retail sector, generating large amounts of food waste in a limited and well-defined                             |
| 18 | number of locations, represents a unique opportunity for the implementation of waste                                |
| 19 | minimisation policies targeting food waste and surplus food. France has introduced policy                           |
| 20 | measures forcing retailers to prioritise the redistribution of surplus food to charity (donation)                   |
|    |   |
| 21 | and/or diversion to animal feed. To evaluate the environmental benefits from such initiatives,                      |
| 22 | this study provides a bottom-up consequential life cycle assessment of surplus food                                 |
| 23 | management at twenty retail outlets in France. A cradle-to-grave assessment was performed,                          |

24 including land-use changes, and the impacts were evaluated for ten impact categories. Four 25 scenarios were considered, using monthly data on waste flows and management. Alongside assessing the current management (i.e. redistribution and/or use of surplus food for animal 26 27 feed with anaerobic digestion and incineration of residual streams), three additional scenarios were evaluated: i) prevention (used as benchmark), ii) anaerobic digestion and iii) 28 incineration. The results demonstrated that redistribution leads to substantial environmental 29 savings when accounting for all potentially induced benefits, second only to prevention but 30 nevertheless of similar magnitude. Neither anaerobic digestion nor incineration can compete 31 32 environmentally with redistribution and use as animal feed, especially in a low-carbon energy system. A cost analysis, including tax credits implemented in the French regulation, 33 demonstrated that retailers donating high-value products also achieved lower costs and 34 35 higher environmental savings overall. The results clearly suggest that similar initiatives should be encouraged, and the study offers a consistent basis for evaluating similar initiatives 36 also for other countries. 37

38

39 Keywords: food waste; LCA; donation; waste hierarchy; prevention; redistribution

#### 40 **1. Introduction**

41 To tackle the food waste problem, the European Union (EU) engaged in meeting Sustainable 42 Development Goal (SDG) #12 (United Nations, 2015), which, among other objectives, aims to reduce food losses in the production and supply sectors as well as to halve food waste per 43 capita by 2030, from both households and retailers (European Commission, 2017a). 44 45 Although the retail sector is estimated to be responsible, on average, for only 5% of EU food 46 waste (most of which is instead generated by production and households; Stenmark et al., 2016), it nevertheless is of key importance for food waste minimisation. Retail outlets 47 represent collection points for large amounts of food in a limited and well-defined number 48 49 of locations, thereby facilitating the implementation of effective policies and initiatives by connecting two sectors that would otherwise be separated, namely consumers and producers 50 (Eriksson, 2015; Scholz et al., 2015). Initiatives implemented at this stage may thereby 51 52 induce benefits both upstream and downstream the supply chain, in addition to the retail 53 sector per se (Schönberger et al., 2013). While food waste prevention and the redistribution of surplus food (i.e. food that is suitable for human consumption but it is not marketable for 54 several reasons (European Union, 2017)) should be prioritised, e.g. according to the Waste 55 Framework Directive (European Parliament and Council, 2008), very few attempts have been 56 57 made in the literature to assess systematically the environmental and economic benefits of such initiatives in the retail sector. 58

59 While very few European countries have yet implemented regulations addressing 60 surplus food from retail outlets, France represents a prominent example by putting into force 61 a specific legislation in 2016, law no. 2016-138 (Legifrance, 2016), with the aim of reducing 62 food waste generation at the retail sector. In 2016, French food waste corresponded to 10 63 million tonnes, or 16 billion euros' worth, with 14% of the losses originating from the retail sector (Ministère de la Transition Écologique et Solidaire, 2017b). The French law requires 64 all retail units larger than 400  $m^2$  to handle surplus food according to the waste hierarchy 65 (Ministère de la Transition Écologique et Solidaire, 2017b), which means that whenever food 66 is still suitable and safe for human consumption, conforming to the guidelines provided by 67 68 European Commission (2010) and European Commission (2017b), it should be redistributed to charity organisations (European Federation of Food Banks et al., 2016; Mourad, 2015). If 69 the surplus food is still safe but not edible for humans, it should be used as animal feed, and 70 71 finally, if the food is suitable neither for human nor for animal consumption, then the food products should be sent to anaerobic digestion or composting (Mourad, 2015). Retailers may 72 benefit from the new regulation by receiving a 60% tax credit corresponding to the economic 73 74 value of the redistributed food, including both the stock value of the goods, their transport and storage (Mourad, 2015). The initiative is expected to have benefits for both the 75 76 environment and economy, but food redistribution may also have positive social effects by, for example, increasing access to food for people with lower incomes (Mourad, 2015), 77 improving the nutritional intake of people in need (Scherhaufer et al., 2015), integrating 78 79 marginalised social groups (Vittuari et al., 2017), and involving different stakeholders that felt satisfied about making a difference in their local communities (Mirosa et al., 2016). 80 81 Furthermore, tax credit policies are expected to lead to establishing new companies related 82 to the organisation and management of food waste and redistribution programmes (Sud Ouest, 2017). With relatively few wide scale implementations of food waste prevention and 83 84 food redistribution initiatives, so far no consistent comparison of the variability in environmental performance of individual retail outlets, and thereby the overall potential forcontributing to environmental savings, have been provided.

Previous studies of surplus food generated by the retail sector have focused on 87 techniques to improve its management, typically applying the life cycle assessment (LCA) 88 methodology. However, a large majority of literature studies focus on the lower levels of the 89 90 waste hierarchy, i.e. end-of-life treatments such as anaerobic digestion, composting, incineration and landfilling (e.g. Bernstad et al., 2013; Buratti et al., 2015; Cristóbal et al., 91 2016). Two studies, Brancoli et al. (2017) and Vandermeersch et al. (2014), investigated the 92 93 effects of diverting surplus food to animal feed, considering as a case study a single Swedish retail outlet and the Belgian retail sector, respectively. Both studies concluded that the largest 94 savings can be obtained if bread products are removed from their packaging and the main 95 96 waste stream, and then used to substitute conventional animal feed (e.g. wheat) instead of anaerobic digestion. While prevention has been addressed in several LCA studies (e.g. 97 Martinez-Sanchez et al., 2016; Oldfield et al., 2016; Tonini et al., 2018), highlighting 98 significant environmental benefits under the condition that indirect (rebound) effects are 99 minimised, so far few LCA studies have focused on redistribution. Among these, Eriksson et 100 101 al. (2015) and Eriksson & Spångberg (2017) analysed the carbon footprint of the food waste 102 management systems of retail outlets in Uppsala (Sweden) and Växjö (Sweden), respectively, in terms of redistribution and/or conversion of surplus food. Overall, the 103 104 findings indicated that following the waste hierarchy for surplus food management resulted in the largest environmental benefits, with prevention followed by redistribution and 105 106 conversion to be prioritised. While these studies address retailers and the implementation of 107 redistribution initiatives, they do not i) consider the actual properties and distribution of individual food waste materials, ii) include land-use changes (LUCs) related to food
production and substitution, iii) assess environmental impacts over a wide range of impact
categories, or iv) address the economic aspects. Ignoring these aspects may lead to biased
conclusions (Tonini et al., 2018).

112 Using data from twenty French retail outlets that have implemented surplus food 113 redistribution and diversion to animal feed, this study builds on existing literature in the field and contributes further by: i) systematically assessing the environmental benefits associated 114 with surplus food management as implemented in selected retailers in France, and ii) 115 116 quantifying the associated economic implications for retailers.. The environmental performance of each retailer is compared against two benchmarks: a) the maximum level of 117 prevention (i.e. assuming 100% prevention of surplus food) and b) the business-as-usual 118 119 alternative management of such surplus food for the selected retailers, prior to enforcing law no. 2016-138, involving typically anaerobic digestion and incineration. It should be borne in 120 121 mind that, while French food banking and donations exist since long time, a systematic and dedicated management of the surplus food was not common practice and business-as-usual 122 practices typically involved biological treatment and/or incineration (Garot, 2015). This was 123 124 the case for the retailers selected. The study involves state-of-the-art LCA modelling of 125 individual food waste material fractions over a wide range of impact categories, and it also accounts for LUCs. 126

127

#### 128 **2.** Materials and methods

129 **2.1 Definitions** 

130 According to European Commission (2017b), surplus food is food and beverages that have not been sold or are not marketable but are still suitable for human consumption. Surplus 131 food can either be redistributed or used as animal feed. These applications have to be 132 compliant with the EU guidelines on food donations and use-as-feed (European Commission, 133 2009; European Commission, 2017b). Redistribution is then defined by the European 134 Commission (2017a) as "a process whereby surplus food that might otherwise be wasted is 135 recovered, collected and provided to people, in particular to those in need". Redistribution of 136 food can occur either via direct donations from donor to charities, or via food banks that store 137 138 and distribute the donated food to end users, e.g. charities (Hanssen et al., 2014). The regulations concerning and influencing food redistribution are described in Appendix H in 139 the Supporting Information (SI). In respect to food waste, while acknowledging that other 140 141 definitions are available in the literature, we define it in this study as the share (or the totality, when it applies) of surplus food that is neither redistributed nor used as animal feed, but it is 142 instead sent to the waste management in place, e.g. incineration. 143

144

#### 145 **2.2 The case of France**

Amongst the EU Member States, France is recognised as a frontrunner in respect to food redistribution (Deloitte, 2014). To overcome the barriers highlighted in Appendix H (SI), France has implemented regulations at national level to ease the redistribution of surplus food. In respect to responsibility and traceability, France has implemented a transfer slip, which concerns the state (i.e. core temperature, use by/best before date) of the food product when donated and is co-signed by the food donor and the receiving organisation (e.g. charity) (Deloitte, 2014). Regarding liability, food donors and receiving organisations subscribe to liability insurance and sign a partnership agreement (Deloitte, 2014). To implement the *Food Hygiene Package*, the French Federation of Food Banks outlined a *best practice guide* to help food donors and receiving organisations (Deloitte, 2014). To further support redistribution France implemented a corporate tax incentive. As described earlier, this establishes that food donors can benefit from a tax credit of 60% on the monetary value of the food redistributed (Mourad, 2015).

159

#### 160 **2.3 Scope and functional unit**

The functional unit of the study is the management of 1 tonne of surplus food, including associated packaging, as generated by the retail sector in France (ca. 0.98 t is food and 0.02 t is packaging). This, depending on the management of the retailer, may be partly redistributed or sent for use-as-feed, and partly become food waste.

The study is a cradle-to-grave LCA, encompassing the entire life cycle of the surplus 165 food generated at the retail outlets. This included transport, redistribution of surplus food, 166 reuse of the surplus food as animal feed, and other treatment pathways for the waste. When 167 assessing the prevention scenario (used as benchmark), the upstream processes prior to the 168 169 production of surplus food were accounted for, from production of the food and associated 170 LUCs, to distribution (i.e. packaging production, transport and storage) to ensure system equivalence across scenarios. The assessment was performed in accordance with the ISO 171 172 standards for LCA (ISO, 2006a, b), and a consequential approach was applied (Weidema, 2003; Weidema et al., 2009). The geographic scope of the study was France. The temporal 173 174 perspective covered current retailers' management practices as well as those prior to the 175 implementation of advanced management for surplus food. The consequential database 176 provided by Ecoinvent v3.3 was used to model the life cycle impact assessment (Wernet et al., 2016), which was performed for ten impact categories, namely Global Warming (Forster 177 et al., 2007), Terrestrial Acidification (Seppälä et al., 2006), Photochemical Ozone Formation 178 (van Zelm et al., 2008), Particulate Matter (van Zelm et al., 2008), Aquatic Eutrophication 179 Nitrogen (Struijs et al., 2009), Aquatic Eutrophication Phosphorous (Goedkoop et al., 2009), 180 181 Human Toxicity, cancer(Rosenbaum et al., 2011), Ecotoxicity (Rosenbaum et al., 2011), Fossil Resource Depletion (van Oers et al., 2002) and Water Depletion (Goedkoop et al., 182 2009). Environmental exchanges were modelled by assuming a time horizon of 100 years. 183 184 With respect to Global Warming, the uptake/release of biogenic  $CO_2$  from the food was assigned a characterisation factor equal to 0, while the eventually sequestered biogenic  $CO_2$ 185 (within the 100-year time horizon) was assigned a factor equal to -1, following common 186 practice for short-rotation biomass. The assessment was performed with the EASETECH 187 LCA tool (Clavreul et al., 2014). 188

189

#### **190 2.4 Description of the scenarios and system boundaries**

The scenarios investigated were: Scenario I (CM), representing the current management of 191 192 surplus food, Scenario II (AD), where surplus food is sent to anaerobic digestion (preceded by pre-treatment), Scenario III (1), where surplus food is sent to incineration, and Scenario 193 IV(P), representing prevention of surplus food, and used as benchmark for the ideal 194 195 management. Scenario I (CM) represents the current management of individual French retail outlets, in that only one out of 20 retailers sends a share of its surplus fruit and vegetables to 196 197 animal feed, while all remaining retailers send the surplus food to redistribution only. In the 198 default case we considered that no losses occurred when surplus food is redistributed, assuming that beneficiaries (or intermediate, e.g. charities) would waste the same amount ifthey would buy it or receive it from another party.

As illustrated in Figure 1, the surplus food generated is sorted on site and a share is 201 202 sent to redistribution and/or animal feeding, while the rest (composed of food and packaging) 203 to the waste management system in place, thus becoming food waste conforming to the 204 definitions in section 2.1. According to Ministère de la Transition Écologique et Solidaire (2017a), food waste should be treated either through composting or anaerobic digestion, 205 though the retail outlets analysed in this study send it to anaerobic digestion only. As food 206 207 waste also includes packaging, pre-treatment is needed. Following the results of Bernstad et al. (2013), we assume that pre-treatment incurs 20% mass losses (i.e. all input-packaging and 208 a share of the food) to be incinerated. The anaerobic digestion of food waste produces two 209 210 outputs: biogas and digestate, with the former used to produce electricity and heat, while the 211 latter is used as organic fertiliser. The residues are sorted out and transported to an 212 incineration plant, according to the trends presented in the study by Ademe (2016). Thermal 213 efficiencies (as a percentage of the incoming lower heating value of the waste, on a wet basis) 214 at the incineration plant are 5.7% for electricity production and 41.2% for heat production, 215 conforming with the average figures provided by a recent publication covering the entire French incineration sector (Beylot et al., 2017). Bottom ashes are assumed used for road 216 construction, and fly ashes for backfilling of salt mines. 217

In *Scenario II (AD)*, surplus food is sent to anaerobic digestion, thus becoming waste. After pre-treatment, the separated food waste is digested, while a residual waste flow composed of both packaging and food waste is incinerated. The two streams are modelled similar to *Scenario I (CM)*. Likewise, in *Scenario III (I)*, surplus food is incinerated directly

222 (both packaging and food products; no pre-treatment is needed). Incineration is modelled similarly to the other scenarios. Scenario IV(P) represents an ideal situation in which 100% 223 of the surplus food is prevented, i.e. production is avoided and no waste management is 224 225 required. As such, all activities occurring prior to its generation are thereby avoided. 226 Accounting for these activities is necessary only in the prevention scenario to compare 227 consistently the environmental impacts of the assessed scenarios (see also previous studies on prevention, most notably, Gentil et al., 2011; Martinez-Sanchez et al., 2016). For a 228 complete description of all the processes included in the scenarios, refer to Appendix A (SI). 229

230 The multi-functionalities of the scenarios are handled through system expansion following consequential LCA principles. This means that any co-products or services arising 231 along with the management of surplus food, i.e. the functional unit, are credited by 232 233 accounting for the substitution of corresponding similar market products/services (Figure 1). These following consequential principles are identified in marginal products/services, i.e. 234 those likely to respond to changes in demand/supply (for details refer to e.g. Weidema, 2003; 235 Weidema et al., 2009). In our scenarios, co-products/services (Figure 1) are redistributed 236 237 food (to secondary selling/people/charities, etc.), fruit/vegetables reused as animal feed, 238 electricity, heat, and bottom ash used as sub-base material for road construction. With respect 239 to redistribution, a marginal food mix is defined to represent what would otherwise be 240 purchased by consumers (i.e. charities, people or third parties). It is assumed that this would 241 be composed of the cheapest food products existing on the market within the following 242 categories: Fruit and vegetables (banana (20%), apple (20%), potato (34%), and carrot 243 (26%)), Grain (pasta (63%) and rice (37%)), Meat (egg (65%) and fish fingers (35%)), and 244 Dairy (milk (75%) and yoghurt (25%)), which were identified based on EUROSTAT (2015).

For simplicity and lack of any detailed information, each macro-category was represented by 245 two products: although consumers have multiple choices at retail outlets, forecasting changes 246 in consumption behaviours caused by redistribution and donations involve a wide range of 247 248 socio-economic factors (Gajjar, 2013). It is important to note that *Fruit and vegetables* is composed of four food products, as fruits and vegetables are here aggregated into one 249 250 category. With respect to animal feed, marginal energy- and protein-feed are assumed to be maize and soymeal, following previous studies (Tonini et al., 2018; Tonini et al., 2016). As 251 soymeal is co-produced with soy oil, the well-known soybean-loop detailed by Dalgaard et 252 253 al. (2008) is applied and solved. The substitution of maize and soymeal by surplus food is based on relative digestible energy and protein content, following a common approach (e.g. 254 255 Dalgaard et al., 2008). Electricity is assumed to be produced with the French mix provided 256 in Ecoinvent v3.3 (80% nuclear, 11% hydro, 4% hard coal, 3% wind, 1% natural gas, 1% biogas) (Moreno Ruiz et al., 2014; IEA, 2018), while heat is assumed to be produced by 257 natural gas boilers. Natural aggregates are taken as the likely material otherwise used as sub-258 base in road construction. 259

260

262

#### 263 **2.5 Inventory data**

264 *2.5.1 Surplus food composition* 

The data on surplus food are based on 20 French retail outlets over a period of 13 months. These data were provided by a French company that collaborates with retailers, manages the bureaucratic and logistical elements of food redistribution and educates personnel working

<sup>261 \*\*\*</sup>FIGURE 1\*\*\*

268 in retail outlets (Phenix, 2018). For modelling purposes, surplus food composition is disaggregated into the following macro-categories according to the information provided by 269 the company: Dry sweet, Dry savoury, Frozen food, Deli meats, Fresh dairy products, Fruit 270 271 and vegetables, Poultry, Meat, Cheese, Gourmet, Pastry, Bakery, Fish and Liquids. The primary data provided by the company were expressed as monetary values (i.e.  $\in$ ) and 272 represented the wholesale price, namely the price at which retailers buy the goods (FAO, 273 2018). It is assumed that the wholesale price covers both food production itself and packaging 274 production. Based on Tonini et al. (2018), the amount of packaging was calculated for each 275 276 food product in each of the considered macro-categories (Table B1, SI). It is important to note that in the retail outlets under assessment, fruit and vegetables are sold without any 277 278 packaging. Therefore, their packaging was set to zero.

279 Process inventories for performing bottom-up LCAs are typically mass-based (Clavreul et al., 2014). To apply this approach, it was necessary to convert the data from 280 euros to kg. First, wholesale prices were collected and expressed as [€ kg<sup>-1</sup>]. Second, to have 281 a detailed classification of the surplus food in terms of food products, the food consumption 282 pattern in France was modelled (Table B2, SI). This approach is needed to model the impacts 283 284 of food production using a bottom-up LCA when detailed disaggregated data on the 285 individual food products composing the mix (in this case, the surplus food) are not available, as explained in recent studies (see Scherhaufer et al., 2018 and Tonini et al., 2018). Finally, 286 287 the wholesale prices were weighted accordingly to the French consumption pattern (Table B3, SI), and then the contribution of each macro-category to total surplus food, both in 288 289 monetary and mass terms, was calculated (Figure 2). The chemical/biochemical/physical 290 properties of the individual food products were based on Tonini et al. (2018).

291

#### 292 \*\*\*FIGURE 2\*\*\*

293

294 On average, across the 20 retail outlets, surplus food is mainly composed in monetary terms by Fruit and vegetables (23%), Deli meats (17%), and Fresh dairy products (13%). Mass-295 296 wise, the highest shares are associated with Fruit and vegetables (29%), Fresh dairy products (23%), and Bakery (19%). When looking at surplus food in monetary terms, Deli meats 297 contributes more than Bakery due to the higher wholesale price (Table B3, SI). Overall, these 298 299 results are in accordance with previous studies. For example, according to Teuber & Jensen (2016), most surplus food in terms of mass is associated with bread and bakery products, and 300 fruit and vegetables. This is also supported by the study of Parfitt et al. (2010): most of 301 302 surplus food includes fruit and vegetables, followed by bakery, dairy, meat and fish. This trend is also reflected in our results. Eventual differences in the ranking of the macro-303 categories might be due to the different retail outlets analysed, to the assumed wholesale 304 prices, and to a different definition of the macro-categories (i.e. the specific food products 305 included in each one). 306

307

#### 308 2.5.2 Food production and distribution

The consequential database provided by Ecoinvent v3.3 was used to model the production of the food products (Wernet et al., 2016) (Table C1, SI). Their transport from the production stage to the retail sector was also based on information provided by Wernet et al. (2016). With respect to *Fruit and vegetables*, the transport inventory from Ecoinvent v3.3 already accounts for the food losses (12%) between the retail sector and the consumer (Gustavsson et al., 2011). To avoid double-counting, these losses were disregarded here. The industrial
processing of meat, fish, flour and bread was based on the 2-0 LCA consultants (2007) (refer
to Tonini et al., 2018, SI Tables S13, S14, S15). For drinks, the production process was based
on information provided in Doublet et al. (2013) (refer to Tonini et al., 2018, SI Table S16).
Cooling and storage at the retail were also based on 2-0 LCA consultants (refer to Tonini et al., 2018, SI Table S17).

320

#### 321 2.5.3 Land-use changes

322 Following a consequential approach, the demand for/ prevention of an additional unit of food incurs a demand/prevention for land. This may be supplied by a combination of expansion 323 on virgin nature and intensification of current production (e.g. see Schmidt et al., 2013 and 324 325 Tonini et al., 2016) incurring (indirect) LUC effects. To include such impacts, we follow the 326 modelling approach detailed in Tonini et al. (2016) and recently applied in a study on food 327 waste management in the UK (Tonini et al., 2018). Please refer to the original publications for more details. Table D1 (SI) reports the land required for each food product included in 328 the study. 329

330

#### 331 **2.6 Uncertainties: scenario analyses**

To test the influence of choices in respect to marginal products/services (section 2.4), we performed three scenario analyses consisting in: i) changing the marginal electricity mix from the French mix provided in Ecoinvent v3.3 to 100% natural gas-based electricity, ii) changing the marginal food mix from the one that was detailed in section 2.4 to 100% bread and iii) changing the marginal food mix from the one that was detailed in section 2.4 to assuming

337 that this would have exactly the same composition as the surplus food coming from the retail outlets (one-to-one product substitution). This equals to say that the portion of redistributed 338 food is modelled as if it was prevented. Additionally, we also performed a scenario analysis 339 340 on the fate of packaging, assuming 100% of food packaging is separated and recycled, thereby displacing virgin paper and virgin polyethylene terephthalate, polypropylene and 341 342 polyethylene production. Finally, we also performed a fifth scenario analysis where we tested the assumption of not having losses when surplus food is redistributed (stated in section 2.4). 343 According to Alexander & Smaje (2008) we assumed that beneficiaries waste 32% of the 344 345 surplus food that they receive.

346

#### **2.7** Cost analysis of the management of surplus food and food waste

A cost analysis was performed for *Scenario I (CM)* to illustrate economic implications for 348 French retailers after the enforcement of law no. 2016-138. Retailers benefit from a tax credit 349 350 of 60% ( $t_c$  in Eq. 1) on the monetary value of the food redistributed (d). Other companies typically take part in the redistribution process by handling administrative aspects and 351 352 logistics. This service is added to the tax credits that retailers obtain for redistributing food, 353 here assumed to correspond to about 35% (f) of the abovementioned amount. In addition, the 354 management of the (remaining) food waste is also addressed when calculating the costs 355 incurred by retailers ( $C_{sf}$ ). As detailed in section 2.4, the analysed retailers send food waste to anaerobic digestion only, with a gate fee assumed to be  $57 \notin t^{-1}(g_f)$  based on average values 356 357 for the EU (Hogg, 2002). Notice that, while an EU average was here chosen for simplicity 358 based on Hogg (2002), this figure nevertheless well represents fees in EU that currently span between -5 and  $78 \in t^{-1}$  (Wrap, 2018). Thereby, the overall cost is calculated as follows, where  $f_d$  is the share of donated food and  $f_w$  is the share of food waste in *Scenario I (CM)*:

361

362 
$$C_{sf}[\mathbf{e}] = f_d * d * (-t_c + t_c * f) + f_w * g_f$$
 Eq. 1

363

The economic gain generated in *Scenario I (CM)* was compared to the costs associated with *Scenario II (AD)* and *Scenario III (I)* (assumed at, respectively, 57 and  $132 \in t^{-1}$  from Hogg (2002). It is important to note that Eq. 1 does not account for the costs incurred when retailers purchase food products, as these would be the same regardless of the surplus food management system implemented, i.e. the same for *CM*, *AD* and *I*.

369

## 370 **3. Results**

The LCA results are presented in Figure 3 as characterised impacts per tonne of surplus food (including associated packaging), wet weight basis. The results obtained for *Scenario I (CM)* when assessing the two-different marginal food mixes (see section 2.6) are also displayed. The three remaining scenario analyses (natural gas-based electricity mix, 100% recycling of packaging, and including the losses from redistribution) are also thoroughly discussed, but, for the purpose of clarity, they are illustrated in the SI (Figures E1, E2, and E3). The complete list of the results and impact contributions may be found in Table F1 (SI).

378

379 \*\*\*FIGURE 3\*\*\*

380

#### 381 **3.1 LCA results: overall hierarchy and priorities for surplus food management**

382 The trend shown by the results in all ten impact categories supported a clear hierarchy: surplus food prevention was, as expected, the best scenario, followed by current 383 management, which included both redistribution and use-as-feed; the waste management 384 385 scenarios were evidently the worst. Due to the modelling choices made in the default 386 scenario, for some of the categories, e.g. Global Warming, incineration (Scenario III (I)) 387 performed better than anaerobic digestion (Scenario II (AD)) when the marginal electricity was characterised by a low-carbon mix, thereby giving a low global warming substitution 388 factor. However, when the marginal electricity was based on natural gas, Scenario II (AD) 389 390 performed better than Scenario III (I), as substituting electricity from natural gas induced greater environmental savings, which compensated for the burden associated with processing 391 (e.g. pre-treatment, diesel, heat and electricity consumption for the operations, and fugitive 392 CH<sub>4</sub> emissions). The results illustrated that the choice of the marginal food mix had a great 393 impact on the results. When the marginal mix was composed of bread only, the savings were 394 lower than those obtained in the baseline scenario for most of the impact categories (e.g. 395 Global Warming and Fossil Resource Depletion). Conversely, when the mix was assumed to 396 have the same composition as the incoming surplus food (i.e. thus to prevent this flow fully), 397 398 higher savings were observed compared to the default results in most impact categories (e.g. 399 Terrestrial Acidification and Particulate Matter). This illustrates that the choice of food products composing the marginal food mix is crucial with respect to the final magnitude of 400 401 the LCA results and that future research should improve the basis for defining this mix. In respect to the scenario analysis in which packaging was fully recycled, the results did not 402 403 change significantly compared to the default scenario, mainly because packaging only 404 constituted 1-3% of the surplus food mix. When considering the scenario analysis where the

losses incurred by beneficiaries were accounted for, the savings of *Scenario I (CM)*decreased. However, the hierarchy of the results was not affected and the same considerations
can be made as for the default scenario.

408

#### **3.2 Contributions to the impact**

#### 410 *3.2.1 Global Warming, Fossil Resource Depletion, and Water Depletion*

In Scenario I (CM) and Scenario IV (P), the main contributions to environmental benefits 411 were avoided food production, followed by the corresponding LUCs (Table F1, SI) for both 412 413 Global Warming and Fossil Resource Depletion. In Scenario II (AD) and Scenario III (I), the main contribution to the savings was the waste management system, because of the energy 414 recovery and the substitution of alternative production sources in both of the abovementioned 415 416 impact categories (Table F1, SI). However, the magnitude of the benefits incurred by these  $(-200 \text{ to } -65 \text{ kg CO}_2\text{-eq } t^{-1} \text{ and } -3800 \text{ to } -2000 \text{ MJ } t^{-1})$  were far lower compared with those 417 obtained by prevention and redistribution pathways (-3900 to -400 kg CO<sub>2</sub>-eq t<sup>-1</sup> and -3.0E+4418 to -3.9E+3 MJ t<sup>-1</sup>). 419

The impact contributions for Water Depletion for Scenario I (CM) and Scenario IV (P), 420 421 differ from those highlighted earlier in the case of Global Warming and Fossil Resource 422 Depletion. Indeed, processes fuelled by the marginal electricity (e.g. waste management, refrigeration) have a great impact on this environmental category, as they are mainly 423 424 characterised by electricity produced from hydropower and nuclear electricity produced by a pressure water reactor (Table F1, SI). When considering the default scenario assumptions, 425 426 the results did not follow the waste hierarchy for four out of the 20 retail outlets analysed in 427 the study. However, the waste pyramid was reflected in the results when the marginal electricity was changed to a fossil fuel-based one (i.e. natural gas), showing that the marginal electricity assumed may affect the results in this category (Figure E1, SI). Furthermore, when considering the default scenario assumptions results, the environmental benefits incurred by *Scenario II (AD)* and *Scenario III (I)* (-2400 to -520 kg water t<sup>-1</sup>) were lower than those obtained for *Scenario I (CM)* and *Scenario IV (P)* (-4100 to -1100 kg water t<sup>-1</sup>).

433

434 3.2.2 Terrestrial Acidification, Photochemical Ozone Formation and Particulate Matter

The main contributor to savings was avoided food production, followed by the corresponding LUCs for *Scenario I (CM)* and *Scenario IV (P)* (Table F1, SI). In *Scenario II (AD)* and *Scenario III (I)*, the main contribution to the environmental savings came from waste management (Table F1, SI). Contrarily to the results for Terrestrial Acidification and Particulate Matter, in the impact category Photochemical Ozone Formation *Scenario III (I)* performed worse than *Scenario II (AD)*, due to higher emissions of NO<sub>x</sub> in the incineration process.

442

443 3.2.3 Aquatic Eutrophication Nitrogen and Phosphorus

In *Scenario I (CM)* and *Scenario IV (P)*, the main contributors to the environmental savings were avoided food production, followed by the corresponding LUCs (Table F1, SI). With respect to *Scenario II (AD)* and *Scenario III (I)*, the main contribution to savings came from the waste management system (Table F1, SI). The environmental benefits incurred by these (0.26 to 2.7 kg N-eq t<sup>-1</sup> and -3.8E-03 to -1.8E-03 kg P-eq t<sup>-1</sup>), however, were far lower than those obtained by the current management and the prevention scenario (-26 to -0.98 kg N-eq t<sup>-1</sup> and -0.41 to -0.049 kg P-eq t<sup>-1</sup>). Further, when changing the marginal food mix, a different 451 trend was observed for the environmental category Aquatic Eutrophication Phosphorus 452 compared to, for instance, Global Warming. Indeed, compared to the baseline results, greater 453 environmental savings were obtained when changing the marginal food mix to 100% bread.

454

## 455 *3.2.4 Human Toxicity, cancer and Ecotoxicity*

The main contributors to the environmental savings in Scenario I (CM) and Scenario IV (P) 456 were food production followed by the corresponding LUCs (Table F1, SI). In Scenario II 457 (AD) and Scenario III (I), the main contributor to the savings was the waste management 458 system (Table F1, SI). The savings incurred by these scenarios (-140 to -47  $CTU_e t^{-1}$  and -459 1.9E-05 to -7.4E-07 CTU<sub>h</sub>  $t^{-1}$ ), however, were far lower than those obtained in the current 460 management (CM) and prevention (P) scenarios (-3700 to -880 CTUe t<sup>-1</sup> and -9.3E-05 to -461 1.9E-05 CTU<sub>h</sub> t<sup>-1</sup>). The trends observed for the category Ecotoxicity were different compared 462 to those of Global Warming for eight out of the 20 retail outlets analysed in the study. For 463 464 these eight retail outlets, Scenario I (CM) led to higher savings than Scenario IV (P), due to the assumption made on the marginal food mix, which was rich in grains that require an 465 extensive use of herbicides and fertilisers, highly influencing the impact on the Ecotoxicity 466 467 environmental category. However, the waste hierarchy, with prevention as the best scenario, 468 was reflected again in the scenario analyses results when the marginal food mix was either composed of 100% bread or by a mix with the same composition as surplus food generated 469 470 at the retail outlet, as both include food products that have a lower impact on this category.

473 When comparing the costs across Scenario I (CM), Scenario II (AD) and Scenario III (I), retailers have an economic gain when handling surplus food, conforming to the current 474 management (Figure 4). However, the costs of Scenario I (CM) varied for each retailer 475 476 (Figure 4), not only due to exogenous factors, such as weather, but also because of local management affecting the redistribution of surplus food. The costs in Scenario I (CM) ranged 477 from  $-40 \notin t^{-1}$  for retail #13, to  $-410 \notin t^{-1}$  for retail #1 (Table G1, SI). The former represented 478 a retailer redistributing the lowest amount of surplus food containing mainly Fruit and 479 vegetables, which were amongst the cheapest food products considered. The latter 480 481 represented instead a retailer donating the largest amount of surplus food. This indicates that donating high amounts of surplus food is certainly important to achieve a maximum of 482 monetary savings, but including expensive products (both from a monetary and resource 483 perspective), such as *Meat*, *Fish* and *Deli meats*, increases the benefits. This is well-484 illustrated by retailer #19 that, while not having the largest food redistribution in terms of 485 mass, nevertheless showed economic savings larger than other retailers, as mostly expensive 486 food products were donated. 487

It is important to note that, even when enforcing the current surplus food management with redistribution and associated savings, retailers still suffer overall net economic burdens (i.e. positive values in Figure 4) as soon as they generate surplus food. This is clearly evident when the costs incurred for purchasing food products are included in the economic analysis (Figure 4; see indicator "Total cost including the purchase of food"). However, the total cost suffered is lower when implementing redistribution and diversion to animal feed practices and minimising the amount of food waste, i.e. when implementing *Scenario I (CM)*.

495

496 \*\*FIGURE 4\*\*\*

497

498 **4. Discussion** 

## 499 **4.1 Comparison of the results with previous studies**

Eriksson et al. (2015) performed a LCA in which the environmental benefits of redistributing 500 501 1 kg of food waste (including packaging) in the retail sector were assessed. According to the study, greater environmental benefits were associated with prevention and redistribution (i.e. 502 the higher levels of the waste hierarchy) compared to composting, anaerobic digestion, use-503 504 as-feed, incineration, and landfilling. However, the results did not show a clear trend: depending on the food product characteristics, anaerobic digestion was in some cases 505 preferable to animal feed production and redistribution. Such a trend is not in accordance 506 507 with our results, mainly due to differences in methodological choices. Among these, the most important is the inclusion of indirect LUCs in our study, which has a great impact on the 508 carbon footprint of biomasses, as illustrated in the extensive literature on biofuels/biomasses 509 (e.g. Tonini et al., 2016). As such, neglecting LUCs may result in incorrect conclusions by 510 underestimating the Global Warming impacts. The other methodological choices 511 512 contributing, albeit to a lesser extent, to the difference in the results of the studies are the 513 assumptions on the substituted products (animal feed, food mix, and energy mix). For example, the choice of the marginal redistribution mix can highly vary the benefits obtained 514 515 from redistributing surplus food, and this can be seen in Eriksson et al. (2015) where a 516 substitution of 100% bread was assumed and resulted not to be highly beneficial for the 517 environment. The conclusions of Brancoli et al. (2017) are fully in agreement with those of 518 our study and support the waste hierarchy: using surplus food as animal feed instead of 519 producing energy appeared environmentally beneficial owing to the avoided production (and avoided LUCs) of conventional animal feeds. Brancoli et al. (2017) also demonstrated that 520 recycling packaging further increased the savings, albeit this is not evident from the results 521 522 of our study because of its low share in the mix. Eriksson & Spångberg (2017) also assessed 523 the effect of food redistribution, though not including indirect LUCs. The results, though 524 different in magnitude because of not including LUCs, are nevertheless in agreement with our study and support the waste hierarchy: donating surplus food and re-using it is 525 environmentally preferable to conversion for energy purposes. Oldfield et al. (2016) 526 527 evaluated the carbon footprint of different food waste management options in Ireland (including all food supply chain sectors), including the retail sector. In agreement with our 528 results, food waste minimisation, i.e. prevention, was found to provide the largest savings. 529 530 Overall, our results, in combination with other studies in the literature, thereby question the current and widely established focus of utilising surplus food for biogas production through 531 anaerobic digestion. If feasible, the food should be redistributed or utilised for animal feed, 532 thus minimising food waste flows and costs (Lebersorger & Schneider, 2014). 533

534

#### 535 **4.2 Economic implications**

The cost analysis on the 20 retailers varied greatly from month to month for *Scenario I (CM)*, due mainly to exogenous factors, e.g. weather, tourism, seasonality, etc., as also explained elsewhere (COMERSO/OID consulting/TRINOV, 2016). Considerable variations between the individual retailers were also observed. This was most likely influenced by managerial choices as well as by differences in local implementations of the French regulation, e.g. challenges associated with establishing an action plan, and time required by personnel to familiarise and adjust to the regulation (COMERSO/OID consulting/TRINOV, 2016). As expensive food products, e.g. animal-based, represented both high wholesale prices and environmental impacts, maximising their redistribution should be encouraged. The cost analysis fully supported the waste hierarchy: the current management involving redistribution and/or animal feed offered lower costs than the traditional waste managementfocused scenarios involving energy production (*Scenario II (AD)* and *Scenario III (I)*).

548

#### 549 **4.3 Data uncertainty and future perspectives**

550 The main source of uncertainty in this study relates to the primary data provided, which are expressed as monetary values (i.e. €) and need therefore to be converted into masses (i.e. kg) 551 to apply a bottom-up LCA approach. This conversion included several assumptions that 552 553 caused uncertainty in the data used in the environmental assessment. Indeed, the wholesale prices used as conversion factors (expressed as € kg<sup>-1</sup>) were not all based on French statistics, 554 and they were found only for a limited number of the food products included in the macro-555 categories. However, adding an uncertainty on the conversion factors used would only affect 556 the composition of the surplus food. We believe that including 20 different retail outlets well 557 558 represents the variability in the composition of surplus food. Further, the focus of the present 559 study is not on comparing the performance of the individual retail outlets, but rather to assess 560 the impact trend of different management options for surplus food. Additional uncertainties 561 are associated with the modelling of the food products composing the macro-categories. As 562 discussed in Tonini et al. (2018), the choice of the background dataset to model the food 563 production processes affects the magnitude of the results significantly. Another source of 564 uncertainty is the marginal food mix, as the results of the scenario analyses did indeed show

565 that this affects the magnitude of the savings incurred by redistribution. Some studies (e.g. Eriksson et al., 2015) even tested the assumption that the substitution effect would be null, 566 meaning that people in need (themselves or through charities/third parties) would not 567 568 otherwise purchase food. This assumption ultimately implies death. Another source of 569 uncertainty relates to the French food consumption pattern used to disaggregate macro-570 categories into the individual food products composing them, as this pattern was based on several studies that were performed in different years. Considering these uncertainties, the 571 numerical results of the study should be used carefully, as a different mix of food products 572 573 constituting the surplus food would lead to a (even substantially) different magnitude of the results. However, while the magnitude of the environmental impacts may change following 574 a different assortment of food products composing the mix, the ranking of the management 575 576 scenarios is unlikely to be affected, as also illustrated and discussed in Tonini et al. (2018).

To improve the robustness of the results, we envision as necessary to: i) facilitate the access to disaggregated food surplus and food waste data (i.e. breakdown of specific food products, e.g. chicken, beef, cheese, etc.) both in terms of mass and price, ii)improve the identification of the marginal food mix (substitution effects), and iii) elaborate up-to-date and consistent (consequential and non) databases for all food products available in the market.

582

#### 583 **5. Conclusion**

Based on a life cycle assessment of 20 French retail outlets, the results clearly indicate that surplus food management in the retail sector should prioritise redistribution through donations and/or conversion to animal feed over anaerobic digestion and incineration. Accounting for individual food product categories in the surplus food mix, land-use changes

588 associated with food production, and food production itself resulted in Global Warming savings of -1900 to -400 kg CO<sub>2</sub>-eq t<sup>-1</sup> when surplus food was redistributed and diverted to 589 animal feed. The economic gains for the French retailers were in the range of -410 to -40 € t<sup>-</sup> 590 <sup>1</sup> of surplus food donated. By offering incentives, in particular through a tax credit system 591 592 for donating expensive food products, such as meat, the French regulation also provides incentives to increase environmental savings, as relatively greater environmental impacts are 593 often associated with these food products. This suggests that the current focus in many 594 countries on directing surplus food to anaerobic digestion cannot be justified by 595 environmental arguments; rather, the focus should be directed towards promoting food 596 redistribution, e.g. by addressing liability aspects, food labelling and durability, as well as 597 economic incentives. While the results obtained herein for the French retailers are considered 598 599 generally applicable, the study provides a consistent basis for also evaluating similar 600 initiatives in other countries according with their waste management system and policy 601 framework.

602

#### 603 Disclaimer

The views expressed in the article are the sole responsibility of the authors and in no way represent the view of the European Commission and its services.

606

#### 607 **Declaration of interest:**

608 None.

## 609 Acknowledgements

This study was supported by "SustEnergy" (Energy Technology Development and
Demonstration Program, EUDP, under the Danish Energy Agency); and by the Technical

612 University of Denmark (DTU). Further, we would like to thank Susanna Andreasi Bassi and

613 Arnaud Dechesne for their comments on a draft version of the manuscript.

#### 615 **References**

616 2-0 LCA Consultants (2007). LCA Food Database. Available at http://gefionau.dk/lcafood/.

617 Accessed on June 2016.

- 618 Ademe (2016). Déchets Chiffres Clés. Ademe. Available at https://www.ademe.fr/dechets-
- 619 <u>chiffres-cles. Accessed on July 2018</u>.
- 620 Alexander, C., & Smaje, C. (2008). Surplus retail food redistribution: An anlysis of a third
- sector model. Resources, Conservation and Recycling 52, pp. 1290-1298.
- 622 Bernstad, A., Malmquist, L., Truedsson, C, & la Cour Jansen, J. (2013). Need for
- 623 Improvements in Physical Pretreatment of Source-Separated Household Food Waste. Waste

624 Management 33 (3): 746-54. https://doi.org/10.1016/j.wasman.2012.06.012

- Beylot, A., Hochar, A., Michel, P., Descat, M., Ménard, Y., & Villeneuve, J. (2017).
- 626 Municipal Solid Waste Incineration in France; An Overview of Air Pollution Control
- 627 Techniques, Emissions, and Energy Efficiency. Journal of Industrial Ecology 00 (0) : 1-11.
- 628 https://doi.org/10.1111/jiec.12701
- 629 Brancoli, P., Rousta, K., & Bolton, K. (2017). Life Cycle Assessment of Supermarket Food
- 630 Waste. Resources, Conservation and Recycling 118. Elsevier B.V.: 39-46.
- 631 https://doi.org/10.1016/j.resconrec.2016.11.024
- Buratti, C., Barbanera, M., Testarmata, & Fantozzi, F. (2015). Life Cycle Assessment of
- 633 organic waste management strategies : an Italian case study. Journal of Cleaner Production
- 634 89, 125-136. <u>https://doi.org/10.1016/j.jclepro.2014.11.012</u>
- 635 Clavreul, J., Baumeister, H., Christensen, T. H., & Damgaard, A. (2014). An environmental

- assessment system for environmental technologies. Environ. Modell. Softw. 60, 18-30.
- 637 https://doi.org/10.1016/j.envsoft.2014.06.007
- 638 COMERSO/OID company/TRINOV (2016). La distribution engagée Contre Le Gaspillage
- 639 Alimentaire Synthese 9 Pages. Available at www.ademe.fr/mediatheque%0AToute
- 640 Cristóbal, J., Limleamthong, P., Manfredi, S., & Guillén-Gosálbez, G. (2016). Methodology
- 641 for combined use of data envelopment analysis and life cycle assessment applied to food
- 642 waste management. Journal of Cleaner Production 135, 158-168.
  643 https://doi.org/10.1016/j.jclepro.2016.06.085
- Dalgaard, R., Schmidt, J., Halberg, N., Christensen, P., Thrane, M., & Pengue, W. A. (2008).
- 645 LCA of Soybean Meal. International Journal of Life Cycle Assessment 13 (3): 240-54.
- 646 https://doi.org/10.1065/lca2007.06.342
- 647 Deloitte (2014). Comparative Study on EU Member States. Legislation and Practices on
- 648 Food Donation. Available at https://www.eesc.europa.eu/resources/docs/executive-
- 649 summary\_comparative-study-on-eu-member-states-legislation-and-practices-on-food-
- donation.pdf. Accessed on 10/07/2018
- Doublet, G., Jungblkuth, N., Stucky, M., & Schori, S. (2013). Harmonised environmental
- sustainability in the European food and drink products. SENSE project: ESU-services Ltd.
- 653 Available at http://esu-services.ch/fileadmin/download/doublet-2013-SENSE\_Deliverable-
- 654 2\_1-LCAorangejuice.pdf
- Eriksson, M (2015). Supermarket Food Waste: Prevention and Management with the Focus
  on Reduced Waste for Reduced Carbon Footprint.

- 657 https://doi.org/10.13140/RG.2.1.2502.3447
- Eriksson, M., & Spångberg, J. (2017). Carbon Footprint and Energy Use of Food Waste
  Management Options for Fresh Fruit and Vegetables from Supermarkets. Waste
  Management 60, 786-99. https://doi.org/10.1016/j.wasman.2017.01.008
- 661 Eriksson, M., Strid, I., & Hansson, P. A. (2015). Carbon Footprint of Food Waste
- 662 Management Options in the Waste Hierarchy A Swedish Case Study. Journal of Cleaner
- 663 Production 93, 115-25. https://doi.org/10.1016/j.jclepro.2015.01.026
- European Commission (2009). Commission Notice. Guidelines for the feed use of food no
- longer intended for human consumption C/2018/2035. Available at <a href="https://eur-htttps://eur-htttps://eur-https://eur-https://eur-https/
- European Commission (2010). Guidance on the implementation of articles 11, 12, 14, 17,
- 18, 19 and 20 of Regulation (EC) N° 178/2002 on General Food Law. Conclusions of the
- 669 standing committee on the food chain and animal health. Available at
- 670 <u>https://ec.europa.eu/food/sites/food/files/safety/docs/gfl\_req\_guidance\_rev\_8\_en.pdf</u>
- European Commission (2017a). Official Journal of the European Union, C361. Vol. 60.
- 672 Available at https://eur-lex.europa.eu/legal-
- 673 content/EN/TXT/?uri=OJ%3AC%3A2017%3A361%3AFULL. Accessed on 10/07/2018
- European Commission (2017b). Commission Notice of 16.10.2017. EU guidelines on food
- 675 donation. Available at <u>https://ec.europa.eu/food/sites/food/files/safety/docs/fw\_eu-</u>
  676 actions food-donation eu-guidelines en.pdf
- 677 European Federation of Food Banks, FoodDrinkEurope, & EuroCommerce (2016). Every

| 678 | Meal Matter – Food Donation Guidelines. Available at  |
|-----|---|
| 679 | http://www.fooddrinkeurope.eu/publication/every-meal-matters-food-donation-guidelines/.       |
| 680 | European Parliament and Council (2008). Directive 2008/98/EC of the European Parliament       |
| 681 | and of the Council of 19 November 2008 on Waste and Repealing Certain Directives. Official    |
| 682 | Journal of the European Union, 3-30. https://doi.org/2008/98/EC.; 32008L0098                  |
| 683 | European Union (2017). Distribution of Foodstuff Surpluses to Most Deprived Persons and       |
| 684 | Limitation of Food Waste: Information from the Italian Delegation.                            |
| 685 | http://data.consilium.europa.eu/doc/document/ST-6008-2017-INIT/en/pdf                         |
| 686 | EUROSTAT (2015). Database. Detailed average prices.   |
| 687 | http://ec.europa.eu/eurostat/web/hicp/data/database (accessed on 20/03/2018)                  |
| 688 | FAO (2018). 4. Concepts on price data. Available at http://www.fao.org/economic/the-          |
| 689 | statistics-division-ess/methodology/methodology-systems/price-statistics-and-index-           |
| 690 | numbers-of-agricultural-production-and-prices/4-concepts-on-price-data/en/                    |
| 691 | Forster, P., Ramaswamy, V., Artaxo, P., Berntsen, T., Betts, R., Fahey, D. W., Haywood, J.,   |
| 692 | Lean, J., Lowe, D. C., Myhre, G., Nganga, J., Prinn, R., Raga, G., Schulz, M., & van Dorland, |
| 693 | R. (2007). Changes in atmospheric constituents and in radiative forcing. In: Solomon, S.,     |
| 694 | Qin, D., Manning, M., Chen, Z., Marquis, M., Averyt, K. B., Tignor, M., & Miller, H. L.       |
| 695 | (Eds), Climate change 2007: The Physical Science Basis. Contribution of Working Group I       |
| 696 | to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change.             |
| 697 | Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA, pp.              |
| 698 | 130-234.  |

- 699 Gajjar, N. B. (2013). Factors Affecting Consumer Behavior. Raijmr Com 1 (2): 10-15.
- 700 <u>https://raijmronlineresearch.files.wordpress.com/2017/08/2\_10-15-dr-nilesh-b-gajjar.pdf</u>
- 701 Garot, G. (2015). Lutte contre le gaspillage alimentaire: propositions pour une politique
- 702 publique. Ministère de l'agriculture, de l'agroalimentaire et de la forêt. Available at
- 703 https://www.ladocumentationfrancaise.fr/rapports-publics/154000257/index.shtml
- Gentil, E. C., Gallo, D., & Christensen, T. H. (2011). "Environmental Evaluation of
  Municipal Waste Prevention." Waste Management 31 (12), 2371-79.
  https://doi.org/10.1016/j.wasman.2011.07.030
- Goedkoop, M., Heijungs, R., Huijbregts, M., De Schryver, A., Struijs, J., & van Zelm, R.
- 708 (2009). ReCiPe 2008. Potentials, 1-44.
- 709 https://www.leidenuniv.nl/cml/ssp/publications/recipe\_characterisation\_addenum.pdf
- 710 Gustavsson, J., Cederberg, C., Sonesson, U., van Otterdijk, R., & Meybeck, A. (2011).
- 711 Global Food Losses and Food Waste Extent, Causes and Prevention.
  712 http://www.fao.org/docrep/014/mb060e/mb060e00.pdf
- Hanssen, O. J., Ekegren, P., Gram-Hanssen, I., Korpela, P., Langevad-Clifforth, N., Skov-
- 714 Olsen, K., & Svanes, R. (2014). Food Redistribution in the Nordic Region. Experiences and
- 715 Results from a Pilot Study. https://doi.org/10.6027/TN2014-562
- 716 Hogg, D. (2002). Costs for Municipal Waste Management in the EU. Final Report to
- 717 Directorate General Environment. European Commission. Eunomia Research & Consulting.
- 718 http://ec.europa.eu/environment/waste/studies/pdf/eucostwaste.pdf
- 719 IEA (2018). France: Electricity and Heat for 2015.

- 720 https://www.iea.org/statistics/statisticssearch/report/?country=FRANCE=&product=electric
- 721 ityandheat (accessed 20/03/2018)
- 722 ISO (2006a). Environmental Management Life Cycle Assessment Requirements and
- 723 Guidelines, first ed., ISO; Geneva, Switzerland.
- 724 ISO (2006b). ISO 14040: Environmental Management Life Cycle Assessment Principles
- and Framework, second ed. ISO, Geneva, Switzerland.
- Lebersorger, S., & Schneider, F. (2014). Food loss rates at the food retail, influencing factors
- and reasons as a basis for waste prevention measures. Waste Management 34, pp. 1911-1919.
- 728Legifrance (2016). LOI n. 2016-138 du 11 Février 2016 relative à la lutte contre le gaspillage729alimentaire.Availableat
- 730 https://www.legifrance.gouv.fr/affichTexte.do?cidTexte=JORFTEXT000032036289&date
- 731 Texte=&categorieLien=id
- 732 Martinez-Sanchez, V., Tonini, D., Møller, F., & Astrup, T. F. (2016). Life-Cycle Costing of
- 733 Food Waste Management in Denmark: Importance of Indirect Effects. Environmental
- 734 Science and Technology 50 (8): 4513-23. https://doi.org/10.1021/acs.est.5b03536
- 735 Ministère de la Transition Écologique et Solidaire (2017a). Biodèchets.
- 736 https://www.ecologique-solidaire.gouv.fr/biodechets#e2 (accessed 19/03/2018)
- 737 Ministère de la Transition Écologique et Solidaire (2017b). Gaspillage alimentaire.
- https://www.ecologique-solidaire.gouv.fr/gaspillage-alimentaire-0 (accessed 07/03/2018)
- 739 Mirosa, M., Mainvil, L., Horne, H., & Mangan-Walker, E. (2016). The social value of
- rescuing food, nourishing communities. British Food Journal, vol. 118 (12), pp. 3044-

- 741 3058https://doi.org/10.1108/BFJ-04-2016-0149
- Moreno Ruiz, E., Lévová, T., Bourgault, G., & Wernet, G. (2014). Documentation of
  Changes Implemented in Ecoinvent Data 3.1. Ecoinvent 0 (5) : 70
- Mourad, M. (2015). France Moves toward a National Policy against Food Waste. Nrdc, no.
- 745 September: 1-12. https://www.nrdc.org/sites/default/files/france-food-waste-policy746 report.pdf
- 747 Oldfield, T. L., White, E., & Holden, N. M. (2016). An Environmental Analysis of Options
- for Utilising Wasted Food and Food Residue. Journal of Environmental Management 183:
- 749 826-35. https://doi.org/10.1016/j.jenvman.2016.09.035
- 750 P. Forster, V. Ramaswamy, P. Artaxo, T. Berntsen, R. Betts, D.W. Fahey, J. Haywood, J. 751 Lean, D.C. Lowe, G. Myhre, J. Nganga, R. Prinn, G. Raga, M. Schulz, R. Van 752 Dorland (2007). Changes in atmospheric constituents and in radiative forcing. Contribution 753 of Working Group I to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change. In: Solomon S., D. Qin, M. R. Manning, Z. Chen, M. Marquis, K.B. 754 755 Averyt, M. Tignor, H.L. Miller (eds.), Climate Change 2007: The Physical Science 756 Basis. Cambridge University Press, Cambridge, United Kingdom / New York, NY, 757 USA., pp.130-234.
- Parfitt, J., Barthel, M., & Macnaughton, S. (2010). Food Waste within Food Supply Chains:
- 759 Quantification and Potential for Change to 2050. Philosophical Transactions of the Royal
- 760 Society B : Biological Sciences 365 (1554) :3065-81. https://doi.org/10.1098/rstb.2010.0126
- 761 Phenix (2018). About us. http://danmark.wearephenix.com/en/about-phenix/ (accessed

- 763 Rosenbaum, R. K., Huijbregts, M. A. J., Henderson, A. D., Margni, M., McKone, T. E., Van
- 764 De Meent, D., Hauschild, M. Z. et al. (2011). USEtox Human Exposure and Toxicity Factors
- for Comparative Assessment of Toxic Emissions in Life Cycle Analysis: Sensitivity to Key
- 766 Chemical Properties. International Journal of Life Cycle Assessment 16 (8): 710-27.
- 767 https://doi.org/10.1007/s11367-011-0316-4
- 768 Scherhaufer, S., Lebersorger, S., Pertl, A., Obersteiner, G., Schneider, F., Falasconi, L., De
- 769 Menna, F., Vittuari, M., Hartikainen, H., Katajajuuri, J. M., Joensuu, K., Timonen, K., van
- der Sluis, A., Bos-Brouwers, B., Moates, G., Waldron, K., Mhlanga, N., Bucatariu, C. A.,
- 771 Lee, W. T. K., James, K., & Easteal, S. (2015). Criteria for and baseline assessment of
- environmental and socio-economic impacts of food waste. Available at https://www.eu-
- 773 fusions.org/index.php
- 774 Scherhaufer, S., Moates, G., Hartikainen, H., Waldron, K., & Obersteiner, G. (2018).
- Environmental impacts of food waste in Europe. Waste Management 77, 98-113
- 576 Schmidt, J., Weidema, B. P., & Brandão, M. (2013). LCA Screening of Biofuels ILUC,
- 777 Biomass Manipulation and Soil Carbon. Concito Danmarks Grønne Tænketank, 1-102.
- 778 Available at https://lca-net.com/publications/show/lca-screening-biofuels-iluc-biomass-
- manipulation-soil-carbon/. Accessed on 10/07/2018
- 780 Scholz, K., Eriksson, M., & Strid, I. (2015). Carbon Footprint of Supermarket Food Waste.
- 781 Resources, Conservation and Recycling 94: 56-65.
- 782 https://doi.org/10.1016/j.resconrec.2014.11.016

- 783 Schönberger, H., Galvez Martos, J. L., & Styles, D. (2013). Best Environmental Management
- 784 Practice in the Retail Trade Sector. https://doi.org/10.2791/1775
- 785 Seppälä, J., Posch, M., Johansson, M., & Hettelingh, J. P. (2006). Country-dependent
- 786 characterisation factors for acidification and terrestrial eutrophication based on accumulated
- exceedance as an impact category indicator (14 pp). The International Journal of Life Cycle
- 788 Assessment, 11(6), 403-416.
- 789 Stenmark, Å. Jensen, C., Quested, T., & Moates, G. (2016). Estimates of European Food
- 790 Waste Levels. https://doi.org/10.13140/RG.2.1.4658.4721
- 791 Struijs, J., Beusen, A., van Jaarsveld, H., Huijbregts, M. A. J. (2009). Aquatic eutrophication.
- In: Goedkoop M., Heijungs R., Huijbregts M. A. J., De Schryver A., Struijs J., Van Zelm R.
- (Eds), ReCiPe 2008. Chapter 6: A Life Cycle Impact Assessment Method Which Comprises
- 794 Harmonised Category Indicators at the Midpoint and the Endpoint Level. Report I:
- 795 Characterisation, first ed. 6 January 2009. Available at <a href="http://www.lcia-recipe.net">http://www.lcia-recipe.net</a>>.
- 796 Sud Ouest (2017). Gaspillage alimentaire: un an après la loi, le boom des solutions.
- 797 http://www.sudouest.fr/2017/02/22/gaspillage-alimentaire-un-an-apres-la-loi-le-boom-des-
- solutions-anti-gaspi-3209648-6150.php (accessed 22/03/2018)
- Teuber, R., & Jensen, J. D. (2016). Food Losses and Food Waste: Extent, Underlying 799 Dreivers and Impact Assessment of Prevention Approaches. Department of Food and 800 801 Resource Economics, University of Copenhagen. IFRO Report, No. 254. 802 https://curis.ku.dk/ws/files/169753425/IFRO\_Report\_254.pdf

- 803 Tonini, D., Albizzati, P. F., & Astrup, T. F. (2018). Environmental Impacts of Food Waste:
- Learnings and Challenges from a Case Study on UK. Waste Management 76: 744-66.
- 805 https://doi.org/10.1016/j.wasman.2018.03.032
- Tonini, D., Hamelin, L., & Astrup, T. F. (2016). Environmental Implications of the Use of
- 807 Agro-Industrial Residues for Biorefineries: Application of a Deterministic Model for Indirect
- 808 Land-Use Changes. GCB Bioenergy 8 (4):690-706. <u>https://doi.org/10.1111/gcbb.12290</u>
- 809 Tonini, D., Martinez-Sanchez, V., & Astrup, T.F. (2013). Material Resources, Energy, and
- 810 Nutrient Recovery from Waste: Are Waste Refineries the Solution for the Future?.
- 811 Environmental Science and Technology 47 (15), pp. 8962-8969. DOI: 10.1021/es400998y
- 812 United Nations (2015). Transforming our world: The 2030 agenda for sustainable
- 813 development. Resolution adopted by the General Assembly. Available at
- 814 https://sustainabledevelopment.un.org/content/documents/21252030%20Agenda%20for%2
- 815 0Sustainable%20Development%20web.pdf
- van Zelm, R., Huijbregts, M. A. J., den Hollander, H. A., van Jaarsveld, H. A., Sauter, F. J.,
- 817 Struijs, J., van Wijnen, H. J., & van de Meent, D. (2008). European characterization factors
- for human health damage of PM10 and ozone in life cycle impact assessment. Atmospheric
- 819 Environment, 42(3), 441-453.
- Vandermeersch, T., Alvarenga, A. F., Ragaert, P., & Dewulf, J. (2014). Environmental
  Sustainability Assessment of Food Waste Valorization Options. Resources, Conservation
  and Recycling 87 : 57-64. https://doi.org/10.1016/j.resconrec.2014.03.008

- 823 Vittuari, M., De Menna, F., Gaiani, S., Falasconi, L., Politano, A., Dietershagen, J., & Segré,
- 824 A. (2017). The Second Life of Food: An Assessment of the Social Impact of Food
- Redistribution Activities in Emilia Romagna, Italy. Sustainability, 9 (10), 1817.
- van Oers, L., De Koning, A., Guinée, J. B., & Huppes, G. (2002). Abiotic ressource Depletion
- in LCA. Public Works and Water Management, no. June: 1-75.
- 828 Weidema, B. P. (2003). Market Information in Life Cycle Assessment. Danish Ministry of
- 829 the Environment. Environemtnal Project no. 863. https://lca830 net.com/publications/show/market-information-life-cycle-assessment/
- Weidema, B. P., Ekvall, T., & Heijungs, R. (2009). Guidelines for Application of Deepened
  and Broadened LCA.
- 833 https://pdfs.semanticscholar.org/8be5/9252f6790328a6360d506df522de78bbce4c.pdf
- Wernet, G., Bauer, C., Steubing, B., Reinhard, J., Moreno-Ruiz, E., & Weidema, B. (2016).
- 835 The ecoinvent database version 3 (part I): overview and methodology. The International
- Journal of Life Cycle Assessment, [online] 21(9), pp.1218–1230. Available at:
  http://link.springer.com/10.1007/s11367-016-1087-8 [Accessed 09/03/2018]
- Wrap (2018). Comparing the costs of alternative waste treatment options. Anthesis.Availableat
- 840 http://www.wrap.org.uk/sites/files/wrap/WRAP%20Gate%20Fees%202018\_exec+extende
- 841 d%20summary%20report\_FINAL.pdf

## **Highlights:**

Environmental impacts of surplus food management scenarios assessed for 20 retailers; Anaerobic digestion and incineration outcompeted by redistribution and use-as-feed; Environmental and economic assessment results support the waste hierarchy priorities; Practices favouring redistribution and use-as-feed should be encouraged;

Further research needed for identification of displaced/substituted food products.

## **1** Figure Captions

Figure 1: The system boundaries (black, dashed line) are displayed for the four scenarios 2 considered. The black lines in 1a, 1b, and 1c indicate the processes prior to the generation of 3 surplus food, which are not considered in Scenario I (CM), Scenario II (AD), and Scenario 4 5 III (1) due to system equivalence. The grey, dashed boxes and lines represent displacement 6 of market processes/technologies. Note that LUC (land-use-changes; here as avoided effect) accounts both for expansion and intensification. "C":collection; "T":transport; "Figure 7 1a":Scenario I (CM); "Figure 1b":Scenario II (AD); "Figure 1c"Scenario III (I); "Figure 8 9 1d":Scenario IV (P).


10


Figure 2: Contribution of each macro-category to the total surplus food, for each retail outlet considered in the study. The graph on the left expresses the surplus food as monetary values, whereas the one on the right as mass values. Note that retailers 1 to 19 redistribute the surplus food, whilst retail #20 both redistributes and sends it for use as animal feed.

15


Figure 3: Characterized results for the ten environmental impact categories, expressed per 16 17 tonne of surplus food, wet weight basis. The baseline results are illustrated together with those of the scenario analyses where we change the marginal redistribution mix (see section 18 2.6). Values above the zero-line are burdens, whilst below are savings to the environment. 19 20 "GW": Global Warming; "TA": Terrestrial Acidification; "POF": Photochemical Ozone Formation; "PM": Particulate Matter; "AE, N": Aquatic Eutrophication, Nitrogen; "AE, P": 21 Aquatic Eutrophication, Phosphorus; "ET": Ecotoxicity; "HT, cancer": Human Toxicity, 22 23 cancer; "FRD": Fossil Resource Depletion; "WD": Water Depletion.


| 25 | Figure 4: Costs $[\notin t^{-1}]$ for the management of one tonne of surplus food at each individual                      |
|----|---|
| 26 | retail outlet. For comparison, the cost for the current management (involving redistribution                              |
| 27 | and diversion to animal feed) is compared to a situation where 100% of the surplus food is                                |
| 28 | sent to either anaerobic digestion (AD; 57 €t <sup>-1</sup> ) or incineration (I; 132 €t <sup>-1</sup> ). Costs are shown |
| 29 | with and without including the upstream cost incurred by the retailers for purchasing the                                 |
| 30 | food. Note that negative costs are savings, and positive costs are expenses.  |








📕 Liquids 🛑 Fish 📕 Bakery 🥅 Pastry 🦲 Gourmet 🦳 Cheese 🛑 Meat 🦲 Poultry 🦳 Fruits and vegetables 🦳 Fresh dairy products 🦲 Deli meats 🥅 Frozen food 💭 Dry savory 🦳 Dry sweet














Scenario I (CM) - default
 Scenario II (AD)
 Scenario III (I)
 Scenario IV (P)

Scenario I (CM) - bread
 Scenario I (CM) - mix

Retail outlet


10 11 12 13 14 15 16 17 18 19 20


-3.0E+04

-3.5E+04

2 3 4 5 6

7 8 9





| 1        | Supporting  |
|----------|---|
| 2        | Information   |
| 3        |   |
| 4        | For the article:  |
| 5        | Valorisation of surplus food in the French retail   |
| 6        | sector: Environmental and economic impacts  |
| 7        |   |
| 8<br>9   | Paola Federica Albizzati <sup>1</sup> , Davide Tonini <sup>2</sup> , Charlotte Boyer Chammard <sup>3</sup> , Thomas Fruergaard<br>Astrup <sup>1</sup> |
| 10<br>11 | <sup>1</sup> Technical University of Denmark, Department of Environmental Engineering, Bygninstorvet 113, 2800 Lyngby, Denmark                        |
| 12<br>13 | <sup>2</sup> Joint Research Centre of the European Commission, Edificio Expo, Inca Garcilaso 3, 41092<br>Seville, Spain                               |
| 14       | <sup>3</sup> PHENIX, 43-45 Avenue de Clichy, 75017 Paris, France  |
| 15       |   |
| 16       |   |

| 17 | Table of Contents |    |
|----|-------------------|----|
| 18 | Appendix A        | 3  |
| 19 | Appendix B        | 4  |
| 20 | Appendix D        |    |
| 21 | Appendix E        |    |
| 22 | Appendix F        |    |
| 23 | Appendix G        | 49 |
| 24 | References        | 55 |
| 25 |                   |    |

## 27 Appendix A

28 Herein a detailed list of all the processes included in the system boundaries of each scenario is presented. In Scenario 29 I (CM), Scenario II (AD), Scenario III (I) (Figure 1a, 1b, 1c, respectively in the main report), the system boundaries 30 account for: the collection of the surplus food, the redistribution process, the use of the surplus food as animal feed, 31 transport, the digestion of the food waste, and the incineration of the residual waste flows (i.e. from pre-treatment, 32 both food and packaging). The boundaries are further expanded to account for, when applicable: the avoided indirect 33 land use changes (both intensification and expansion) due to food production, the avoided production of food products 34 and the corresponding packaging, the avoided transport of the food products and the corresponding packaging, the 35 avoided cooling and storage of the food products at retails, the avoided production of the conventional animal feed 36 and its transport, the avoided indirect land use changes (both intensification and expansion) due to animal feed 37 production, the avoided production of marginal heat, electricity, mineral fertilizers, gravel and natural aggregates. In 38 Scenario IV (P) (Figure 1d in the main report), the system boundaries include: the indirect land use changes due to the 39 production of the food products (both intensification and expansion), the production of food products, the transport 40 and refrigeration of the food products, the packaging production, the transport of the packaging, and the cooling and 41 storage at retails.

## 42 Appendix B

- 43 Table B1 summarises the information related to the packaging assumed for each food product and the conversion factor applied to obtain the quantity of packaging.
- 44 Notice that in the retails considered in the study, *Fruit and* vegetables are sold without packaging. Hence, their packaging was set to 0.
- 45 Table B2 provides the information regarding the assumed French consumption pattern together with the food products included and their share in each

46 macro-category. The French consumption pattern was characterized based on Agence française de sécurité sanitarie des aliments (2007), Interfel (2018), Maison

- 47 du Lait (2018), Les fabricants de Biscuits & Gâteaux de France (2016), and France AgriMer (2014).
- 48 Table B3 presents the conversion factors of the wholesale prices expressed as [€ kg<sup>-1</sup>]. Note that the wholesale prices were based on Ministère de
- 49 l'agriculture & France AgriMer (2016), Camera di Commercio Industria Artigianato e Agricoltura di Roma (2015), and information provided by the company

50 Phenix. The conversion factors reported in Table B3 where obtained by weighting the wholesale prices accordingly to the French consumption pattern.

51 Table B1: Information regarding the type of packaging assumed for all the food products included in the mix. The conversion factor expressed as  $[kg_{packaging} kg_{food product}^{-1}]$  is also reported.

| Macro-category       | Type of food product   | Type of packaging | $\mathrm{kg}_{\mathrm{packaging}}~\mathrm{kg}_{\mathrm{food}~\mathrm{product}}^{-1}$ |
|----------------------|------------------------|-------------------|--|
| Dur grante           | Biscuits               | Paper             | 0.028  |
| Dry sweets           | Cakes                  | Paper             | 0.028  |
|                      | Pasta                  | Paper             | 0.028  |
| -                    | Rice and Wheat         | Paper             | 0.028  |
| Dry savoury          | Pizza, salty pastries  | Paper             | 0.028  |
|                      | Sandwiches, hamburgers | Paper             | 0.028  |
|                      | Meat                   | PET               | 0.056  |
|                      | Poultry                | PET               | 0.056  |
|                      | Bread                  | PP                | 0.02   |
| Frozen food          | Fruit and Vegetables   | PP                | 0.01   |
|                      | Fish                   | PET               | 0.056  |
|                      | Pastry                 | Paper             | 0.028  |
|                      | Dry savoury            | Paper             | 0.028  |
| Deli meats           | Deli meats             | PET               | 0.056  |
|                      | Milk                   | PE                | 0.035  |
| Fresh doing products | Fresh products         | PE                | 0.036  |
| Fresh dairy products | Eggs and egg products  | Paper             | 0.028  |
|                      | Cream                  | PE                | 0.035  |

|                      | Butter        | PP | 0.02 |
|----------------------|---------------|----|------|
|                      | Potato        | -  | 0    |
|                      | Apple         | -  | 0    |
|                      | Tomato        | -  | 0    |
|                      | Banana        | -  | 0    |
|                      | Orange        | -  | 0    |
|                      | Lettuce       | -  | 0    |
|                      | Carrot        | -  | 0    |
|                      | Clementine    | -  | 0    |
|                      | Peach         | -  | 0    |
|                      | Melon         | -  | 0    |
|                      | Pear          | -  | 0    |
|                      | Endive        | -  | 0    |
|                      | Chicory       | -  | 0    |
|                      | Zucchini      | -  | 0    |
|                      | Onion         | -  | 0    |
|                      | Pepper        | -  | 0    |
|                      | Grape         | -  | 0    |
|                      | Cucumber      | -  | 0    |
| Fruit and Vegetables | Lemon         | -  | 0    |
|                      | Watermelon    | -  | 0    |
|                      | Pomelo        | -  | 0    |
|                      | Kiwi          | -  | 0    |
|                      | Strawberry    | -  | 0    |
|                      | Leek          | -  | 0    |
|                      | Avocado       | -  | 0    |
|                      | Apricot       | -  | 0    |
|                      | Plum          | -  | 0    |
|                      | Beetroot      | -  | 0    |
|                      | Champignon    | -  | 0    |
|                      | Pineapple     | -  | 0    |
|                      | Cauliflower   | -  | 0    |
|                      | Artichoke     | -  | 0    |
|                      | Celeriac      | -  | 0    |
|                      | Savoy cabbage | -  | 0    |
|                      | Radish        | -  | 0    |
|                      | Walnut        | -  | 0    |
|                      | Broccoli      | -  | 0    |

|         | Pumpkin                 | 1 - 1 | 0     |
|---------|-------------------------|-------|-------|
|         | Shallot                 | -     | 0     |
|         | Celery                  | -     | 0     |
|         | Aubergine               | -     | 0     |
|         | Valerian                | -     | 0     |
|         | Asparagus               | -     | 0     |
|         | Chestnuts               | -     | 0     |
|         | Spinach                 | -     | 0     |
|         | Cherry                  | -     | 0     |
|         | Green beans             | -     | 0     |
|         | Fennel                  | -     | 0     |
|         | Turnip                  | -     | 0     |
|         | Brussels sprouts        | -     | 0     |
|         | Peas                    | -     | 0     |
|         | Chicken                 | PET   | 0.056 |
|         | Elaborated poultry      | PET   | 0.056 |
|         | Turkey                  | PET   | 0.056 |
| Poultry | Other poultry           | PET   | 0.056 |
|         | Duck                    | PET   | 0.056 |
|         | Fresh rabbit            | PET   | 0.056 |
|         | Fresh pork              | PET   | 0.056 |
|         | Beef                    | PET   | 0.056 |
|         | Other elaborated        | PET   | 0.056 |
|         | Fresh minced meat       | PET   | 0.056 |
| Meat    | Veal                    | PET   | 0.056 |
|         | Ovine                   | PET   | 0.056 |
|         | Offal of meat           | PET   | 0.056 |
|         | Horse                   | PET   | 0.056 |
| Cheese  | Cheese                  | PP    | 0.02  |
| Gourmet | Gourmet                 | Paper | 0.028 |
|         | Pastries and cakes      | Paper | 0.028 |
| Pastry  | Croissants              | Paper | 0.028 |
| Bakery  | Bread                   | PP    | 0.02  |
| Fish    | Fish                    | PET   | 0.056 |
| FISN    | Shellfish and molluscs  | PET   | 0.056 |
|         | Water                   | PE    | 0.035 |
| Liquids | Non-alcoholic beverages | PE    | 0.035 |

| Macro-category       | Food products                                      | Share [%] |
|----------------------|--|-----------|
| Dry sweet            | Biscuits   | 85        |
| DI y Sweet           | Cakes  | 15        |
|                      | Pasta  | 38.1      |
|                      | Rice and Wheat                                     | 24        |
| Dry savoury          | Pizza, salty pastries                              | 22.2      |
|                      | Sandwiches, hamburgers                             | 15.7      |
|                      | Meat   | 14.3      |
|                      | Poultry  | 14.3      |
|                      | Bread  | 14.3      |
| Frozen food          | Fruit and vegetables                               | 14.3      |
|                      | Fish   | 14.3      |
|                      | Pastry   | 14.3      |
|                      | Dry savoury  | 14.3      |
| Deli meats           | Deli meats   | 100       |
|                      | Milk   | 48.7      |
|                      | Yogurt   | 35.9      |
| Fresh dairy products | Eggs and egg products                              | 6.7       |
| • •                  | Cream  | 4.7       |
|                      | Butter   | 4         |
|                      | Potato   | 26.7      |
|                      | Apple  | 6.5       |
|                      | Tomato   | 5.7       |
|                      | Banana   | 4.9       |
|                      | Orange   | 4.5       |
|                      | Lettuce  | 4.1       |
|                      | Carrot   | 3.6       |
|                      | Clementine   | 3.2       |
|                      | Peach, melon                                       | 2.4       |
| Fruit and Vegetables | Pear, endive, chicory, zucchini, onion             | 2         |
|                      | Pepper, grape, cucumber                            | 1.6       |
|                      | Lemon  | 1.5       |
|                      | Watermelon   | 1.3       |
|                      | Pomelo, kiwi, strawberry, leek                     | 1.2       |
|                      | Avocado  | 1         |
|                      | Apricot  | 0.9       |
|                      | Plum, beetroot, champignon, pineapple, cauliflower | 0.8       |
|                      | Artichoke  | 0.7       |
|                      | Celeriac, savoy cabbage, radish                    | 0.6       |

54 Table B2: The assumed French consumption pattern is presented together with the food products included in each macro-category and their contribution to it.

|             | Walnut, broccoli  | 0.5  |  |  |
|-------------|---|------|--|--|
|             | Pumpkin, shallot, celery, aubergine   |      |  |  |
|             | Valerian, asparagus, chestnut, spinach, cherry, green beans, fennel, turnip |      |  |  |
|             | Brussels sprouts, peas  | 0.1  |  |  |
|             | Chicken   | 44   |  |  |
|             | Elaborated poultry  | 24.4 |  |  |
| Development | Turkey  | 12.7 |  |  |
| Poultry     | Other poultry   | 7.7  |  |  |
|             | Duck  | 5.8  |  |  |
|             | Fresh rabbit  | 5.5  |  |  |
|             | Fresh pork  | 25.1 |  |  |
|             | Beef  | 22.7 |  |  |
|             | Other elaborated  | 21.5 |  |  |
| Mart        | Fresh minced meat   | 12.2 |  |  |
| Meat        | Veal  | 7.4  |  |  |
|             | Ovine   | 6    |  |  |
|             | Offal of meat   | 4.3  |  |  |
|             | Horse   | 0.8  |  |  |
| Cheese      | Cheese  | 100  |  |  |
| Gourmet     | Gourmet   | 100  |  |  |
| D (         | Pastries and cakes  | 74.1 |  |  |
| Pastry      | Croissants  | 25.9 |  |  |
| Bakery      | Bread   | 100  |  |  |
|             | Fish  | 86.7 |  |  |
| Fish        | Shellfish and molluscs  | 13.3 |  |  |
| T * * J     | Water   | 82.8 |  |  |
| Liquids     | Non-alcoholic beverages   | 17.2 |  |  |

| Macro-category          | Conversion factor [€ kg <sup>-1</sup> ] |  |
|-------------------------|---|--|
| Dry sweet               | 4.17                                    |  |
| Dry savoury             | 1.105                                   |  |
| Frozen food             | 4.06                                    |  |
| Deli meats              | 6.06                                    |  |
| Fresh dairy<br>products | 1.019                                   |  |
| Fruit and<br>Vegetables | 1.508                                   |  |
| Poultry                 | 2.6                                     |  |
| Meat                    | 4.891                                   |  |
| Cheese                  | 4.49                                    |  |
| Gourmet                 | 8.45                                    |  |
| Pastry                  | 3.01                                    |  |
| Bakery                  | 0.44                                    |  |
| Fish                    | 14.85                                   |  |
| Liquids                 | 0.47                                    |  |

56 Table B3: Conversion factors of the wholesale prices of the macro-categories considered in the study.

- 58 Appendix C
- 59 Table C1 provides the processes used for the modelling of the food products considered in the study. Both the assumptions made, the processes used to model the
- 60 production and transport of the food products are listed. All the processes are based on Ecoinvent v3.3 Consequential (Wernet et al., 2016).
- 61 Table C1: List of processes based on Ecoinvent v3.3 Consequential (Wernet et al., 2016) for the modelling of the food products considered in the study.

| Macro-categories | Food<br>products | Assumptions for<br>LCA modelling   | Process(es) in Ecoinvent for the production  | Process(es) in Ecoinvent for the transport   |
|------------------|------------------|--|--|--|
|                  | Biscuits         | Estimated on a mix of<br>ingredients based on<br>Halaal Recipes (2017).<br>The energy consumption<br>is based on Masanet et al.<br>(2012). | <ul> <li>Butter production, from cow milk; GLO</li> <li>Beet sugar production; RoW</li> <li>Petrol, unleaded, burned in machinery;<br/>GLO</li> <li>Electricity production, natural gas,<br/>conventional power plant; RoW</li> <li>Wheat flour; GLO</li> </ul>  | <ul> <li>Transport, freight train; FR</li> <li>Transport freight inland waterways, barge;<br/>RoW</li> <li>Transport, freight, lorry, all sizes, EURO4 to<br/>generic market for transport, freight, lorry,<br/>unspecified; RoW</li> <li>Transport, freight, sea, transoceanic ship; GLO</li> </ul> |
| Dry sweet        | Cakes            | Estimated on a mix of<br>ingredients based on Paul<br>Holliwood (2017). The<br>energy consumption is<br>based on Masanet et al.<br>(2012). | <ul> <li>Tap water production, conventional treatment; RoW</li> <li>Milk production, from cow; RoW</li> <li>Beet sugar production; RoW</li> <li>Butter production, from cow milk; GLO</li> <li>Heat production, natural gas, at industrial furnace &gt; 100 kW; RoW</li> <li>Petrol, unleaded, burned in machinery; GLO</li> <li>Electricity production, natural gas, conventional power plant; RoW</li> <li>Wheat flour; GLO</li> <li>Cheese production soft, from cow milk, GLO</li> </ul> | <ul> <li>Transport, freight train; FR</li> <li>Transport freight inland waterways, barge;<br/>RoW</li> <li>Transport, freight, lorry, all sizes, EURO4 to<br/>generic market for transport, freight, lorry,<br/>unspecified; RoW</li> <li>Transport, freight, sea, transoceanic ship; GLO</li> </ul> |

|             | Pasta                    | Based on the LCI<br>reported in the study by<br>Lo Giudice & Clasadonte<br>(2014) | <ul> <li>For the semolina production:</li> <li>Electricity production, natural gas,<br/>conventional power plant; RoW</li> <li>Tap water production, conventional<br/>treatment; RoW</li> <li>Natural gas, burned in gas motor, for<br/>storage; RoW</li> <li>Wheat production; GLO</li> <li>For the pasta production:</li> <li>Semolina production</li> <li>Electricity production, natural gas,<br/>conventional power plant, RoW</li> <li>Tap water production, conventional<br/>treatment; RoW</li> <li>Petrol, unleaded, burned in machinery;<br/>GLO</li> </ul> | <ul> <li>Transport, freight train; FR</li> <li>Transport freight inland waterways, barge;<br/>RoW</li> <li>Transport, freight, lorry, all sizes, EURO4 to<br/>generic market for transport, freight, lorry,<br/>unspecified; RoW</li> <li>Transport, freight, sea, transoceanic ship; GLO</li> </ul> |
|-------------|--------------------------|---|---|--|
| Dry savoury | Rice                     |   | • Rice production; GLO  | <ul> <li>Transport, freight train; FR</li> <li>Transport freight inland waterways, barge;<br/>RoW</li> <li>Transport, freight, lorry, all sizes, EURO4 to<br/>generic market for transport, freight, lorry,<br/>unspecified; RoW</li> <li>Transport, freight, sea, transoceanic ship; GLO</li> </ul> |
|             | Wheat                    |   | Wheat production; GLO   | <ul> <li>Transport, freight train; FR</li> <li>Transport freight inland waterways, barge;<br/>RoW</li> <li>Transport, freight, lorry, all sizes, EURO4 to<br/>generic market for transport, freight, lorry,<br/>unspecified; RoW</li> <li>Transport, freight, sea, transoceanic ship; GLO</li> </ul> |
|             | Pizza, salty<br>pastries | Estimated on a mix of<br>ingredients based on<br>Lillywhite et al. (2013).        | <ul> <li>Tomato production, fresh grade, open field;<br/>RoW</li> <li>Cheese production, soft, from cow milk;<br/>GLO</li> <li>Cattle<sup>1</sup></li> <li>Natural gas, burned in gas motor, for<br/>storage; RoW</li> <li>Wheat flour; GLO</li> </ul>  | <ul> <li>Transport, freight train; FR</li> <li>Transport freight inland waterways, barge;<br/>RoW</li> <li>Transport, freight, lorry, all sizes, EURO4 to<br/>generic market for transport, freight, lorry,<br/>unspecified; RoW</li> <li>Transport, freight, sea, transoceanic ship; GLO</li> </ul> |

|             | Sandwiches,h<br>amburgers | Assumed as Pizza, salty pastries  | <ul> <li>Tomato production, fresh grade, open field;<br/>RoW</li> <li>Cheese production, soft, from cow milk;<br/>GLO Cattle for slaughtering, live weight to<br/>generic market for red meat, live weight;<br/>GLO</li> <li>Natural gas, burned in gas motor, for<br/>storage; RoW</li> <li>Wheat flour; GLO</li> <li>Cattle<sup>1</sup></li> </ul> | <ul> <li>Transport, freight train; FR</li> <li>Transport freight inland waterways, barge;<br/>RoW</li> <li>Transport, freight, lorry, all sizes, EURO4 to<br/>generic market for transport, freight, lorry,<br/>unspecified; RoW</li> <li>Transport, freight, sea, transoceanic ship; GLO</li> </ul> |
|-------------|---------------------------|---|--|--|
|             | Meat                      | Calculated as the average of all the <i>Meat</i> items  | Average of:<br>• Swine <sup>2</sup><br>• Cattle <sup>1</sup><br>• Sheep <sup>3</sup>   | Average of:         • Transport of swine         • Transport of cattle         • Transport of sheep  |
|             | Poultry                   | Calculated as the average of all the <i>Poultry</i> items                                     | • Chicken <sup>4</sup>   | • Transport, freight, lorry, all sizes, EURO 4 to generic market for transport, freight, lorry, unspecified; RoW   |
| Frozen food | Bread                     | Based on LCA food DK<br>"Bread, wheat,<br>conventional fresh" (2-0<br>LCA Consultants, 2007). | <ul> <li>Drinking water from groundwater, RER,<br/>ELCD 2005-corrected</li> <li>Wheat flour: GLO</li> <li>Market for electricity, low voltage; GB</li> <li>Marginal heat; UK</li> </ul>  | <ul> <li>Transport, freight train; FR</li> <li>Transport freight inland waterways, barge;<br/>RoW</li> <li>Transport, freight, lorry, all sizes, EURO4 to<br/>generic market for transport, freight, lorry,<br/>unspecified; RoW</li> <li>Transport, freight, sea, transoceanic ship; GLO</li> </ul> |
|             | Fruits and<br>Vegetables  | Assumed as the average<br>of all the <i>Fruit and</i><br><i>Vegetables</i> items              | All the fruit and vegetables items (see list below)  | Calculated as the average of the transport of the <i>Fruit and Vegetables</i>  |
|             | Fish                      |   | • Fish <sup>5</sup>  | • Transport, freight, lorry, all sizes, EURO 4 to generic market for transport, freight, lorry, unspecified; RoW   |
|             | Pastry                    | Assumed as the average of all the <i>Dry sweet</i> items                                      | <ul> <li>The LCI is based on:</li> <li>Production of croissants</li> <li>Production of pastry</li> </ul>   | <ul> <li>Average of:</li> <li>Transport of croissants</li> <li>Transport of pastry</li> </ul>  |

| I                    | l            | Assumed as the average | The | LCI is based on:                                  | Aver | age of:   |
|----------------------|--------------|------------------------|-----|---|------|---|
|                      |              | of all the Dry savoury | •   | Production of pasta                               |      | Transport of pasta  |
|                      |              | items                  | •   | Production of rice                                |      | Transport of rice   |
|                      |              |                        | •   | Production of wheat                               |      | Transport of wheat  |
|                      |              |                        | •   | Production of pizza, salty pastries               |      | Transport of pizza, salty pastries  |
|                      | D            |                        | •   | Production of sandwiches, hamburgers              |      | Transport of sandwiches, hamburgers   |
|                      | Dry savoury  |                        |     |   |      | remsport of sandir teres, name in gers  |
|                      |              |                        |     |   |      |   |
|                      |              |                        | •   | Swine <sup>2</sup>                                | •    | Transport, freight, lorry, all sizes, EURO 4 to                               |
| Deli meats           | Deli meats   |                        |     |   |      | generic market for transport, freight, lorry,<br>unspecified; RoW             |
|                      |              |                        | •   | Milk productin, from cow, RoW                     | •    | Transport, freight train; FR  |
|                      |              |                        |     | 1   |      | Transport, freight, light commercial vehicle;                                 |
|                      |              |                        |     |   |      | RoW   |
|                      | Milk         |                        |     |   |      | Transport, freight, lorry, all sizes, EURO4 to                                |
|                      |              |                        |     |   |      | generic market for transport, freight, lorry,                                 |
|                      |              |                        |     |   |      | unspecified; RoW  |
|                      |              |                        |     |   |      | Transport, freight, sea, transoceanic ship, GLO                               |
|                      |              |                        | •   | Yogurt production, from cow milk, RoW             |      | Transport, freight train; FR  |
|                      | Fresh        |                        |     |   |      | Transport, freight, light commercial vehicle;<br>RoW                          |
|                      | products     |                        |     |   |      | Transport, freight, lorry, all sizes, EURO4 to                                |
|                      | products     |                        |     |   |      | generic market for transport, freight, lorry,                                 |
| Fresh dairy products |              |                        |     |   |      | unspecified; RoW  |
|                      |              |                        |     |   |      | Transport, freight, sea, transoceanic ship, GLO                               |
|                      | Eggs and egg |                        | •   | Cheese production soft, from cow milk,            |      | Transport, freight, lorry, all sizes, EURO 4 to                               |
|                      | products     |                        |     | GLO   |      | generic market for transport, freight, lorry,                                 |
|                      |              |                        | +   | Putton providation from anone from                |      | unspecified; RoW<br>Transport, freight train; FR                              |
|                      |              |                        | •   | Butter proudction, from cream, from cow milk; GLO |      | Transport, freight train; FR<br>Transport, freight, light commercial vehicle; |
|                      |              |                        |     | mark, OLO   |      | RoW   |
|                      | Cream        |                        |     |   |      | Transport, freight, lorry, all sizes, EURO4 to                                |
|                      |              |                        |     |   |      | generic market for transport, freight, lorry,                                 |
|                      |              |                        |     |   |      | unspecified; RoW  |
|                      | Du#+         |                        |     | Destance bestion for the CLO                      |      | Transport, freight, sea, transoceanic ship, GLO                               |
| L                    | Butter       | L                      | •   | Butter production, from cow milk, GLO             | •    | Transport, freight train; FR  |

| 1                    | l      |                        | • Transport, freight, light commercial vehicle;   |
|----------------------|--------|------------------------|---|
|                      |        |                        | RoW   |
|                      |        |                        | • Transport, freight, lorry, all sizes, EURO4 to generic market for transport, freight, lorry, unspecified; RoW   |
|                      |        |                        | • Transport, freight, sea, transoceanic ship, GLO   |
|                      | Potato | Potato production; GLO | <ul> <li>Operation, reefer, cooling, 40-foot, high-cube,<br/>R134a as refrigerant; GLO</li> <li>Transport, freight, inland, waterways, barge<br/>with reefer, cooling; GLO</li> <li>Transport, freight, lorry with reefer, cooling;<br/>GLO</li> <li>Transport, freight, small lorry with<br/>refrigeration machine, EURO4, R134a<br/>refrigerant, cooling to generic market; GLO</li> <li>Transport, freight, sea, transoceanic ship with<br/>reefer, cooling; GLO Transport, freight, train<br/>with reefer, cooling; GLO</li> </ul>  |
| Fruit and vegetables | Apple  | Apple production; GLO  | <ul> <li>Operation, reefer, cooling, 40-foot, high-cube,<br/>R134a as refrigerant; GLO</li> <li>Transport, freight, inland, waterways, barge<br/>with reefer, cooling; GLO</li> <li>Transport, freight, lorry with reefer, cooling;<br/>GLO</li> <li>Transport, freight, small lorry with<br/>refrigeration machine, EURO4, R134a<br/>refrigerant, cooling to generic market; GLO</li> <li>Transport, freight, sea, transoceanic ship with<br/>reefer, cooling; GLO</li> <li>Transport, freight, sea, transoceanic ship with<br/>reefer, cooling; GLO</li> <li>Transport, freight, train with reefer, cooling;<br/>GLO</li> </ul> |
|                      | Tomato | Tomato production; GLO | <ul> <li>Operation, reefer, cooling, 40-foot, high-cube,<br/>R134a as refrigerant; GLO</li> <li>Transport, freight, inland, waterways, barge<br/>with reefer, cooling; GLO</li> <li>Transport, freight, lorry with reefer, cooling;<br/>GLO</li> <li>Transport, freight, small lorry with<br/>refrigeration machine, EURO4, R134a<br/>refrigerant, cooling to generic market; GLO</li> <li>Transport, freight, sea, transoceanic ship with<br/>reefer, cooling; GLO</li> </ul>  |

|        |                        | • Transport, freight, train with reefer, cooling;<br>GLO   |
|--------|------------------------|--|
| Banana | Banana production; GLO | <ul> <li>Operation, reefer, cooling, 40-foot, high-cube,<br/>R134a as refrigerant; GLO</li> <li>Transport, freight, inland, waterways, barge<br/>with reefer, cooling; GLO</li> <li>Transport, freight, lorry with reefer, cooling;<br/>GLO</li> <li>Transport, freight, small lorry with<br/>refrigeration machine, EURO4, R134a<br/>refrigerant, cooling to generic market; GLO</li> <li>Transport, freight, sea, transoceanic ship with<br/>reefer, cooling; GLO</li> <li>Transport, freight, train with reefer, cooling;<br/>GLO</li> </ul>  |
| Orange | Orange production; GLO | <ul> <li>Operation, reefer, cooling, 40-foot, high-cube,<br/>R134a as refrigerant; GLO</li> <li>Transport, freight, aircraft with reefer, cooling;<br/>GLO</li> <li>Transport, freight, inland waterways, barge<br/>with reefer, cooling; GLO</li> <li>Transport, freight, lorry with reefer, cooling;<br/>GLO</li> <li>Transport, freight, small lorry with<br/>refrigeration machine, EURO4, R134a<br/>refrigerant, cooling to generic market; GLO</li> <li>Transport, freight, sea, transoceanic ship with<br/>reefer, cooling; GLO</li> <li>Transport, freight, train with reefer, cooling;<br/>GLO</li> </ul> |

| Lettuce    | Lettuce production | <ul> <li>GLO</li> <li>Operation, reefer, cooling, 40-foot, high-cube,<br/>R134a as refrigerant; GLO</li> <li>Transport, freight, inland, waterways, barge<br/>with reefer, cooling; GLO</li> <li>Transport, freight, lorry with reefer, cooling;<br/>GLO</li> <li>Transport, freight, small lorry with<br/>refrigeration machine, EURO4, R134a<br/>refrigerant, cooling to generic market; GLO</li> <li>Transport, freight, sea, transoceanic ship with<br/>reefer, cooling; GLO</li> <li>Transport, freight, train with reefer, cooling;<br/>GLO</li> </ul> |
|------------|--------------------|--|
| Carrot     | Carrot production, | <ul> <li>GLO</li> <li>Operation, reefer, cooling, 40-foot, high-cube,<br/>R134a as refrigerant; GLO</li> <li>Transport, freight, inland, waterways, barge<br/>with reefer, cooling; GLO</li> <li>Transport, freight, lorry with reefer, cooling;<br/>GLO</li> <li>Transport, freight, small lorry with<br/>refrigeration machine, EURO4, R134a<br/>refrigerant, cooling to generic market; GLO</li> <li>Transport, freight, sea, transoceanic ship with<br/>reefer, cooling; GLO</li> <li>Transport, freight, train with reefer, cooling;<br/>GLO</li> </ul> |
| Clementine | • Mandarin product |  |

| Peach | Peach production; RoW | <ul> <li>Operation, reefer, cooling, 40-foot, high-cube,<br/>R134a as refrigerant; GLO Transport, freight,<br/>aircraft with reefer, cooling; GLO</li> <li>Transport, freight, inland waterways, barge<br/>with reefer, cooling; GLO</li> <li>Transport, freight, lorry with reefer, cooling;<br/>GLO</li> <li>Transport, freight, small lorry with<br/>refrigeration machine, EURO4, R134a<br/>refrigerant, cooling to generic market; GLO</li> <li>Transport, freight, sea, transoceanic ship with<br/>reefer, cooling; GLO</li> <li>Transport, freight, sea, transoceanic ship with<br/>reefer, cooling; GLO</li> <li>Transport, freight, train with reefer, cooling;<br/>GLO</li> </ul> |
|-------|-----------------------|---|
| Melon | Melon production; GLO | <ul> <li>Operation, reefer, cooling, 40-foot, high-cube,<br/>R134a as refrigerant; GLO</li> <li>Transport, freight, lorry with reefer, cooling;<br/>GLO</li> <li>Transport, freight, small lorry with<br/>refrigeration machine, EURO4, R134a<br/>refrigerant, cooling to generic market GLO</li> <li>Transport, freight, train with reefer cooling;<br/>GLO</li> </ul>   |
| Pear  | Pear production; GLO  | <ul> <li>Operation, reefer, cooling, 40-foot, high-cube,<br/>R134a as refrigerant; GLO</li> <li>Transport, freight, inland, waterways, barge<br/>with reefer, cooling; GLO</li> <li>Transport, freight, lorry with reefer, cooling;<br/>GLO</li> <li>Transport, freight, small lorry with<br/>refrigeration machine, EURO4, R134a<br/>refrigerant, cooling to generic market; GLO</li> <li>Transport, freight, sea, transoceanic ship with<br/>reefer, cooling; GLO</li> <li>Transport, freight, train with reefer, cooling;<br/>GLO</li> </ul>   |

| Endive   | Assumed as <i>Lettuce</i> as<br>they belong to the same<br>family | Lettuce production; GLO    | <ul> <li>Operation, reefer, cooling, 40-foot, high-cube,<br/>R134a as refrigerant; GLO</li> <li>Transport, freight, inland, waterways, barge<br/>with reefer, cooling; GLO</li> <li>Transport, freight, lorry with reefer, cooling;<br/>GLO</li> <li>Transport, freight, small lorry with<br/>refrigeration machine, EURO4, R134a<br/>refrigerant, cooling to generic market; GLO</li> <li>Transport, freight, sea, transoceanic ship with<br/>reefer, cooling; GLO</li> <li>Transport, freight, train with reefer, cooling;<br/>GLO</li> </ul>   |
|----------|---|----------------------------|---|
| Chicory  | Assumed as Lettuce as<br>they belong to the same<br>family        | Lettuce production; GLO    | <ul> <li>Operation, reefer, cooling, 40-foot, high-cube,<br/>R134a as refrigerant; GLO</li> <li>Transport, freight, inland, waterways, barge<br/>with reefer, cooling; GLO</li> <li>Transport, freight, lorry with reefer, cooling;<br/>GLO</li> <li>Transport, freight, small lorry with<br/>refrigeration machine, EURO4, R134a<br/>refrigerant, cooling to generic market; GLO</li> <li>Transport, freight, sea, transoceanic ship with<br/>reefer, cooling; GLO</li> <li>Transport, freight, sea, transoceanic ship with<br/>reefer, cooling; GLO</li> <li>Transport, freight, train with reefer, cooling;<br/>GLO</li> </ul> |
| Zucchini |   | • Zucchini production; GLO | <ul> <li>Operation, reefer, cooling, 40-foot, high-cube,<br/>R134a as refrigerant; GLO</li> <li>Transport, freight, lorry with reefer, cooling;<br/>GLO</li> <li>Transport, freight, small lorry with<br/>refrigeration machine, EURO4, R134a<br/>refrigerant, cooling to generic market; GLO</li> <li>Transport, freight, train with reefer, cooling;<br/>GLO</li> </ul>   |
| Onion    |   | Onion production; GLO      | <ul> <li>Operation, reefer, cooling, 40-foot, high-cube,<br/>R134a as refrigerant; GLO</li> <li>Transport, freight, inland, waterways, barge<br/>with reefer, cooling; GLO</li> </ul>   |

|          |                                     | <ul> <li>Transport, freight, lorry with reefer, cooling;<br/>GLO</li> <li>Transport, freight, small lorry with<br/>refrigeration machine, EURO4, R134a<br/>refrigerant, cooling to generic market; GLO</li> <li>Transport, freight, sea, transoceanic ship with<br/>reefer, cooling; GLO</li> <li>Transport, freight, train with reefer, cooling;<br/>GLO</li> </ul>   |
|----------|-------------------------------------|--|
| Pepper   | • Green bell pepper production; GLO | <ul> <li>Operation, reefer, cooling, 40-foot, high-cube,<br/>R134a as refrigerant; GLO</li> <li>Transport, freight, inland, waterways, barge<br/>with reefer, cooling; GLO</li> <li>Transport, freight, lorry with reefer, cooling;<br/>GLO Transport, freight, small lorry with<br/>refrigeration machine, EURO4, R134a<br/>refrigerant, cooling to generic market; GLO</li> <li>Transport, freight, sea, transoceanic ship with<br/>reefer, cooling; GLO</li> <li>Transport, freight, train with reefer, cooling;<br/>GLO</li> </ul> |
| Grape    | Grape production; GLO               | <ul> <li>Operation, reefer, cooling, 40-foot, high-cube,<br/>R134a as refrigerant; GLO</li> <li>Transport, freight, lorry with reefer, cooling;<br/>GLO</li> <li>Transport, freight, small lorry with<br/>refrigeration machine, EURO4, R134a<br/>refrigerant, cooling to generic market; GLO</li> <li>Transport, freight, train with reefer, cooling;<br/>GLO</li> </ul>  |
| Cucumber | Cucumber production; GLO            | <ul> <li>Operation, reefer, cooling, 40-foot, high-cube,<br/>R134a as refrigerant; GLO</li> <li>Transport, freight, lorry with reefer, cooling;<br/>GLO</li> <li>Transport, freight, small lorry with<br/>refrigeration machine, EURO4, R134a<br/>refrigerant, cooling to generic market; GLO</li> <li>Transport, freight, train with reefer, cooling;<br/>GLO</li> </ul>  |
| Lemon    | Lemon production; GLO               | <ul> <li>Operation, reefer, cooling, 40-foot, high-cube,<br/>R134a as refrigerant; GLO</li> <li>Transport, freight, inland, waterways, barge<br/>with reefer, cooling; GLO</li> </ul>  |

| Watermelon | Based on the study by<br>Shamshirband et al.<br>(2015)          | <ul> <li>Diesel, burned in agricultural machinery;<br/>GLO</li> <li>Urea ammonium nitrate production; RoW</li> <li>Potassium chloride production; ROW</li> <li>Electricity production, natural gas,<br/>conventional power plant; RoW</li> <li>Diammonium phosphate production; RoW</li> </ul> | <ul> <li>Transport, freight, lorry with reefer, cooling;<br/>GLO</li> <li>Transport, freight, small lorry with<br/>refrigeration machine, EURO4, R134a<br/>refrigerant, cooling to generic market; GLO</li> <li>Transport, freight, sea, transoceanic ship with<br/>reefer, cooling; GLO</li> <li>Transport, freight, train with reefer, cooling;<br/>GLO</li> <li>Operation, reefer, cooling, 40-foot, high-cube,<br/>R134a as refrigerant; GLO</li> <li>Transport, freight, inland, waterways, barge<br/>with reefer, cooling; GLO</li> <li>Transport, freight, lorry with reefer, cooling;<br/>GLO</li> <li>Transport, freight, small lorry with<br/>refrigeration machine, EURO4, R134a<br/>refrigerant, cooling to generic market; GLO</li> </ul> |
|------------|---|--|--|
|            |   |  | <ul> <li>Transport, freight, sea, transoceanic ship with reefer, cooling; GLO</li> <li>Transport, freight, train with reefer, cooling; GLO</li> </ul>  |
| Pomelo     | Assumed as <i>Lemon</i> as<br>they belong to the same<br>family | Lemon production; GLO  | <ul> <li>Operation, reefer, cooling, 40-foot, high-cube,<br/>R134a as refrigerant; GLO</li> <li>Transport, freight, inland, waterways, barge<br/>with reefer, cooling; GLO</li> <li>Transport, freight, lorry with reefer, cooling;<br/>GLO</li> <li>Transport, freight, small lorry with<br/>refrigeration machine, EURO4, R134a<br/>refrigerant, cooling to generic market; GLO</li> <li>Transport, freight, sea, transoceanic ship with<br/>reefer, cooling; GLO</li> <li>Transport, freight, train with reefer, cooling;<br/>GLO</li> </ul>  |
| Kiwi       |   | Kiwi production; GLO   | <ul> <li>Operation, reefer, cooling, 40-foot, high-cube,<br/>R134a as refrigerant; GLO</li> <li>Transport, freight, inland, waterways, barge<br/>with reefer, cooling; GLO</li> <li>Transport, freight, lorry with reefer, cooling;<br/>GLO</li> </ul>   |

|            |   |   | <ul> <li>Transport, freight, small lorry with<br/>refrigeration machine, EURO4, R134a<br/>refrigerant, cooling to generic market; GLO</li> <li>Transport, freight, sea, transoceanic ship with<br/>reefer, cooling; GLO</li> <li>Transport, freight, train with reefer, cooling;<br/>GLO</li> </ul>   |
|------------|---|---|---|
| Strawberry |   | • Strawberry production, open field, macro<br>tunnel; RoW | <ul> <li>Operation, reefer, cooling, 40-foot, high-cube,<br/>R134a as refrigerant; GLO</li> <li>Transport, freight, aircraft with reefer, cooling;<br/>GLO</li> <li>Transport, freight, lorry with reefer, cooling,<br/>GLO</li> <li>Transport, freight, small lorry with<br/>refrigeration machine, EURO4, R134a<br/>refrigerant, cooling to generic market; GLO</li> <li>Transport, freight, train with reefer, cooling<br/>GLO</li> </ul>  |
| Leek       | Assumed as <i>Onion</i> as<br>they belong to the same<br>family | Onion production; GLO                                     | <ul> <li>Operation, reefer, cooling, 40-foot, high-cube,<br/>R134a as refrigerant; GLO</li> <li>Transport, freight, inland, waterways, barge<br/>with reefer, cooling; GLO</li> <li>Transport, freight, lorry with reefer, cooling;<br/>GLO</li> <li>Transport, freight, small lorry with<br/>refrigeration machine, EURO4, R134a<br/>refrigerant, cooling to generic market; GLO</li> <li>Transport, freight, sea, transoceanic ship with<br/>reefer, cooling; GLO</li> <li>Transport, freight, train with reefer, cooling;<br/>GLO</li> </ul> |
| Avocado    |   | Avocado production; GLO                                   | <ul> <li>Operation, reefer, cooling, 40-foot, high-cube,<br/>R134a as refrigerant; GLO</li> <li>Transport, freight, lorry with reefer, cooling;<br/>GLO</li> <li>Transport, freight, small lorry with<br/>refrigeration machine, EURO4, R134a<br/>refrigerant, cooling to generic market GLO</li> <li>Transport, freight, train with reefer cooling;<br/>GLO</li> </ul>   |
| Apricot    |   | Apricot production; RoW                                   | • Operation, reefer, cooling, 40-foot, high-cube,<br>R134a as refrigerant; GLO  |

| Plum       | Assumed as <i>Pear</i> as they belong to the same family          | • Pear production; GLO    | <ul> <li>Transport, freight, inland, waterways, barge with reefer, cooling; GLO</li> <li>Transport, freight, lorry with reefer, cooling; GLO</li> <li>Transport, freight, small lorry with reefrigeration machine, EURO4, R134a refrigerant, cooling to generic market; GLO</li> <li>Transport, freight, sea, transoceanic ship with reefer, cooling; GLO</li> <li>Transport, freight, train with reefer, cooling; GLO</li> <li>Transport, freight, train with reefer, cooling; GLO</li> <li>Transport, freight, train with reefer, cooling; GLO</li> <li>Transport, freight, aircraft with reefer, cooling; GLO</li> <li>Transport, freight, inland waterways, barge with reefer, cooling; GLO</li> <li>Transport, freight, lorry with reefer, cooling; GLO</li> </ul> |
|------------|---|---------------------------|---|
|            |   |                           | <ul> <li>Transport, freight, small lorry with<br/>refrigeration machine, EURO4, R134a<br/>refrigerant, cooling to generic market; GLO</li> <li>Transport, freight, sea, transoceanic ship with<br/>reefer, cooling; GLO</li> <li>Transport, freight, train with reefer, cooling;<br/>GLO</li> </ul>   |
| Beetroot   | Assumed as <i>Spinach</i> as<br>they belong to the same<br>family | • Spinach production; GLO | <ul> <li>Operation, reefer, cooling, 40-foot, high-cube,<br/>R134a as refrigerant; GLO</li> <li>Transport, freight, lorry with reefer, cooling;<br/>GLO</li> <li>Transport, freight, small lorry with<br/>refrigeration machine, EURO4, R134a<br/>refrigerant, cooling to generic market GLO</li> <li>Transport, freight, train with reefer cooling;<br/>GLO</li> </ul>   |
| Champignon | Assumed as <i>Apple</i> as no other information was available     | Apple production; GLO     | <ul> <li>Operation, reefer, cooling, 40-foot, high-cube,<br/>R134a as refrigerant; GLO</li> <li>Transport, freight, inland, waterways, barge<br/>with reefer, cooling; GLO</li> <li>Transport, freight, lorry with reefer, cooling;<br/>GLO</li> </ul>  |

|             |   |                               | <ul> <li>Transport, freight, small lorry with<br/>refrigeration machine, EURO4, R134a<br/>refrigerant, cooling to generic market; GLO</li> <li>Transport, freight, sea, transoceanic ship with<br/>reefer, cooling; GLO</li> <li>Transport, freight, train with reefer, cooling;<br/>GLO</li> </ul>   |
|-------------|---|-------------------------------|---|
| Pineapple   |   | • Pineapple production; GLO   | <ul> <li>Operation, reefer, cooling, 40-foot, high-cube,<br/>R134a as refrigerant; GLO</li> <li>Transport, freight, aircraft with reefer, cooling;<br/>GLO</li> <li>Transport, freight, lorry with reefer, cooling;<br/>GLO</li> <li>Transport, freight, small lorry with<br/>refrigeration machine, EURO4, R134a<br/>refrigerant, cooling to generic market; GLO</li> <li>Transport freight, train with reefer, cooling;<br/>GLO</li> </ul>  |
| Cauliflower |   | • Cauliflower production; GLO | <ul> <li>Operation, reefer, cooling, 40-foot, high-cube,<br/>R134a as refrigerant; GLO</li> <li>Transport, freight, inland, waterways, barge<br/>with reefer, cooling; GLO</li> <li>Transport, freight, lorry with reefer, cooling;<br/>GLO</li> <li>Transport, freight, small lorry with<br/>refrigeration machine, EURO4, R134a<br/>refrigerant, cooling to generic market; GLO</li> <li>Transport, freight, sea, transoceanic ship with<br/>reefer, cooling; GLO</li> <li>Transport, freight, train with reefer, cooling;<br/>GLO</li> </ul> |
| Artichoke   | Assumed as <i>Lettuce</i> as<br>they belong to the same<br>family | Lettuce production; GLO       | <ul> <li>Operation, reefer, cooling, 40-foot, high-cube,<br/>R134a as refrigerant; GLO</li> <li>Transport, freight, inland, waterways, barge<br/>with reefer, cooling; GLO</li> <li>Transport, freight, lorry with reefer, cooling;<br/>GLO</li> <li>Transport, freight, small lorry with<br/>refrigeration machine, EURO4, R134a<br/>refrigerant, cooling to generic market; GLO</li> <li>Transport, freight, sea, transoceanic ship with<br/>reefer, cooling; GLO</li> </ul>  |

|                  |   |                               | • Transport, freight, train with reefer, cooling;<br>GLO  |
|------------------|---|-------------------------------|---|
| Celeriac         | Assumed as <i>Carrot</i> as<br>they belong to the same<br>family      | Carrot production; GLO        | <ul> <li>Operation, reefer, cooling, 40-foot, high-cube,<br/>R134a as refrigerant; GLO</li> <li>Transport, freight, inland, waterways, barge<br/>with reefer, cooling; GLO</li> <li>Transport, freight, lorry with reefer, cooling;<br/>GLO</li> <li>Transport, freight, small lorry with<br/>refrigeration machine, EURO4, R134a<br/>refrigerant, cooling to generic market; GLO</li> <li>Transport, freight, sea, transoceanic ship with<br/>reefer, cooling; GLO</li> <li>Transport, freight, train with reefer, cooling;<br/>GLO</li> </ul> |
| Savoy<br>cabbage | Assumed as <i>Cauliflower</i><br>as they belong to the<br>same family | • Cauliflower production; GLO | <ul> <li>Operation, reefer, cooling, 40-foot, high-cube,<br/>R134a as refrigerant; GLO</li> <li>Transport, freight, inland, waterways, barge<br/>with reefer, cooling; GLO</li> <li>Transport, freight, lorry with reefer, cooling;<br/>GLO</li> <li>Transport, freight, small lorry with<br/>refrigeration machine, EURO4, R134a<br/>refrigerant, cooling to generic market; GLO</li> <li>Transport, freight, sea, transoceanic ship with<br/>reefer, cooling; GLO</li> <li>Transport, freight, train with reefer, cooling;<br/>GLO</li> </ul> |
| Radish           |   | • Radish production; GLO      | <ul> <li>Operation, reefer, cooling, 40-foot, high-cube,<br/>R134a as refrigerant; GL</li> <li>Transport, freight, inland, waterways, barge<br/>with reefer, cooling; GLO</li> <li>Transport, freight, lorry with reefer, cooling;<br/>GLO</li> <li>Transport, freight, small lorry with<br/>refrigeration machine, EURO4, R134a<br/>refrigerant, cooling to generic market; GLO</li> <li>Transport, freight, sea, transoceanic ship with<br/>reefer, cooling; GLO</li> <li>Transport, freight, train with reefer, cooling;<br/>GLO</li> </ul>  |

| Walnut   | Assumed as <i>Apple</i> as no other information was available   | Apple production; GLO    | <ul> <li>Operation, reefer, cooling, 40-foot, high-cube,<br/>R134a as refrigerant; GLO</li> <li>Transport, freight, inland, waterways, barge<br/>with reefer, cooling; GLO</li> <li>Transport, freight, lorry with reefer, cooling;<br/>GLO</li> <li>Transport, freight, small lorry with<br/>refrigeration machine, EURO4, R134a<br/>refrigerant, cooling to generic market; GLO</li> <li>Transport, freight, sea, transoceanic ship with<br/>reefer, cooling; GLO</li> <li>Transport, freight, train with reefer, cooling;<br/>GLO</li> </ul> |
|----------|---|--------------------------|---|
| Broccoli |   | Broccoli production; GLO | <ul> <li>Operation, reefer, cooling, 40-foot, high-cube,<br/>R134a as refrigerant; GLO</li> <li>Transport, freight, lorry with reefer, cooling;<br/>GLO</li> <li>Transport, freight, small lorry with<br/>refrigeration machine, EURO4, R134a<br/>refrigerant, cooling to generic market; GLO</li> <li>Transport, freight, train with reefer, cooling;<br/>GLO</li> </ul>   |
| Pumpkin  | Assumed as <i>Melon</i> as<br>they belong to the same<br>family | • Melon production; GLO  | <ul> <li>Operation, reefer, cooling, 40-foot, high-cube,<br/>R134a as refrigerant; GLO</li> <li>Transport, freight, lorry with reefer, cooling;<br/>GLO</li> <li>Transport, freight, small lorry with<br/>refrigeration machine, EURO4, R134a<br/>refrigerant, cooling to generic market; GLO</li> <li>Transport, freight, train with reefer, cooling;<br/>GLO</li> </ul>   |
| Shallot  | Assumed as <i>Onion</i> as<br>they belong to the same<br>family | Onion production; GLO    | <ul> <li>Operation, reefer, cooling, 40-foot, high-cube,<br/>R134a as refrigerant; GLO</li> <li>Transport, freight, inland, waterways, barge<br/>with reefer, cooling; GLO</li> <li>Transport, freight, lorry with reefer, cooling;<br/>GLO</li> <li>Transport, freight, small lorry with<br/>refrigeration machine, EURO4, R134a<br/>refrigerant, cooling to generic market; GLO</li> <li>Transport, freight, sea, transoceanic ship with<br/>reefer, cooling; GLO</li> </ul>  |

|           |  |                                 | • Transport, freight, train with reefer, cooling;<br>GLO  |
|-----------|--|---------------------------------|---|
| Celery    |  | Celery 675 production; GLO      | <ul> <li>Operation, reefer, cooling, 40-foot, high-cube,<br/>R134a as refrigerant; GLO</li> <li>Transport, freight, inland, waterways, barge<br/>with reefer, cooling; GLO</li> <li>Transport, freight, lorry with reefer, cooling;<br/>GLO</li> <li>Transport, freight, small lorry with<br/>refrigeration machine, EURO4, R134a<br/>refrigerant, cooling to generic market; GLO</li> <li>Transport, freight, sea, transoceanic ship with<br/>reefer, cooling; GLO</li> <li>Transport, freight, train with reefer, cooling;<br/>GLO</li> </ul>   |
| Aubergine |  | Aubergine production, GLO       | <ul> <li>Operation, reefer, cooling, 40-foot, high-cube,<br/>R134a as refrigerant; GLO</li> <li>Transport, freight, lorry with reefer, cooling;<br/>GLO</li> <li>Transport, freight, small lorry with<br/>refrigeration machine, EURO4, R134a<br/>refrigerant, cooling to generic market; GLO</li> <li>Transport, freight, train with reefer, cooling;<br/>GLO</li> </ul>   |
| Valerian  | Assumed as <i>Lettuce</i> as they are both salad | Lettuce production; GLO         | <ul> <li>Operation, reefer, cooling, 40-foot, high-cube,<br/>R134a as refrigerant; GLO</li> <li>Transport, freight, inland, waterways, barge<br/>with reefer, cooling; GLO</li> <li>Transport, freight, lorry with reefer, cooling;<br/>GLO</li> <li>Transport, freight, small lorry with<br/>refrigeration machine, EURO4, R134a<br/>refrigerant, cooling to generic market; GLO</li> <li>Transport, freight, sea, transoceanic ship with<br/>reefer, cooling; GLO</li> <li>Transport, freight, sea, transoceanic ship with<br/>reefer, cooling; GLO</li> <li>Transport, freight, train with reefer, cooling;<br/>GLO</li> </ul> |
| Asparagus |  | Green asparagus production; GLO | <ul> <li>Operation, reefer, cooling, 40-foot, high-cube,<br/>R134a as refrigerant; GLO</li> <li>Transport, freight, aircraft with reefer, cooling;<br/>GLO</li> </ul>   |

|           |   |   | <ul> <li>Transport, freight, inland waterways, barge<br/>with reefer, cooling; GLO</li> <li>Transport, freight, lorry with reefer, cooling;<br/>GLO</li> <li>Transport, freight, small lorry with<br/>refrigeration machine, EURO4, R134a<br/>refrigerant, cooling to generic market; GLO</li> <li>Transport, freight, sea, transoceanic ship with<br/>reefer, cooling; GLO</li> <li>Transport, freight, train with reefer, cooling;<br/>GLO</li> </ul>   |
|-----------|---|---|---|
| Chestnuts | Based on the study by<br>Rosa et al. (2016)                     | <ul> <li>Urea ammonium nitrate production; RoW</li> <li>Potassium chloride production; RoW</li> <li>Diammonium phosphate production; ROW</li> <li>Lime to generic market for soil pH raising agent; GLO</li> <li>Diesel, burned in agricultural machinery; GLO</li> <li>Petrol, unleaded, burned in machinery; GLO</li> </ul> | <ul> <li>Operation, reefer, cooling, 40-foot, high-cube,<br/>R134a as refrigerant; GLO</li> <li>Transport, freight, inland, waterways, barge<br/>with reefer, cooling; GLO</li> <li>Transport, freight, lorry with reefer, cooling;<br/>GLO</li> <li>Transport, freight, small lorry with<br/>refrigeration machine, EURO4, R134a<br/>refrigerant, cooling to generic market; GLO</li> <li>Transport, freight, sea, transoceanic ship with<br/>reefer, cooling; GLO</li> <li>Transport, freight, train with reefer, cooling;<br/>GLO</li> </ul> |
| Spinach   |   | • Spinach production; GLO   | <ul> <li>Operation, reefer, cooling, 40-foot, high-cube,<br/>R134a as refrigerant; GLO</li> <li>Transport, freight, lorry with reefer, cooling;<br/>GLO</li> <li>Transport, freight, small lorry with<br/>refrigeration machine, EURO4, R134a<br/>refrigerant, cooling to generic market GLO</li> <li>Transport, freight, train with reefer cooling;<br/>GLO</li> </ul>   |
| Cherry    | Assumed as <i>Apple</i> as<br>they belong to the same<br>family | • Apple production; GLO   | <ul> <li>Operation, reefer, cooling, 40-foot, high-cube,<br/>R134a as refrigerant; GL</li> <li>Transport, freight, inland, waterways, barge<br/>with reefer, cooling; GLO</li> <li>Transport, freight, lorry with reefer, cooling;<br/>GLO</li> <li>Transport, freight, small lorry with<br/>refrigeration machine, EURO4, R134a<br/>refrigerant, cooling to generic market; GLO</li> </ul>   |

|                     |  |                               | <ul> <li>Transport, freight, sea, transoceanic ship with<br/>reefer, cooling; GLO</li> <li>Transport, freight, train with reefer, cooling;<br/>GLO</li> </ul>   |
|---------------------|--|-------------------------------|---|
| Green beans         | Assumed as <i>Peas</i> as they belong to the same family           | • Protein pea production; GLO | <ul> <li>Transport, freight train; FR</li> <li>Transport, fright, inland waterways, barge;<br/>RoW</li> <li>Transport, freight, lorry, all sizes, EURO4 to<br/>generic market for</li> <li>Transport, freight, lorry unspecified; RoW</li> <li>Transport, freight, sea, transoceanic ship; GLO</li> </ul>   |
| Fennel              |  | • Fennel production; GLO      | <ul> <li>Operation, reefer, cooling, 40-foot, high-cube,<br/>R134a as refrigerant; GLO</li> <li>Transport, freight, lorry with reefer, cooling;<br/>GLO</li> <li>Transport, freight, small lorry with<br/>refrigeration machine, EURO4, R134a<br/>refrigerant, cooling to generic market; GLO</li> <li>Transport, freight, train with reefer, cooling;<br/>GLO</li> </ul>   |
| Turnip              | Assumed as <i>Radish</i> as<br>they belong to the same<br>family   | • Radish production; GLO      | <ul> <li>Operation, reefer, cooling, 40-foot, high-cube,<br/>R134a as refrigerant; GLO</li> <li>Transport, freight, inland, waterways, barge<br/>with reefer, cooling; GLO</li> <li>Transport, freight, lorry with reefer, cooling;<br/>GLO</li> <li>Transport, freight, small lorry with<br/>refrigeration machine, EURO4, R134a<br/>refrigerant, cooling to generic market; GLO</li> <li>Transport, freight, sea, transoceanic ship with<br/>reefer, cooling; GLO</li> <li>Transport, freight, train with reefer, cooling;<br/>GLO</li> </ul> |
| Brussels<br>sprouts | Assumed as <i>Broccoli</i> as<br>they belong to the same<br>family | Broccoli production; GLO      | <ul> <li>Operation, reefer, cooling, 40-foot, high-cube,<br/>R134a as refrigerant; GLO</li> <li>Transport, freight, lorry with reefer, cooling;<br/>GLO</li> <li>Transport, freight, small lorry with<br/>refrigeration machine, EURO4, R134a<br/>refrigerant, cooling to generic market; GLO</li> <li>Transport, freight, train with reefer, cooling;<br/>GLO</li> </ul>   |

|         | Peas               |   | • Protein pea production; GLO   | <ul> <li>Transport, freight train; FR</li> <li>Transport, fright, inland waterways, barge;<br/>RoW</li> <li>Transport, freight, lorry, all sizes, EURO4 to<br/>generic market for</li> <li>Transport, freight, lorry unspecified; RoW</li> <li>Transport, freight, sea, transoceanic ship; GLO</li> </ul> |
|---------|--------------------|---|---|---|
|         | Chicken            | Assumed on information<br>provided by LCA food<br>DK (2-0 LCA<br>Consultants, 2007) | <ul> <li>Chicken production, GLO</li> <li>Market for electricity, low voltage, GB</li> <li>Heat production, natural gas at boiler<br/>condensing modulating&gt;100kW; Europe<br/>without Switzerland</li> <li>Treatment of wastewater, average, capacity<br/>1E9l/year, Europe without Switzerland</li> </ul> | • Transport, freight, lorry, all sizes, EURO 4 to<br>generic market for transport, freight, lorry,<br>unspecified; RoW  |
|         | Elaborated poultry | Assumed as Chicken  | • Chicken <sup>4</sup>  | • Transport, freight, lorry, all sizes, EURO 4 to generic market for transport, freight, lorry, unspecified; RoW  |
| Poultry | Turkey             | Assumed as Chicken  | • Chicken <sup>4</sup>  | • Transport, freight, lorry, all sizes, EURO 4 to generic market for transport, freight, lorry, unspecified; RoW  |
|         | Other poultry      | Assumed as Chicken  | • Chicken <sup>4</sup>  | • Transport, freight, lorry, all sizes, EURO 4 to generic market for transport, freight, lorry, unspecified; RoW  |
|         | Duck               | Assumed as Chicken  | • Chicken <sup>4</sup>  | • Transport, freight, lorry, all sizes, EURO 4 to generic market for transport, freight, lorry, unspecified; RoW  |
|         | Fresh rabbit       | Assumed as Chicken  | • Chicken <sup>4</sup>  | • Transport, freight, lorry, all sizes, EURO 4 to generic market for transport, freight, lorry, unspecified; RoW  |
|         | Fresh pork         | Assumed on information<br>provided by LCA food<br>DK (2-0 LCA<br>Consultants, 2007) | <ul> <li>Swine production; RoW</li> <li>Market for electricity, RoW</li> <li>Heat production, natural gas, at boiler<br/>condensing modulating&gt;100kW; Europe<br/>without Switzerland</li> <li>Treatment of wastewater, average, capacity<br/>1E9l/year; Europe without Switzerland</li> </ul>              | • Transport, freight, lorry, all sizes, EURO 4 to<br>generic market for transport, freight, lorry,<br>unspecified; RoW  |
| Meat    | Beef               | Assumed on information<br>provided by LCA food<br>DK (2-0 LCA<br>Consultants, 2007) | <ul> <li>Cattle for slaughtering, live weight to<br/>generic market for red meat, live weight;<br/>GLO</li> <li>Market for electricity, low voltage, GB</li> <li>Heat production, natural gas, at boiler<br/>condensing modulating&gt;100kW; Europe<br/>without Switzerland</li> </ul>                        | <ul> <li>Transport, freight, aircraft, intracontinental;<br/>RoW</li> <li>Transport, freight, lorry, all sizes, EURO4 to<br/>generic market for transport, freight, lorry,<br/>unspecified; RoW</li> </ul>  |

|        |                     |   | • Treatment of wastewater, average, capacity<br>1E9l/year; Europe without Switzerland   |   |  |
|--------|---------------------|---|---|---|--|
|        | Other<br>elaborated | Assumed as Pork   | • Swine <sup>2</sup>  |   | Transport, freight, lorry, all sizes, EURO 4 to generic market for transport, freight, lorry, unspecified; RoW   |
|        | Fresh minced meat   | Assumed as Pork   | • Swine <sup>2</sup>  | • | Transport, freight, lorry, all sizes, EURO 4 to<br>generic market for transport, freight, lorry,<br>unspecified; RoW   |
|        | Veal                | Assumed as <i>Beef</i>  | • Cattle <sup>1</sup>   | • | Transport, freight, aircraft, intracontinental;<br>RoW<br>Transport, freight, lorry, all sizes, EURO4 to<br>generic market for transport, freight, lorry,<br>unspecified; RoW  |
|        | Ovine               | Assumed on information<br>provided by LCA food<br>DK (2-0 LCA<br>Consultants, 2007) | <ul> <li>Sheep for slaughtering, live weight to generic market for red meat, live weight, GLO</li> <li>Market for electricity, low voltage, GB</li> <li>Heat production, natural gas, at boiler condensing modulating&gt;100kW; Europe without Switzerland</li> <li>Treatment of wastewater, average, capacity 1E9l/year; Europe without Switzerland</li> </ul> | • | Transport, freight, lorry, all sizes, EURO4 to<br>generic market for transport, freight, lorry,<br>unspecified; RoW  |
|        | Offal of meat       | Assumed as Pork   | • Swine <sup>2</sup>  |   | Transport, freight, lorry, all sizes, EURO 4 to generic market for transport, freight, lorry, unspecified; RoW   |
|        | Horse               | Assumed as <i>Beef</i>  | • Cattle <sup>1</sup>   | • | Transport, freight, aircraft, intracontinental;<br>RoW<br>Transport, freight, lorry, all sizes, EURO4 to<br>generic market for transport, freight, lorry,<br>unspecified; RoW  |
| Cheese | Cheese              |   | • Cheese production, soft, from cow milk;<br>GLO  | • | Transport; freight train; FR<br>Transport, freight, light commerical vehicle;<br>RoW<br>Transport, freight, lorry, all sizes, EURO4 to<br>generic market for transport, freight, lorry,<br>unspecified; RoW<br>Transport, freight, sea, transoceanic ship; GLO |

| Gourmet | Gourmet               | Assumed as <i>Production</i><br>of pastry  | <ul> <li>Tap water production, conventional treatment; RoW</li> <li>Milk production, from cow; RoW</li> <li>Beet sugar production; RoW</li> <li>Butter production, from cow milk; GLO</li> <li>Heat production, natural gas, at industrial furnace &gt; 100 kW; RoW</li> <li>Petrol. Unleaded, burned in machinery; GLO</li> <li>Electricity production, natural gas, conventional power plant; RoW</li> <li>Wheat flour; GLO</li> <li>Chicken<sup>4</sup></li> </ul>                        | <ul> <li>Transport, freight train; FR</li> <li>Transport freight inland waterways, barge;<br/>RoW</li> <li>Transport, freight, lorry, all sizes, EURO4 to<br/>generic market for transport, freight, lorry,<br/>unspecified; RoW</li> <li>Transport, freight, sea, transoceanic ship; GLO</li> </ul> |
|---------|-----------------------|--|--|--|
| Pastry  | Pastries and<br>cakes | Estimated on a mix of<br>ingredients based on Paul<br>Holliwood (2017). The<br>energy consumption is<br>based on Masanet et al.<br>(2012). | <ul> <li>Tap water production, conventional treatment; RoW</li> <li>Milk production, from cow; RoW</li> <li>Beet sugar production; RoW</li> <li>Butter production, from cow milk; GLO</li> <li>Heat production, natural gas, at industrial furnace &gt; 100 kW; RoW</li> <li>Petrol. Unleaded, burned in machinery; GLO</li> <li>Electricity production, natural gas, conventional power plant; RoW</li> <li>Wheat flour; GLO</li> <li>Cheese production soft, from cow milk, GLO</li> </ul> | <ul> <li>Transport, freight train; FR</li> <li>Transport freight inland waterways, barge;<br/>RoW</li> <li>Transport, freight, lorry, all sizes, EURO4 to<br/>generic market for transport, freight, lorry,<br/>unspecified; RoW</li> <li>Transport, freight, sea, transoceanic ship; GLO</li> </ul> |
|         | Croissants            | Estimated on a mix of<br>ingredients based on<br>ChefSteps (2017). The<br>energy consumption is<br>based on Masanet et al.<br>(2012).      | <ul> <li>Tap water production, conventional treatment; RoW</li> <li>Milk production, from cow; RoW</li> <li>Beet sugar production, RoW</li> <li>Heat production, natural gas, at industrial furnace &gt;100 kW; RoW</li> <li>Petrol, unleaded, burned in machinery; GLO</li> <li>Electricity production, natural gas, conventional power plant; RoW</li> <li>Wheat flour; GLO</li> </ul>   | <ul> <li>Transport, freight train; FR</li> <li>Transport freight inland waterways, barge;<br/>RoW</li> <li>Transport, freight, lorry, all sizes, EURO4 to<br/>generic market for transport, freight, lorry,<br/>unspecified; RoW</li> <li>Transport, freight, sea, transoceanic ship; GLO</li> </ul> |
| Bakery  | Bread                 | Based on LCA food DK<br>"Bread, wheat,<br>conventional fresh" (2-0<br>LCA Consultants, 2007).  | <ul> <li>Drinking water from groundwater, RER,<br/>ELCD 2005-corrected Wheat flour: GLO</li> <li>Market for electricity, low voltage; GB</li> </ul>  | <ul> <li>Transport, freight train; FR</li> <li>Transport freight inland waterways, barge;<br/>RoW</li> </ul>   |

|         |                        |   | <ul> <li>Heat production, natural gas, at boiler fan<br/>burner low-NOx non-modulating&gt;100kW;<br/>Europe without Switzerland</li> <li>Heat production, at hard coal industrial<br/>furnace 1-10MW, Europe without<br/>Switzerland</li> <li>Heat production, heavy fuel oil, at<br/>industrial furnace 1MW, Europe without<br/>Switzerland</li> </ul>   | <ul> <li>Transport, freight, lorry, all sizes, EURO4 to<br/>generic market for transport, freight, lorry,<br/>unspecified; RoW</li> <li>Transport, freight, sea, transoceanic ship; GLO</li> </ul>   |
|---------|------------------------|---|---|--|
| Fish    | Fish                   | Assumed on information<br>provided by LCA food<br>DK (2-0 LCA<br>Consultants, 2007) | <ul> <li>Other drivable machines, combustion 1L of diesel, 2003/2011</li> <li>Market for electricity, low voltage, GB</li> <li>Heat production, natural gas, at boiler condensing modulating&gt;100kW; Europe without Switzerland</li> <li>Treatment of wastewater, average, capacity 1E9l/year; Europe without Switzerland</li> <li>Market for soybean, GLO</li> <li>Market for palm fruit bunch, GLO</li> <li>Market for potassium chloride, as K2O, GLO</li> <li>Market for phosphate fertilizer, as P2O5, GLO</li> <li>Hydrated Lime, CaOH2, EU-27, ELCD, 2007</li> <li>Hydrogen chloride (HCl), gas, RER, ELCD, 2000</li> <li>Sodium hydrozide (NaOH), RER, ELCD, 1996</li> <li>Ammonia production, steam reforming, liwuid</li> </ul> | Transport, freight, lorry, all sizes, EURO 4 to<br>generic market for transport, freight, lorry,<br>unspecified; RoW   |
|         | Shellfish and molluscs | Assumed as Fish   | • Fish <sup>5</sup>   | Transport, freight, lorry, all sizes, EURO 4 to generic market for transport, freight, lorry, unspecified; RoW   |
| Liquids | Water                  |   | • Tap water production, conventional treatment, RoW   | <ul> <li>Operation, reefer, cooling, 40-foot, high-cube,<br/>R134a as refrigerant; GLO</li> <li>Transport, freight, inland, waterways, barge<br/>with reefer, cooling; GLO</li> <li>Transport, freight, lorry with reefer, cooling;<br/>GLO</li> </ul> |

|                            | Based on a study by<br>Doublet et al. (2013) | <ul> <li>Orange production, fresh grade; RoW</li> <li>Orange production, fresh grade, ES</li> </ul>  | <ul> <li>Transport, freight, small lorry with<br/>refrigeration machine, EURO4, R134a<br/>refrigerant, cooling to generic market; GLO</li> <li>Transport, freight, sea, transoceanic ship with<br/>reefer, cooling; GLO</li> <li>Transport, freight, train with reefer, cooling;<br/>GLO</li> <li>Operation, reefer, cooling, 40-foot, high-cube,<br/>R134a as refrigerant; GLO</li> </ul>  |
|----------------------------|--|--|---|
| Non-alcoholic<br>beverages |  | <ul> <li>Orange production, fresh grade, ES</li> <li>Orange production, fresh grade, US</li> <li>Orange production, fresh grade, ZA</li> <li>Market for electricity, low voltage, GB</li> <li>Heat production, natural gas, at boiler condensing modulating&gt;100kW; Europe without Switzerland</li> <li>Market for nitric acid, without water, in 50% solution state, GLO</li> <li>Sodium hydroxide to generic market for neutralizing agent, GLO</li> <li>Drinking water from groundwater, RER, ELCD, 2005</li> <li>Market for packaging film, low density polyethylene, GLO</li> <li>Market for soybean, GLO</li> <li>Market for palm fruit bunch, GLO</li> <li>Market for urea, as N, GLO</li> <li>Market for potassium chloride, as K2O, GLO</li> <li>Market for phosphate fertilizer, as P2O5, GLO</li> </ul> | <ul> <li>Transport, freight, aircraft with reefer, cooling;<br/>GLO</li> <li>Transport, freight, inland waterways, barge<br/>with reefer, cooling; GLO</li> <li>Transport, freight, lorry with reefer, cooling;<br/>GLO</li> <li>Transport, freight, small lorry with<br/>refrigeration machine, EURO4, R134a<br/>refrigerant, cooling to generic market; GLO</li> <li>Transport, freight, sea, transoceanic ship with<br/>reefer, cooling; GLO</li> <li>Transport, freight, train with reefer, cooling;<br/>GLO</li> </ul> |

62 Cattle<sup>1</sup>: Refer to *Beef;* Swine<sup>2</sup>: Refer to *Fresh pork;* Sheep<sup>3</sup>: Refer to *Ovine;* Chicken<sup>4</sup>: Refer to *Chicken;* Fish<sup>5</sup>: Refer to *Fish* 

63 The list of the processes related to other products and technologies are listed in Table C2. All the processes are based on Ecoinvent 3.3 Consequential (Wernet et

64 al., 2017).

Table C2: List of the processes related to other products and technologies. All the processes are based on Ecoinvent 3.3 Consequential (Wernet et al., 2017).

| Process | Process(es) in Ecoinvent for the production | Process(es) in Ecoinvent for the transport                      |
|---------|---|---|
| PET     | Polyethylene terephthalate production,      | • Transport, freight train; FR                                  |
|         | granulate, bottle grade; RoW                | • Transport, freight, lorry, all sizes, EURO4 to generic market |
|         |   | for transport, freight, lorry, unspecified; RoW                 |
|         |   | • Transport, freight, sea, transoceanic ship; GLO               |

| РР  | • Polypropylene production,<br>granulate; RoW                       | <ul> <li>Transport, freight train; FR</li> <li>Transport, freight, lorry, all sizes, EURO4 to generic market<br/>for transport, freight, lorry, unspecified; RoW</li> <li>Transport, freight, sea, transoceanic ship; GLO</li> </ul>  |
|---|---|---|
| PE  | • Polyethylene production, high density, granulate; RoW             | <ul> <li>Transport, freight train; FR</li> <li>Transport, freight, lorry, all sizes, EURO4 to generic market<br/>for transport, freight, lorry, unspecified; RoW</li> <li>Transport, freight, sea, transoceanic ship; GLO</li> </ul>  |
| Marginal<br>electricity                       | • Market for electricity, high voltage;<br>FR                       |   |
| Marginal N-fertilizer                         | • Urea ammonium nitrate production;<br>RoW                          |   |
| Marginal K-fertilizer                         | Potassium chloride production;     RoW                              |   |
| Marginal P-fertilizer                         | Diammonium phosphate production;     RoW                            |   |
| Marginal energy-feed                          | • Maize grain, feed production;<br>RoW                              | <ul> <li>Transport, freight train; FR</li> <li>Transport, freight, inland waterways, barge with reefer, cooling; GLO</li> <li>Transport, freight, lorry, all sizes, EURO4 to generic market for transport, freight, lorry, unspecified; RoW</li> <li>Transport, freight, sea, transoceanic ship; GLO</li> </ul> |
| Marginal protein-feed                         | • Soybean production; RoW   | <ul> <li>Transport, freight train; FR</li> <li>Transport, freight, light commercial vehicle; RoW</li> <li>Transport, freight, lorry, all sizes, EURO4 to generic market<br/>for transport, freight, lorry, unspecified; RoW</li> <li>Transport, freight, sea, transoceanic ship; GLO</li> </ul>                 |
| Palm oil                                      |   | <ul> <li>Transport, freight train; FR</li> <li>Transport, freight, light commercial vehicle; RoW</li> <li>Transport, freight, lorry, all sizes, EURO4 to generic market<br/>for transport, freight, lorry, unspecified; RoW</li> <li>Transport, freight, sea, transoceanic ship; GLO</li> </ul>                 |
| Refrigeration,<br>electricity                 | • Market for electricity, low voltage;<br>FR                        |   |
| Marginal electricity,<br>sensitivity analysis | • Electricity production, natural gas, conventional power plant; FR |   |

67 The LCIs of some processes were based on the ones present in EASETECH (Clavreul et al., 2014). These processes are listed in Table C3.

68 Table C3: Processes selected from the library of EASETECH (Clavreul et al., 2014).

| Process             | Process in EASETECH   |
|---------------------|---|
| Collection truck    | • Collection Vehicle, 10t Euro3, urban traffic, 1 litre diesel, 2006  |
| Recycling of Paper  | • Paper (Cardboard and mixed paper) to cardboard,<br>Fiskybybruk, Sweden, 2006 [with substitution]              |
| Palm fruit          | • Palm fruit, conventional. Global 2000-2010  |
| Transport           | • Truck, <7.5, Euro6, urban traffic   |
| Refrigeration, heat | Heat production, natural gas, at boiler fan burner low-NOx<br>non-modulation <100kW; Europe without Switzerland |
| Marginal heat       | • Heat production, natural gas, at boiler fan burner low-NOx non-modulation <100kW; Europe without Switzerland  |
| Paper production    | • Cardboard, 1 kg, Skoghall Mill, Sweden, weighted average 2005+2007  |

# 71 Appendix D

72 Table D1 provides the land demanded for all the food products considered in the study.

73 Table D1: Land demanded for the food products considered in the study.

| Name of process                                    | Amount | Unit         | Per                 | Source                         |
|--|--------|--------------|---------------------|--------------------------------|
| Swine production, live weight; GLO                 | 5.94   | m2*y         | kg Total Wet Weight | Ecoinvent 3.3                  |
| Cattle production for slaughtering, live weight to | 9.98   | m2*y         | kg Total Wet Weight | Ecoinvent 3.3                  |
| generic market for red meat, live weight; GLO      | 9.98   | m2*y         | kg fotal wet weight | Econvent 5.5                   |
| Chicken production; GLO                            | 2.36   | m2*y         | kg Total Wet Weight | Ecoinvent 3.3                  |
| Sheep production; GLO                              | 23.86  | m2*y         | kg Total Wet Weight | Ecoinvent 3.3                  |
| Cow milk production; GLO                           | 1.31   | m2*y         | kg Total Wet Weight | Ecoinvent 3.3                  |
| Cheese production, from cow milk, fresh,           | 9.01   | m2*y         | kg Total Wet Weight | Engineert 2.2                  |
| unripened; GLO                                     | 9.01   | III2 ' y     | kg fotal wet weight | Ecoinvent 3.3                  |
| Production of butter; GLO                          | -24.81 | m2*y         | kg Total Wet Weight | Ecoinvent 3.3                  |
| Yogurt production, from cow milk; GLO              | 1.35   | m2*y         | kg Total Wet Weight | Ecoinvent 3.3                  |
| Fish products                                      | 0.00   | m2*y         | kg Total Wet Weight | Ecoinvent 3.3                  |
| Wheat bread, conventional, fresh; GLO (adapted)    | 2.17   | m2*y         | kg Total Wet Weight | Ecoinvent 3.3 +<br>LCA food DK |
| Rice production; GLO                               | 0.01   | m2*y         | kg Total Wet Weight | Ecoinvent 3.3                  |
| Flour production; GLO                              | 3.10   | m2*y         | kg Total Wet Weight | Ecoinvent 3.3                  |
| Orange production; GLO                             | 0.22   | m2*y         | kg Total Wet Weight | Ecoinvent 3.3                  |
| Lemon production; GLO                              | 0.37   | m2*y         | kg Total Wet Weight | Ecoinvent 3.3                  |
| Apple production; GLO                              | 0.36   | m2*y         | kg Total Wet Weight | Ecoinvent 3.3                  |
| Pear production; GLO                               | 0.49   | m2*y         | kg Total Wet Weight | Ecoinvent 3.3                  |
| Grape production; GLO                              | 0.36   | m2*y         | kg Total Wet Weight | Ecoinvent 3.3                  |
| Banana production; GLO                             | 0.20   | m2*y         | kg Total Wet Weight | Ecoinvent 3.3                  |
| Melon production; RoW                              | 0.09   | m2*y         | kg Total Wet Weight | Ecoinvent 3.3                  |
| Cauliflower production; GLO                        | 0.17   | m2*y         | kg Total Wet Weight | Ecoinvent 3.3                  |
| Lettuce production; GLO                            | 3.44   | m2*y         | kg Total Wet Weight | Ecoinvent 3.3                  |
| Pea protein production; GLO                        | 3.09   | m2*y         | kg Total Wet Weight | Ecoinvent 3.3                  |
| Carrot production; GLO                             | 0.21   | m2*y         | kg Total Wet Weight | Ecoinvent 3.3                  |
| Onion production; GLO                              | 0.21   | m2*y         | kg Total Wet Weight | Ecoinvent 3.3                  |
| Tomato production; GLO                             | 0.23   | m2*y         | kg Total Wet Weight | Ecoinvent 3.3                  |
| Potato production; GLO                             | 0.41   | m2*y         | kg Total Wet Weight | Ecoinvent 3.3                  |
| Apricot production; GLO                            | 0.36   | m2*y         | kg Total Wet Weight | Ecoinvent 3.3                  |
| Aubergine production; GLO                          | 4.22   | m2*y         | kg Total Wet Weight | Ecoinvent 3.3                  |
| Avocado production; GLO                            | 1.11   | m2*y         | kg Total Wet Weight | Ecoinvent 3.3                  |
| Broccoli production; GLO                           | 0.17   | m2*y         | kg Total Wet Weight | Ecoinvent 3.3                  |
| Cream production; GLO                              | -0.10  | m2*y         | kg Total Wet Weight | Ecoinvent 3.3                  |
| Celery production; GLO                             | 0.16   | m2*y         | kg Total Wet Weight | Ecoinvent 3.3                  |
| Cucumber production; GLO                           | 3.27   | m2*y         | kg Total Wet Weight | Ecoinvent 3.3                  |
| Fennel production; GLO                             | 0.23   | m2*y         | kg Total Wet Weight | Ecoinvent 3.3                  |
| Green asparagus production; GLO                    | 3.46   | m2*y         | kg Total Wet Weight | Ecoinvent 3.3                  |
| Green bell pepper; GLO                             | 2.06   | m2*y         | kg Total Wet Weight | Ecoinvent 3.3                  |
| Kiwi production; GLO                               | 0.32   | m2*y         | kg Total Wet Weight | Ecoinvent 3.3                  |
| Mandarin production, RoW                           | 0.70   | m2*y         | kg Total Wet Weight | Ecoinvent 3.3                  |
| Peach production; RoW                              | 0.42   | m2*y         | kg Total Wet Weight | Ecoinvent 3.3                  |
| Pineapple production; GLO                          | 0.42   | m2*y<br>m2*y | kg Total Wet Weight | Ecoinvent 3.3                  |
| Spinach production, GLO                            | 0.25   | m2*y<br>m2*y | kg Total Wet Weight | Ecoinvent 3.3                  |
| Strawberry production; GLO                         | _      | -            | kg Total Wet Weight |                                |
| Zucchini production, GLO                           | 0.26   | m2*y         | kg Total Wet Weight | Ecoinvent 3.3                  |
|  |        | m2*y         | •                   | Ecoinvent 3.3                  |
| Orange juice production<br>Radish production, GLO  | 0.50   | m2*y         | kg Total Wet Weight | Ecoinvent 3.3                  |
| 1  | 7.93   | m2*y         | kg Total Wet Weight | Ecoinvent 3.3                  |
| Watermelon production                              | 0.01   | m2*y         | kg Total Wet Weight | Ecoinvent 3.3                  |
| Artichoke production                               | 0.03   | m2*y         | kg Total Wet Weight | Ecoinvent 3.3                  |
| Chestnut production                                | 0.43   | m2*y         | kg Total Wet Weight | Ecoinvent 3.3                  |
| Pasta production                                   | 6.48   | m2*y         | kg Total Wet Weight | Ecoinvent 3.3                  |

| Pastry production    | -3.53 | m2*y | kg Total Wet Weight | Ecoinvent 3.3 |
|----------------------|-------|------|---------------------|---------------|
| Croissant production | 1.17  | m2*y | kg Total Wet Weight | Ecoinvent 3.3 |
| Biscuit production   | -3.84 | m2*y | kg Total Wet Weight | Ecoinvent 3.3 |
| Pizza production     | 6.63  | m2*y | kg Total Wet Weight | Ecoinvent 3.3 |


### 76 Appendix E

- 77 The default results together with the scenario analysis where the marginal electricity is changed are displayed in Figure
- 78 E1. The default results together with the scenario analysis where the management of the packaging is varied are
- 79 displayed in Figure E2. The default results together with the scenario analysis where the losses incurred by
- 80 beneficiaries are accounted for are displayed in Figure E3. Note that "GW" =Global Warming; "TA"=Terrestrial
- 81 Acidification; "POF"=Photochemical Ozone Formation; "PM"=Particulate Matter; "AE, N"=Aquatic Eutrophication,
- 82 Nitrogen; "AE, P"=Aquatic Eutrophication, Phosphorus; "ET"= Ecotoxicity; "HT, cancer"=Human Toxicity, cancer;
- 83 "FRD"=Fossil Resource Depletion; "WD"=Water Depletion.





86 Figure E1: The default results are displayed together with the scenario analysis performed on the marginal electricity.





88 Figure E2: The default results are displayed together with the scenario analysis on the management of the packaging.



Figure E 3: The default results are displayed together with the scenario analysis performed on the losses incurred by the
 beneficiaries of the redistribution of surplus food.

## 92 Appendix F

93 Table F1 summarises the results of the environmental assessment. The total, together with the main contributors to the savings/impacts are reported for all the

94 retails, all the scenarios, and all the impact categories considered in the study. Note that: LUC=indirect land use changes; FP=food production; PP=packaging

- 95 production; AFP=animal feed production; TRCS=transport, refrigeration, cooling and storage; WM&C=waste management and collection. Note that all numbers
- are rounded.
- 97
- 98

Table F1: Note that "LUC"=indirect land use changes; "FP"=food production; "PP"=packaging production; "AFP"=animal feed production; "TRCS"= transport, refrigeration, cooling and storage; "WM&C"=waste management and collection. Please note that the numbers were rounded to two significant digits.

|             | ng and storage,   | mac  | waste  | manage   | ment an   | u conce   | uon. Fie   | lase not   | c ulat ul  |  | 15 WCIC  | Tounded  | 110100   | Signific   | unt ungi   |  |  |  |  |  |  |
|-------------|---|--|--|--|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
|             | Global Warming  | #1   | #2   | #3   | #4  | #5  | #6   | #7   | #8   | #9   | #10  | #11  | #12  | #13  | #14  | #15  | #16  | #17  | #18  | #19  | #20  |
| tt.         | LUC   | 31%  | 34%  | 27%  | 32%   | 29%   | 30%  | 25%  | 29%  | 28%  | 23%  | 28%  | 27%  | 28%  | 28%  | 30%  | 33%  | 28%  | 28%  | 26%  | 34%  |
| ner         | FP  | 64%  | 58%  | 67%  | 62%   | 62%   | 61%  | 69%  | 64%  | 66%  | 70%  | 64%  | 63%  | 48%  | 63%  | 59%  | 60%  | 65%  | 66%  | 69%  | 57%  |
| ger         | PP  | 1%   | 1%   | 1%   | 1%  | 1%  | 1%   | 2%   | 1%   | 1%   | 1%   | 1%   | 1%   | 1%   | 1%   | 1%   | 1%   | 1%   | 1%   | 1%   | 1%   |
| ina         | AFP   | 0%   | 0%   | 0%   | 0%  | 0%  | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 5%   |
| рш          | TRCS  | 2%   | 3%   | 2%   | 2%  | 2%  | 3%   | 2%   | 3%   | 2%   | 3%   | 2%   | 2%   | 3%   | 2%   | 3%   | 3%   | 3%   | 2%   | 2%   | 2%   |
| ent         | WM&C  | 2%   | 4%   | 2%   | 3%  | 6%  | 5%   | 3%   | 3%   | 3%   | 3%   | 5%   | 7%   | 20%  | 6%   | 7%   | 3%   | 3%   | 3%   | 2%   | 2%   |
| Curr        | Total<br>[kgCO <sub>2-eq</sub> t <sup>-1</sup> ]  | -1800  | -1200  | -1700  | -1700   | -1200   | -1100  | -1500  | -1400  | -1700  | -1200  | -1100  | -920   | -400   | -990   | -840   | -1300  | -1300  | -1600  | -1900  | -1400  |
|             | LUC   | 19%  | 22%  | 19%  | 18%   | 20%   | 18%  | 12%  | 17%  | 17%  | 13%  | 17%  | 18%  | 18%  | 17%  | 21%  | 20%  | 18%  | 19%  | 17%  | 20%  |
|             | FP  | 76%  | 74%  | 77%  | 78%   | 76%   | 78%  | 85%  | 78%  | 79%  | 83%  | 79%  | 78%  | 78%  | 79%  | 75%  | 76%  | 78%  | 77%  | 80%  | 77%  |
| no          | PP  | 2%   | 1%   | 2%   | 2%  | 2%  | 1%   | 1%   | 1%   | 2%   | 2%   | 2%   | 2%   | 1%   | 2%   | 2%   | 2%   | 2%   | 2%   | 2%   | 1%   |
| nti         | AFP   | 0%   | 0%   | 0%   | 0%  | 0%  | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   |
| Prevention  | TRCS  | 3%   | 3%   | 3%   | 2%  | 2%  | 3%   | 2%   | 3%   | 2%   | 3%   | 3%   | 2%   | 3%   | 2%   | 3%   | 3%   | 3%   | 2%   | 2%   | 2%   |
| $P_{r}$     | WM&C  | 0%   | 0%   | 0%   | 0%  | 0%  | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   |
|             | Total<br>[kgCO <sub>2-eq</sub> t <sup>-1</sup> ]  | -2700  | -2500  | -2800  | -3100   | -3300   | -2600  | -3600  | -2800  | -3400  | -2900  | -2800  | -3200  | -2300  | -3100  | -2500  | -2400  | -2900  | -3200  | -3900  | -3100  |
|             |   |  |  |  |   |   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| ı           | LUC   | 0%   | 0%   | 0%   | 0%  | 0%  | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   |
| tion        | -0 / -  | 0%   | 0%<br>0%   | 0%<br>0%   | 0%<br>0%  | 0%<br>0%  | 0%<br>0%   | 0%<br>0%   | 0%<br>0%   | 0%<br>0%   | 0%<br>0%   | 0%<br>0%   | 0%<br>0%   | 0%<br>0%   | 0%<br>0%   | 0%<br>0%   | 0%<br>0%   | 0%<br>0%   | 0%<br>0%   | 0%<br>0%   | 0%<br>0%   |
| gestion     | LUC   | 010  | 0,0  |  | 0,0   |   |  | 0.10   |  | 0,10   | 0,0  |  | \$ 7 \$  |  |  |  |  | 0,0  | 0,10   | 0,0  |  |
| c digestion | LUC<br>FP   | 0%   | 0%   | 0%   | 0%  | 0%  | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   |
|             | LUC<br>FP<br>PP<br>AFP<br>TRCS  | 0%<br>0%<br>0%<br>-1%                                  | 0%<br>0%<br>0%                                   | 0%<br>0%   | 0%<br>0%  | 0%<br>0%<br>-1%                                   | 0%<br>0%<br>0%<br>-1%                                  | 0%<br>0%<br>0%<br>-1%                                  | 0%<br>0%<br>0%<br>-1%                            | 0%<br>0%<br>0%<br>-1%                                  | 0%<br>0%<br>0%<br>-1%                            | 0%<br>0%<br>-1%                                  | 0%<br>0%<br>0%<br>-1%                                  | 0%<br>0%<br>-1%                                  | 0%<br>0%<br>-1%                                  | 0%<br>0%<br>-1%                                  | 0%<br>0%<br>0%<br>-1%                            | 0%<br>0%<br>0%<br>-1%                            | 0%<br>0%<br>0%<br>-1%                            | 0%<br>0%<br>0%<br>-1%                                  | 0%<br>0%<br>0%<br>-1%                            |
| erobic      | LUC<br>FP<br>PP<br>AFP  | 0%<br>0%<br>0%   | 0%<br>0%<br>0%                                   | 0%<br>0%<br>0%                                   | 0%<br>0%<br>0%  | 0%<br>0%<br>0%                                    | 0%<br>0%<br>0%   | 0%<br>0%<br>0%   | 0%<br>0%<br>0%                                   | 0%<br>0%<br>0%   | 0%<br>0%<br>0%                                   | 0%<br>0%<br>0%                                   | 0%<br>0%<br>0%   | 0%<br>0%<br>0%                                   | 0%<br>0%<br>0%                                   | 0%<br>0%<br>0%                                   | 0%<br>0%<br>0%                                   | 0%<br>0%<br>0%                                   | 0%<br>0%<br>0%                                   | 0%<br>0%<br>0%   | 0%<br>0%<br>0%                                   |
|             | LUC<br>FP<br>PP<br>AFP<br>TRCS  | 0%<br>0%<br>0%<br>-1%                                  | 0%<br>0%<br>0%                                   | 0%<br>0%<br>0%<br>-1%                            | 0%<br>0%<br>0%<br>-1%                                   | 0%<br>0%<br>-1%                                   | 0%<br>0%<br>0%<br>-1%                                  | 0%<br>0%<br>0%<br>-1%                                  | 0%<br>0%<br>0%<br>-1%                            | 0%<br>0%<br>0%<br>-1%                                  | 0%<br>0%<br>0%<br>-1%                            | 0%<br>0%<br>-1%                                  | 0%<br>0%<br>0%<br>-1%                                  | 0%<br>0%<br>-1%                                  | 0%<br>0%<br>-1%                                  | 0%<br>0%<br>-1%                                  | 0%<br>0%<br>0%<br>-1%                            | 0%<br>0%<br>0%<br>-1%                            | 0%<br>0%<br>0%<br>-1%                            | 0%<br>0%<br>0%<br>-1%                                  | 0%<br>0%<br>0%<br>-1%                            |
| Anaerobic   | LUC<br>FP<br>PP<br>AFP<br>TRCS<br>WM&C<br>Total<br>[kgCO <sub>2-eq</sub> t <sup>1</sup> ]<br>LUC  | 0%<br>0%<br>0%<br>-1%<br>101%<br>-90<br>0%             | 0%<br>0%<br>0%<br>0%<br>100%<br>-130             | 0%<br>0%<br>-1%<br>101%<br>-92<br>0%             | 0%<br>0%<br>0%<br>-1%<br>101%<br>-110<br>0%             | 0%<br>0%<br>-1%<br>101%<br>-100<br>0%             | 0%<br>0%<br>0%<br>-1%<br>101%<br>-94<br>0%             | 0%<br>0%<br>0%<br>-1%<br>101%<br>-90<br>0%             | 0%<br>0%<br>-1%<br>101%<br>-90<br>0%             | 0%<br>0%<br>0%<br>-1%<br>101%<br>-95<br>0%             | 0%<br>0%<br>0%<br>-1%<br>101%<br>-65<br>0%       | 0%<br>0%<br>-1%<br>101%<br>-90<br>0%             | 0%<br>0%<br>0%<br>-1%<br>101%<br>-95<br>0%             | 0%<br>0%<br>-1%<br>101%<br>-95<br>0%             | 0%<br>0%<br>-1%<br>101%<br>-94<br>0%             | 0%<br>0%<br>-1%<br>101%<br>-89<br>0%             | 0%<br>0%<br>-1%<br>101%<br>-88<br>0%             | 0%<br>0%<br>0%<br>-1%<br>101%<br>-84<br>0%       | 0%<br>0%<br>0%<br>-1%<br>101%<br>-95<br>0%       | 0%<br>0%<br>0%<br>-1%<br>101%<br>-88<br>0%             | 0%<br>0%<br>-1%<br>101%<br>-69<br>0%             |
| Anaerobic   | LUC<br>FP<br>PP<br>AFP<br>TRCS<br>WM&C<br>Total<br>[kgC0 <sub>2-eq</sub> t <sup>-1</sup> ]<br>LUC<br>FP   | 0%<br>0%<br>0%<br>-1%<br>101%<br>-90                   | 0%<br>0%<br>0%<br>0%<br>100%<br>-130             | 0%<br>0%<br>-1%<br>101%<br>-92                   | 0%<br>0%<br>0%<br>-1%<br>101%<br>-110                   | 0%<br>0%<br>-1%<br>101%<br>-100                   | 0%<br>0%<br>0%<br>-1%<br>101%<br>-94                   | 0%<br>0%<br>0%<br>-1%<br>101%<br>-90                   | 0%<br>0%<br>-1%<br>101%<br>-90                   | 0%<br>0%<br>0%<br>-1%<br>101%<br>-95                   | 0%<br>0%<br>0%<br>-1%<br>101%<br>-65             | 0%<br>0%<br>-1%<br>101%<br>-90                   | 0%<br>0%<br>0%<br>-1%<br>101%<br>-95                   | 0%<br>0%<br>-1%<br>101%<br>-95                   | 0%<br>0%<br>-1%<br>101%<br>-94                   | 0%<br>0%<br>-1%<br>101%<br>-89                   | 0%<br>0%<br>-1%<br>101%<br>-88                   | 0%<br>0%<br>0%<br>-1%<br>101%<br>-84             | 0%<br>0%<br>0%<br>-1%<br>101%<br>-95             | 0%<br>0%<br>0%<br>-1%<br>101%<br>-88                   | 0%<br>0%<br>-1%<br>101%<br>-69<br>0%             |
| Anaerobic   | LUC           FP           PP           AFP           TRCS           WM&C           Total           [kgCO2-eq t <sup>-1</sup> ]           LUC           FP           PP               | 0%<br>0%<br>0%<br>-1%<br>101%<br>-90<br>0%<br>0%       | 0%<br>0%<br>0%<br>100%<br>-130<br>0%<br>0%       | 0%<br>0%<br>-1%<br>101%<br>-92<br>0%<br>0%       | 0%<br>0%<br>0%<br>-1%<br>101%<br>-110<br>0%<br>0%<br>0% | 0%<br>0%<br>-1%<br>101%<br>-100<br>0%<br>0%       | 0%<br>0%<br>0%<br>-1%<br>101%<br>-94<br>0%<br>0%<br>0% | 0%<br>0%<br>0%<br>-1%<br>101%<br>-90<br>0%<br>0%       | 0%<br>0%<br>-1%<br>101%<br>-90<br>0%<br>0%       | 0%<br>0%<br>0%<br>-1%<br>101%<br>-95<br>0%<br>0%       | 0%<br>0%<br>-1%<br>101%<br>-65<br>0%<br>0%       | 0%<br>0%<br>-1%<br>101%<br>-90<br>0%<br>0%       | 0%<br>0%<br>0%<br>-1%<br>101%<br>-95<br>0%<br>0%<br>0% | 0%<br>0%<br>-1%<br>101%<br>-95<br>0%<br>0%       | 0%<br>0%<br>-1%<br>101%<br>-94<br>0%<br>0%       | 0%<br>0%<br>-1%<br>101%<br>-89<br>0%<br>0%       | 0%<br>0%<br>-1%<br>101%<br>-88<br>0%<br>0%       | 0%<br>0%<br>-1%<br>101%<br>-84<br>0%<br>0%       | 0%<br>0%<br>-1%<br>101%<br>-95<br>0%<br>0%       | 0%<br>0%<br>-1%<br>101%<br>-88<br>0%<br>0%             | 0%<br>0%<br>-1%<br>101%<br>-69<br>0%<br>0%       |
| Anaerobic   | LUC           FP           PP           AFP           TRCS           WM&C           Total           [kgCO2-eq t <sup>-1</sup> ]           LUC           FP           PP           AFP | 0%<br>0%<br>0%<br>-1%<br>101%<br>-90<br>0%<br>0%<br>0% | 0%<br>0%<br>0%<br>100%<br>-130<br>0%<br>0%<br>0% | 0%<br>0%<br>-1%<br>101%<br>-92<br>0%<br>0%<br>0% | 0%<br>0%<br>0%<br>-1%<br>101%<br>-110<br>0%<br>0%<br>0% | 0%<br>0%<br>-1%<br>101%<br>-100<br>0%<br>0%<br>0% | 0%<br>0%<br>0%<br>-1%<br>101%<br>-94<br>0%<br>0%<br>0% | 0%<br>0%<br>0%<br>-1%<br>101%<br>-90<br>0%<br>0%<br>0% | 0%<br>0%<br>-1%<br>101%<br>-90<br>0%<br>0%<br>0% | 0%<br>0%<br>0%<br>-1%<br>101%<br>-95<br>0%<br>0%<br>0% | 0%<br>0%<br>-1%<br>101%<br>-65<br>0%<br>0%<br>0% | 0%<br>0%<br>-1%<br>101%<br>-90<br>0%<br>0%<br>0% | 0%<br>0%<br>0%<br>-1%<br>101%<br>-95<br>0%<br>0%<br>0% | 0%<br>0%<br>-1%<br>101%<br>-95<br>0%<br>0%<br>0% | 0%<br>0%<br>-1%<br>101%<br>-94<br>0%<br>0%<br>0% | 0%<br>0%<br>-1%<br>101%<br>-89<br>0%<br>0%<br>0% | 0%<br>0%<br>-1%<br>101%<br>-88<br>0%<br>0%<br>0% | 0%<br>0%<br>-1%<br>101%<br>-84<br>0%<br>0%<br>0% | 0%<br>0%<br>-1%<br>101%<br>-95<br>0%<br>0%<br>0% | 0%<br>0%<br>0%<br>-1%<br>101%<br>-88<br>0%<br>0%<br>0% | 0%<br>0%<br>-1%<br>101%<br>-69<br>0%<br>0%<br>0% |
| erobic      | LUC           FP           PP           AFP           TRCS           WM&C           Total           [kgCO2-eq t <sup>-1</sup> ]           LUC           FP           PP               | 0%<br>0%<br>0%<br>-1%<br>101%<br>-90<br>0%<br>0%       | 0%<br>0%<br>0%<br>100%<br>-130<br>0%<br>0%       | 0%<br>0%<br>-1%<br>101%<br>-92<br>0%<br>0%       | 0%<br>0%<br>0%<br>-1%<br>101%<br>-110<br>0%<br>0%<br>0% | 0%<br>0%<br>-1%<br>101%<br>-100<br>0%<br>0%       | 0%<br>0%<br>0%<br>-1%<br>101%<br>-94<br>0%<br>0%<br>0% | 0%<br>0%<br>0%<br>-1%<br>101%<br>-90<br>0%<br>0%       | 0%<br>0%<br>-1%<br>101%<br>-90<br>0%<br>0%       | 0%<br>0%<br>0%<br>-1%<br>101%<br>-95<br>0%<br>0%       | 0%<br>0%<br>-1%<br>101%<br>-65<br>0%<br>0%       | 0%<br>0%<br>-1%<br>101%<br>-90<br>0%<br>0%       | 0%<br>0%<br>0%<br>-1%<br>101%<br>-95<br>0%<br>0%<br>0% | 0%<br>0%<br>-1%<br>101%<br>-95<br>0%<br>0%       | 0%<br>0%<br>-1%<br>101%<br>-94<br>0%<br>0%       | 0%<br>0%<br>-1%<br>101%<br>-89<br>0%<br>0%       | 0%<br>0%<br>-1%<br>101%<br>-88<br>0%<br>0%       | 0%<br>0%<br>-1%<br>101%<br>-84<br>0%<br>0%       | 0%<br>0%<br>-1%<br>101%<br>-95<br>0%<br>0%       | 0%<br>0%<br>-1%<br>101%<br>-88<br>0%<br>0%             | 0%<br>0%<br>-1%<br>101%<br>-69<br>0%<br>0%       |

|              | Total<br>[kgCO <sub>2-eq</sub> t <sup>-1</sup> ]  | -160  | -200       | -150  | -200  | -180  | -150  | -150 | -140 | -170  | -110 | -150  | -160       | -150  | -150  | -140 | -140 | -140 | -160       | -160       | -130 |
|--------------|---|-------|------------|-------|-------|-------|-------|------|------|-------|------|-------|------------|-------|-------|------|------|------|------------|------------|------|
| Ter          | restrial acidification                            |       |            |       |       |       |       |      |      |       |      |       |            |       |       |      |      |      |            |            | 1    |
| nt           | LUC   | 21%   | 24%        | 19%   | 23%   | 24%   | 23%   | 18%  | 21%  | 20%   | 17%  | 22%   | 25%        | 42%   | 23%   | 26%  | 23%  | 21%  | 21%        | 19%        | 24%  |
| management   | FP  | 81%   | 81%        | 85%   | 82%   | 95%   | 86%   | 86%  | 83%  | 85%   | 90%  | 90%   | 104%       | 140%  | 95%   | 95%  | 79%  | 87%  | 87%        | 87%        | 72%  |
| əSt          | PP  | 1%    | 0%         | 1%    | 1%    | 1%    | 1%    | 1%   | 1%   | 1%    | 1%   | 1%    | 1%         | 1%    | 1%    | 1%   | 1%   | 1%   | 1%         | 1%         | 1%   |
| an           | AFP   | 0%    | 0%         | 0%    | 0%    | 0%    | 0%    | 0%   | 0%   | 0%    | 0%   | 0%    | 0%         | 0%    | 0%    | 0%   | 0%   | 0%   | 0%         | 0%         | 8%   |
| t m          | TRCS  | 3%    | 4%         | 2%    | 2%    | 2%    | 3%    | 2%   | 3%   | 2%    | 3%   | 3%    | 3%         | 7%    | 3%    | 4%   | 4%   | 3%   | 2%         | 2%         | 2%   |
| ren          | WM&C  | -5%   | -9%        | -6%   | -8%   | -22%  | -12%  | -7%  | -8%  | -9%   | -11% | -15%  | -32%       | -89%  | -22%  | -25% | -7%  | -11% | -11%       | -8%        | -7%  |
| Current      | Total<br>[molH <sup>+</sup> .eq t <sup>-1</sup> ] | -13   | -7.9       | -12   | -11   | -6.9  | -7.0  | -10  | -10  | -11   | -10  | -10   | -10        | -10   | -10   | -10  | -10  | -10  | -11        | -13        | -10  |
|              | LUC   | 9%    | 11%        | 9%    | 9%    | 9%    | 9%    | 6%   | 8%   | 8%    | 6%   | 8%    | 8%         | 9%    | 8%    | 10%  | 10%  | 8%   | 8%         | 7%         | 9%   |
|              | FP  | 89%   | 86%        | 89%   | 89%   | 89%   | 89%   | 92%  | 89%  | 90%   | 92%  | 90%   | 90%        | 87%   | 89%   | 87%  | 87%  | 89%  | 90%        | 91%        | 89%  |
| Prevention   | PP  | 1%    | 1%         | 1%    | 1%    | 1%    | 1%    | 1%   | 1%   | 1%    | 1%   | 1%    | 1%         | 1%    | 1%    | 1%   | 1%   | 1%   | 1%         | 1%         | 0%   |
| ent          | AFP   | 0%    | 0%         | 0%    | 0%    | 0%    | 0%    | 0%   | 0%   | 0%    | 0%   | 0%    | 0%         | 0%    | 0%    | 0%   | 0%   | 0%   | 0%         | 0%         | 0%   |
| rev          | TRCS  | 2%    | 2%         | 2%    | 2%    | 1%    | 2%    | 2%   | 2%   | 1%    | 2%   | 2%    | 2%         | 3%    | 2%    | 2%   | 2%   | 2%   | 1%         | 1%         | 2%   |
| Ρ            | WM&C  | 0%    | 0%         | 0%    | 0%    | 0%    | 0%    | 0%   | 0%   | 0%    | 0%   | 0%    | 0%         | 0%    | 0%    | 0%   | 0%   | 0%   | 0%         | 0%         | 0%   |
|              | Total<br>[molH <sup>+</sup> -eq t <sup>-1</sup> ] | -28   | -24        | -29   | -31   | -37   | -26   | -35  | -28  | -37   | -32  | -30   | -34        | -21   | -31   | -26  | -23  | -29  | -36        | -44        | -32  |
|              | LUC   | 0%    | 0%         | 0%    | 0%    | 0%    | 0%    | 0%   | 0%   | 0%    | 0%   | 0%    | 0%         | 0%    | 0%    | 0%   | 0%   | 0%   | 0%         | 0%         | 0%   |
| digestion    | FP  | 0%    | 0%         | 0%    | 0%    | 0%    | 0%    | 0%   | 0%   | 0%    | 0%   | 0%    | 0%         | 0%    | 0%    | 0%   | 0%   | 0%   | 0%         | 0%         | 0%   |
| ige          | PP  | 0%    | 0%         | 0%    | 0%    | 0%    | 0%    | 0%   | 0%   | 0%    | 0%   | 0%    | 0%         | 0%    | 0%    | 0%   | 0%   | 0%   | 0%         | 0%         | 0%   |
| c d          | AFP   | 0%    | 0%         | 0%    | 0%    | 0%    | 0%    | 0%   | 0%   | 0%    | 0%   | 0%    | 0%         | 0%    | 0%    | 0%   | 0%   | 0%   | 0%         | 0%         | 0%   |
| iqo.         | TRCS  | 0%    | 0%         | 0%    | 0%    | 0%    | 0%    | 0%   | 0%   | 0%    | 0%   | 0%    | 0%         | 0%    | 0%    | 0%   | 0%   | 0%   | 0%         | 0%         | 0%   |
| Anaerobic    | WM&C  | 0%    | 0%         | 0%    | 0%    | 0%    | 0%    | 0%   | 0%   | 0%    | 0%   | 0%    | 0%         | 0%    | 0%    | 0%   | 0%   | 0%   | 0%         | 0%         | 0%   |
| ЧU           | Total<br>[molH <sup>+</sup> -eq t <sup>-1</sup> ] | 1.9   | 1.5        | 1.8   | 2.0   | 2.2   | 1.6   | 1.7  | 1.7  | 2.1   | 1.7  | 1.8   | 2.2        | 1.4   | 2.0   | 1.8  | 1.5  | 1.8  | 2.2        | 2.3        | 1.7  |
|              | LUC   | 0%    | 0%         | 0%    | 0%    | 0%    | 0%    | 0%   | 0%   | 0%    | 0%   | 0%    | 0%         | 0%    | 0%    | 0%   | 0%   | 0%   | 0%         | 0%         | 0%   |
|              | FP  | 0%    | 0%         | 0%    | 0%    | 0%    | 0%    | 0%   | 0%   | 0%    | 0%   | 0%    | 0%         | 0%    | 0%    | 0%   | 0%   | 0%   | 0%         | 0%         | 0%   |
| Incineration | PP  | 0%    | 0%         | 0%    | 0%    | 0%    | 0%    | 0%   | 0%   | 0%    | 0%   | 0%    | 0%         | 0%    | 0%    | 0%   | 0%   | 0%   | 0%         | 0%         | 0%   |
| era          | AFP   | 0%    | 0%         | 0%    | 0%    | 0%    | 0%    | 0%   | 0%   | 0%    | 0%   | 0%    | 0%         | 0%    | 0%    | 0%   | 0%   | 0%   | 0%         | 0%         | 0%   |
| cin          | TRCS  | 12%   | -6%        | 7%    | -4%   | -6%   | 5%    | 4%   | 4%   | -19%  | 2%   | 7%    | -44%       | 4%    | 9%    | 5%   | 3%   | 4%   | -42%       | -28%       | 3%   |
| In           | WM&C  | 88%   | 106%       | 93%   | 104%  | 106%  | 95%   | 96%  | 96%  | 119%  | 98%  | 93%   | 144%       | 96%   | 91%   | 95%  | 97%  | 96%  | 142%       | 128%       | 97%  |
|              | Total<br>[molH <sup>+</sup> -eq t <sup>-1</sup> ] | 0.040 | -<br>0.077 | 0.063 | -0.11 | 0.083 | 0.089 | 0.12 | 0.12 | 0.025 | 0.22 | 0.072 | -<br>0.011 | 0.11  | 0.051 | 0.97 | 0.14 | 0.12 | -<br>0.011 | -<br>0.017 | 0.16 |
| Ph           | otochemical Ozone<br>Formation                    |       |            |       |       |       |       |      |      |       |      |       |            |       |       |      |      |      |            |            |      |
| ut           | LUC   | 23%   | 25%        | 21%   | 24%   | 23%   | 24%   | 20%  | 22%  | 22%   | 18%  | 22%   | 22%        | 25%   | 22%   | 24%  | 25%  | 22%  | 22%        | 21%        | 27%  |
| management   | FP  | 69%   | 65%        | 72%   | 68%   | 70%   | 68%   | 73%  | 69%  | 71%   | 73%  | 70%   | 70%        | 66%   | 69%   | 68%  | 66%  | 70%  | 71%        | 72%        | 61%  |
| aß           | PP  | 1%    | 1%         | 1%    | 1%    | 1%    | 1%    | 3%   | 2%   | 1%    | 2%   | 1%    | 1%         | 2%    | 2%    | 1%   | 1%   | 2%   | 1%         | 1%         | 1%   |
| out          | AFP   | 0%    | 0%         | 0%    | 0%    | 0%    | 0%    | 0%   | 0%   | 0%    | 0%   | 0%    | 0%         | 0%    | 0%    | 0%   | 0%   | 0%   | 0%         | 0%         | 6%   |
|              | TRCS  | 6%    | 8%         | 6%    | 5%    | 5%    | 7%    | 5%   | 7%   | 5%    | 8%   | 7%    | 6%         | 9%    | 7%    | 7%   | 8%   | 7%   | 5%         | 5%         | 5%   |
| wə.          | WM&C  | 0%    | 0%         | 0%    | 0%    | 1%    | 0%    | 0%   | 0%   | 0%    | -1%  | 0%    | 1%         | -2%   | 0%    | 0%   | 0%   | 0%   | 0%         | 0%         | 0%   |
| Current      | Total<br>[kgNMVOC.eqt <sup>-1</sup> ]             | -4.7  | -3.1       | -4.4  | -4.3  | -2.9  | -2.8  | -3.8 | -3.6 | -4.3  | -3.1 | -2.9  | -2.2       | -0.88 | -2.5  | -2.1 | -3.5 | -3.3 | -4.1       | -4.8       | -3.5 |
|              | LUC   | 16%   | 18%        | 16%   | 16%   | 16%   | 15%   | 11%  | 15%  | 15%   | 12%  | 15%   | 16%        | 16%   | 15%   | 17%  | 17%  | 15%  | 16%        | 14%        | 15%  |
|              | FP  | 74%   | 72%        | 74%   | 75%   | 75%   | 74%   | 79%  | 75%  | 77%   | 78%  | 75%   | 76%        | 72%   | 75%   | 72%  | 72%  | 75%  | 75%        | 79%        | 76%  |
| ne           | PP  | 3%    | 2%         | 3%    | 3%    | 2%    | 2%    | 3%   | 2%   | 3%    | 2%   | 2%    | 2%         | 2%    | 2%    | 2%   | 2%   | 3%   | 3%         | 2%         | 2%   |
| nti          | AFP   | 0%    | 0%         | 0%    | 0%    | 0%    | 0%    | 0%   | 0%   | 0%    | 0%   | 0%    | 0%         | 0%    | 0%    | 0%   | 0%   | 0%   | 0%         | 0%         | 0%   |
| Prevention   | TRCS  | 8%    | 8%         | 7%    | 7%    | 6%    | 8%    | 7%   | 8%   | 6%    | 8%   | 7%    | 6%         | 9%    | 7%    | 8%   | 9%   | 8%   | 6%         | 5%         | 7%   |
| Pr           | WM&C  | 0%    | 0%         | 0%    | 0%    | 0%    | 0%    | 0%   | 0%   | 0%    | 0%   | 0%    | 0%         | 0%    | 0%    | 0%   | 0%   | 0%   | 0%         | 0%         | 0%   |
|              | Total<br>[kgNMVOC-eqt <sup>-1</sup> ]             | -6.3  | -6.1       | -6.6  | -6.8  | -8.0  | -6.0  | -6.5 | -6.3 | -7.9  | -6.5 | -6.5  | -7.2       | -5.1  | -7.0  | -6.0 | -5.7 | -6.6 | -7.6       | -9.4       | -7.8 |

| 1                   | LUC  | 0%               | 0%               | 0%          | 0%               | 0%               | 0%          | 0%          | 0%          | 0%          | 0%          | 0%               | 0%               | 0%          | 0%               | 0%          | 0%          | 0%          | 0%          | 0%               | 0%          |
|---------------------|--|------------------|------------------|-------------|------------------|------------------|-------------|-------------|-------------|-------------|-------------|------------------|------------------|-------------|------------------|-------------|-------------|-------------|-------------|------------------|-------------|
|                     | FP   | 0%               | 0%               | 0%          | 0%               | 0%               | 0%          | 0%          | 0%          | 0%          | 0%          | 0%               | 0%               | 0%          | 0%               | 0%          | 0%          | 0%          | 0%          | 0%               | 0%          |
|                     | PP   | 0%               | 0%               | 0%          | 0%               | 0%               | 0%          | 0%          | 0%          | 0%          | 0%          | 0%               | 0%               | 0%          | 0%               | 0%          | 0%          | 0%          | 0%          | 0%               | 0%          |
| tion                | AFP  | 0%               | 0%               | 0%          | 0%               | 0%               | 0%          | 0%          | 0%          | 0%          | 0%          | 0%               | 0%               | 0%          | 0%               | 0%          | 0%          | 0%          | 0%          | 0%               | 0%          |
| digesı              | TRCS   | -15%             | 0%               | 1253<br>%   | -2%              | -2%              | 9%          | 5%          | 5%          | -3%         | 2%          | -29%             | -3%              | 4%          | -6%              | 10%         | 3%          | 6%          | -2%         | -3%              | 2%          |
| Anaerobic digestion | WM&C   | 115%             | 100%             | 12153<br>%  | 102%             | 102%             | 91%         | 95%         | 95%         | 103%        | 98%         | 129%             | 103%             | 96%         | 106%             | 90%         | 97%         | 94%         | 102%        | 103%             | 98%         |
| Ρ                   | Total<br>[kgNMVOC-eqt <sup>-1</sup> ]              | -<br>4.6E-<br>03 | -<br>1.8E-<br>01 | 5.5E-<br>05 | -<br>3.9E-<br>02 | -<br>3.9E-<br>02 | 7.4E-<br>03 | 1.4E-<br>02 | 1.4E-<br>02 | 2.1E-<br>02 | 4.1E-<br>02 | -<br>2.4E-<br>03 | -<br>2.7E-<br>02 | 1.7E-<br>02 | -<br>1.2E-<br>02 | 6.6E-<br>03 | 2.2E-<br>02 | 1.2E-<br>02 | 3.0E-<br>02 | -<br>2.4E-<br>02 | 3.7E-<br>02 |
|                     | LUC  | 0%               | 0%               | 0%          | 0%               | 0%               | 0%          | 0%          | 0%          | 0%          | 0%          | 0%               | 0%               | 0%          | 0%               | 0%          | 0%          | 0%          | 0%          | 0%               | 0%          |
| ~                   | FP   | 0%               | 0%               | 0%          | 0%               | 0%               | 0%          | 0%          | 0%          | 0%          | 0%          | 0%               | 0%               | 0%          | 0%               | 0%          | 0%          | 0%          | 0%          | 0%               | 0%          |
| Incineration        | PP   | 0%               | 0%               | 0%          | 0%               | 0%               | 0%          | 0%          | 0%          | 0%          | 0%          | 0%               | 0%               | 0%          | 0%               | 0%          | 0%          | 0%          | 0%          | 0%               | 0%          |
| rai                 | AFP  | 0%               | 0%               | 0%          | 0%               | 0%               | 0%          | 0%          | 0%          | 0%          | 0%          | 0%               | 0%               | 0%          | 0%               | 0%          | 0%          | 0%          | 0%          | 0%               | 0%          |
| ine                 | TRCS   | 1%               | 1%               | 1%          | 1%               | 1%               | 1%          | 1%          | 1%          | 1%          | 0%          | 1%               | 1%               | 1%          | 1%               | 1%          | 1%          | 1%          | 1%          | 1%               | 1%          |
| Inc                 | WM&C   | 99%              | 99%              | 99%         | 99%              | 99%              | 99%         | 99%         | 99%         | 99%         | 100%        | 99%              | 99%              | 99%         | 99%              | 99%         | 99%         | 99%         | 99%         | 99%              | 99%         |
|                     | Total<br>[kgNMVOC.eqt <sup>-1</sup> ]              | 0.58             | 0.54             | 0.59        | 0.53             | 0.54             | 0.60        | 0.61        | 0.61        | 0.56        | 0.65        | 0.59             | 0.57             | 0.61        | 0.59             | 0.60        | 0.62        | 0.61        | 0.57        | 0.56             | 0.63        |
| ŀ                   | Particulate matter                                 |                  |                  |             |                  |                  |             |             |             |             |             |                  |                  |             |                  |             |             |             |             |                  |             |
| nt                  | LUC  | 18%              | 20%              | 16%         | 19%              | 18%              | 18%         | 14%         | 17%         | 17%         | 13%         | 17%              | 16%              | 19%         | 17%              | 18%         | 20%         | 16%         | 16%         | 15%              | 19%         |
| me                  | FP   | 77%              | 74%              | 80%         | 76%              | 78%              | 76%         | 81%         | 78%         | 79%         | 82%         | 78%              | 78%              | 70%         | 78%              | 75%         | 74%         | 78%         | 79%         | 81%              | 66%         |
| age                 | PP   | 1%               | 1%               | 1%          | 1%               | 1%               | 1%          | 1%          | 1%          | 1%          | 1%          | 1%               | 1%               | 1%          | 1%               | 1%          | 1%          | 1%          | 1%          | 1%               | 1%          |
| ana                 | AFP  | 0%               | 0%               | 0%          | 0%               | 0%               | 0%          | 0%          | 0%          | 0%          | 0%          | 0%               | 0%               | 0%          | 0%               | 0%          | 0%          | 0%          | 0%          | 0%               | 11%         |
| t m                 | TRCS   | 4%               | 5%               | 3%          | 3%               | 3%               | 4%          | 3%          | 4%          | 3%          | 4%          | 4%               | 3%               | 5%          | 4%               | 4%          | 5%          | 4%          | 3%          | 3%               | 3%          |
| uə.                 | WM&C   | 0%               | 1%               | 0%          | 1%               | 1%               | 1%          | 0%          | 0%          | 0%          | 0%          | 1%               | 1%               | 5%          | 1%               | 1%          | 1%          | 0%          | 0%          | 0%               | 0%          |
| Current management  | Total<br>[kgPM2.5 <sub>-eq</sub> t <sup>-1</sup> ] | -0.99            | -0.63            | -0.96       | -0.91            | -0.62            | -0.58       | -0.87       | -0.78       | -0.94       | -0.73       | -0.62            | -0.49            | -0.19       | -0.54            | -0.44       | -0.71       | -0.72       | -0.89       | -1.1             | -0.79       |
|                     | LUC  | 8%               | 9%               | 7%          | 8%               | 8%               | 7%          | 5%          | 7%          | 7%          | 5%          | 7%               | 7%               | 7%          | 7%               | 8%          | 8%          | 7%          | 7%          | 7%               | 7%          |
|                     | FP   | 88%              | 87%              | 89%         | 89%              | 89%              | 89%         | 92%         | 89%         | 90%         | 91%         | 90%              | 89%              | 89%         | 89%              | 88%         | 88%         | 89%         | 89%         | 90%              | 89%         |
| uo                  | PP   | 1%               | 1%               | 1%          | 1%               | 1%               | 1%          | 1%          | 1%          | 1%          | 1%          | 1%               | 1%               | 1%          | 1%               | 1%          | 1%          | 1%          | 1%          | 1%               | 1%          |
| Prevention          | AFP  | 0%               | 0%               | 0%          | 0%               | 0%               | 0%          | 0%          | 0%          | 0%          | 0%          | 0%               | 0%               | 0%          | 0%               | 0%          | 0%          | 0%          | 0%          | 0%               | 0%          |
| 9 <i>4</i> .2,      | TRCS   | 3%               | 3%               | 3%          | 2%               | 2%               | 3%          | 2%          | 3%          | 2%          | 3%          | 2%               | 2%               | 3%          | 2%               | 3%          | 3%          | 3%          | 2%          | 2%               | 2%          |
| Pr                  | WM&C   | 0%               | 0%               | 0%          | 0%               | 0%               | 0%          | 0%          | 0%          | 0%          | 0%          | 0%               | 0%               | 0%          | 0%               | 0%          | 0%          | 0%          | 0%          | 0%               | 0%          |
|                     | Total<br>[kgPM2.5 <sub>-eq</sub> t <sup>-1</sup> ] | -2.1             | -2.0             | -2.3        | -2.3             | -2.7             | -2.1        | -2.5        | -2.3        | -2.7        | -2.5        | -2.4             | -2.5             | -1.8        | -2.5             | -2.1        | -1.9        | -2.3        | -2.7        | -3.2             | -2.6        |
|                     | LUC  | 0%               | 0%               | 0%          | 0%               | 0%               | 0%          | 0%          | 0%          | 0%          | 0%          | 0%               | 0%               | 0%          | 0%               | 0%          | 0%          | 0%          | 0%          | 0%               | 0%          |
| ion                 | FP   | 0%               | 0%               | 0%          | 0%               | 0%               | 0%          | 0%          | 0%          | 0%          | 0%          | 0%               | 0%               | 0%          | 0%               | 0%          | 0%          | 0%          | 0%          | 0%               | 0%          |
| rest                | PP   | 0%               | 0%               | 0%          | 0%               | 0%               | 0%          | 0%          | 0%          | 0%          | 0%          | 0%               | 0%               | 0%          | 0%               | 0%          | 0%          | 0%          | 0%          | 0%               | 0%          |
| dig                 | AFP  | 0%               | 0%               | 0%          | 0%               | 0%               | 0%          | 0%          | 0%          | 0%          | 0%          | 0%               | 0%               | 0%          | 0%               | 0%          | 0%          | 0%          | 0%          | 0%               | 0%          |
| bic                 | TRCS   | -1%              | 0%               | 0%          | 0%               | -1%              | 0%          | -1%         | -1%         | -1%         | -2%         | -1%              | -1%              | 0%          | -1%              | -1%         | 0%          | -1%         | -1%         | -1%              | -1%         |
| n'n                 | WM&C   | 101%             | 100%             | 100%        | 100%             | 101%             | 100%        | 101%        | 101%        | 101%        | 102%        | 101%             | 101%             | 100%        | 101%             | 101%        | 100%        | 101%        | 101%        | 101%             | 101%        |
| Anaerobic digestion | Total  | -<br>7.1E-       | -<br>1.4E-       | -<br>8.3E-  | -<br>1.1E-       | -<br>7.6E-       | -<br>9.2E-  | -<br>7.9E-  | -<br>7.4E-  | -<br>7.1E-  | -<br>1.9E-  | -<br>7.5E-       | -<br>6.7E-       | -<br>1.1E-  | -<br>7.9E-       | -<br>7.6E-  | -<br>9.5E-  | -<br>6.2E-  | -<br>6.8E-  | -<br>4.4E-       | 3.7E-       |
|                     | [kgPM2.5.eqt <sup>-1</sup> ]                       | 03               | 02               | 03          | 02               | 03               | 03          | 03          | 03          | 03          | 03          | 03               | 03               | 02          | 03               | 03          | 03          | 03          | 03          | 03               | 03          |
|                     | LUC  | 0%               | 0%               | 0%          | 0%               | 0%               | 0%          | 0%          | 0%          | 0%          | 0%          | 0%               | 0%               | 0%          | 0%               | 0%          | 0%          | 0%          | 0%          | 0%               | 0%          |
| tion                | FP   | 0%               | 0%               | 0%          | 0%               | 0%               | 0%          | 0%          | 0%          | 0%          | 0%          | 0%               | 0%               | 0%          | 0%               | 0%          | 0%          | 0%          | 0%          | 0%               | 0%          |
| sra                 | PP   | 0%               | 0%               | 0%          | 0%               | 0%               | 0%          | 0%          | 0%          | 0%          | 0%          | 0%               | 0%               | 0%          | 0%               | 0%          | 0%          | 0%          | 0%          | 0%               | 0%          |
| Incineration        | AFP  | 0%               | 0%               | 0%          | 0%               | 0%               | 0%          | 0%          | 0%          | 0%          | 0%          | 0%               | 0%               | 0%          | 0%               | 0%          | 0%          | 0%          | 0%          | 0%               | 0%          |
| Inc                 | TRCS   | -1%              | -1%              | -1%         | -1%              | -1%              | -1%         | -1%         | -1%         | -1%         | -2%         | -1%              | -1%              | -1%         | -1%              | -1%         | -1%         | -1%         | -1%         | -1%              | -1%         |
|                     | WM&C   | 101%             | 101%             | 101%        | 101%             | 101%             | 101%        | 101%        | 101%        | 101%        | 102%        | 101%             | 101%             | 101%        | 101%             | 101%        | 101%        | 101%        | 101%        | 101%             | 101%        |

| 1                   | Total                                       | -     | -     | -     | -     | -     | -     | -     | -     | -     | -     | -     | -     | -     | -     | -     | -     | -     | -     | -     | - 1   |
|---------------------|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|                     | [kgPM2.5-eq t <sup>-1</sup> ]               | 0.020 | 0.027 | 0.019 | 0.028 | 0.027 | 0.017 | 0.016 | 0.016 | 0.024 | 0.010 | 0.018 | 0.023 | 0.016 | 0.020 | 0.017 | 0.015 | 0.016 | 0.023 | 0.023 | 0.013 |
| Aqu                 | atic Eutrophication                         |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
|                     | Nitrogen                                    |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| nt                  | LUC   | 33%   | 38%   | 29%   | 35%   | 39%   | 36%   | 28%   | 33%   | 32%   | 27%   | 35%   | 40%   | 86%   | 37%   | 42%   | 36%   | 33%   | 33%   | 29%   | 36%   |
| management          | FP  | 72%   | 72%   | 77%   | 73%   | 87%   | 78%   | 80%   | 75%   | 78%   | 84%   | 83%   | 99%   | 160%  | 89%   | 88%   | 70%   | 79%   | 80%   | 79%   | 64%   |
| aŝı                 | PP  | 1%    | 1%    | 1%    | 1%    | 1%    | 1%    | 0%    | 1%    | 1%    | 0%    | 1%    | 1%    | 2%    | 1%    | 1%    | 1%    | 1%    | 1%    | 1%    | 1%    |
| ane                 | AFP   | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 7%    |
| t m                 | TRCS  | 1%    | 1%    | 1%    | 1%    | 1%    | 1%    | 1%    | 1%    | 1%    | 1%    | 1%    | 1%    | 2%    | 1%    | 1%    | 1%    | 1%    | 1%    | 1%    | 1%    |
| uə.                 | WM&C  |       |       |       |       |       |       |       |       |       |       |       |       | -     |       |       |       |       |       |       |       |
| Current 1           |   | -6%   | -12%  | -8%   | -10%  | -27%  | -16%  | -8%   | -9%   | -11%  | -13%  | -19%  | -41%  | 150%  | -28%  | -32%  | -8%   | -14%  | -13%  | -10%  | -8%   |
| C                   | Total [kgN-eqt <sup>-1</sup> ]              | -13   | -7.7  | -12   | -11   | -6.7  | -6.8  | -10   | -9.4  | -11   | -8.0  | -6.9  | -4.6  | -0.98 | -5.5  | -4.6  | -8.9  | -8.3  | -10   | -13   | -10   |
|                     | LUC   | 21%   | 24%   | 21%   | 20%   | 23%   | 20%   | 13%   | 20%   | 20%   | 15%   | 19%   | 19%   | 21%   | 19%   | 23%   | 23%   | 20%   | 21%   | 19%   | 23%   |
| =                   | FP  | 77%   | 74%   | 78%   | 79%   | 76%   | 78%   | 86%   | 79%   | 79%   | 84%   | 80%   | 80%   | 78%   | 80%   | 75%   | 75%   | 79%   | 78%   | 80%   | 76%   |
| tio                 | PP  | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    |
| иәл                 | AFP   | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    |
| Prevention          | TRCS  | 1%    | 1%    | 1%    | 1%    | 1%    | 1%    | 1%    | 1%    | 1%    | 1%    | 1%    | 1%    | 1%    | 1%    | 1%    | 1%    | 1%    | 1%    | 1%    | 1%    |
|                     | WM&C  | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    |
|                     | Total [kgN-eqt <sup>-1</sup> ]              | -18   | -17   | -19   | -20   | -22   | -17   | -24   | -18   | -22   | -19   | -19   | -22   | -15   | -21   | -17   | -15   | -19   | -22   | -26   | -20   |
| Anaerobic digestion | LUC   | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    |
| esti                | FP  | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    |
| dig                 | PP  | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    |
| ic i                | AFP   | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    |
| rob                 | TRCS  | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    |
| ıae                 | WM&C  | 100%  | 100%  | 100%  | 100%  | 100%  | 100%  | 100%  | 100%  | 100%  | 100%  | 100%  | 100%  | 100%  | 100%  | 100%  | 100%  | 100%  | 100%  | 100%  | 100%  |
| Ψı                  | Total [kgN.eqt <sup>-1</sup> ]              | 2.3   | 2.0   | 2.2   | 2.5   | 2.7   | 2.0   | 2.1   | 2.0   | 2.5   | 2.0   | 2.2   | 2.6   | 1.8   | 2.4   | 2.1   | 1.8   | 2.2   | 2.7   | 2.7   | 1.9   |
|                     | LUC   | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    |
| uo                  | FP  | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    |
| Incineration        | PP  | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    |
| neı                 | AFP   | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    |
| nci                 | TRCS  | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    |
| ~                   | WM&C  | 100%  | 100%  | 100%  | 100%  | 100%  | 100%  | 100%  | 100%  | 100%  | 100%  | 100%  | 100%  | 100%  | 100%  | 100%  | 100%  | 100%  | 100%  | 100%  | 100%  |
| 4                   | Total [kgN <sub>-eq</sub> t <sup>-1</sup> ] | 0.27  | 0.26  | 0.27  | 0.26  | 0.26  | 0.28  | 0.28  | 0.28  | 0.27  | 0.28  | 0.27  | 0.27  | 0.28  | 0.27  | 0.28  | 0.28  | 0.28  | 0.27  | 0.27  | 0.28  |
| Aqu                 | atic Eutrophication<br>Phosphorus           |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
|                     | LUC   | 6%    | 6%    | 5%    | 6%    | 6%    | 6%    | 6%    | 6%    | 6%    | 5%    | 6%    | 6%    | 6%    | 6%    | 6%    | 6%    | 6%    | 6%    | 5%    | 7%    |
|                     | FP  | 93%   | 92%   | 94%   | 92%   | 92%   | 92%   | 92%   | 92%   | 93%   | 92%   | 92%   | 91%   | 88%   | 91%   | 91%   | 92%   | 92%   | 92%   | 93%   | 78%   |
| ut .                | PP  | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    |
| I.e.                | AFP   | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 14%   |
| Current             | TRCS  | 1%    | 1%    | 1%    | 1%    | 1%    | 1%    | 1%    | 1%    | 1%    | 1%    | 1%    | 1%    | 1%    | 1%    | 1%    | 1%    | 1%    | 1%    | 1%    | 1%    |
|                     | WM&C  | 0%    | 1%    | 1%    | 1%    | 2%    | 1%    | 1%    | 1%    | 1%    | 1%    | 1%    | 2%    | 5%    | 2%    | 2%    | 1%    | 1%    | 1%    | 1%    | 1%    |
|                     | Total [kgP.egt <sup>-1</sup> ]              | -0.24 | -0.17 | -0.24 | -0.23 | -0.15 | -0.14 | -0.17 | -0.18 | -0.22 | -0.14 | -0.14 | -0.11 | -0.05 | -0.12 | -0.11 | -0.18 | -0.16 | -0.21 | -0.24 | -0.18 |
|                     | LUC   | 4%    | 5%    | 4%    | 4%    | 4%    | 4%    | 4%    | 4%    | 4%    | 4%    | 4%    | 4%    | 4%    | 4%    | 5%    | 5%    | 4%    | 4%    | 4%    | 5%    |
| ~                   | FP  | 94%   | 94%   | 94%   | 94%   | 94%   | 94%   | 94%   | 94%   | 94%   | 94%   | 94%   | 94%   | 94%   | 94%   | 93%   | 94%   | 94%   | 94%   | 94%   | 93%   |
| tion                | PP  | 1%    | 1%    | 1%    | 1%    | 1%    | 1%    | 1%    | 1%    | 1%    | 1%    | 1%    | 1%    | 0%    | 1%    | 1%    | 0%    | 1%    | 1%    | 1%    | 1%    |
| nəc                 | AFP   | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    |
| Prevention          | TRCS  | 1%    | 1%    | 1%    | 1%    | 1%    | 1%    | 1%    | 1%    | 1%    | 1%    | 1%    | 1%    | 1%    | 1%    | 1%    | 1%    | 1%    | 1%    | 1%    | 1%    |
| Р                   | WM&C  | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    |
|                     | Total [kgP-eqt <sup>-1</sup> ]              | -0.31 | -0.29 | -0.30 | -0.35 | -0.38 | -0.28 | -0.27 | -0.27 | -0.36 | -0.26 | -0.29 | -0.34 | -0.24 | -0.31 | -0.28 | -0.26 | -0.29 | -0.35 | -0.41 | -0.31 |
| 2                   | LUC   | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    |
| naerobic            | FP  | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    |
| 1er                 | PP  | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    |
| 4 m<br>Aic          | AFP   | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    |
| 7                   | TRCS  | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    |

| Image: Large are 1         Ora:         Ora: <th>1</th> <th>WM&amp;C</th> <th>100%</th>   | 1       | WM&C                           | 100%  | 100%  | 100%  | 100%  | 100%  | 100%  | 100%  | 100%  | 100%  | 100%  | 100%  | 100%  | 100%  | 100%  | 100%  | 100%  | 100%  | 100%  | 100%  | 100%     |
|--|---------|--------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------|
| IntelligE-uc1         03  |         |                                | -     | -     | -     | -     |       | -     | -     | -     | -     | -     | -     | -     | -     |       | -     | -     | -     |       | -     | -        |
| LIC         UN         ON   |         | m ( ) () n (-)                 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       | 2.6E-    |
| P?         OR         OR<   |         |                                |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       | 03       |
| PP         0%<   |         |                                |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       | 0.70  | 0%       |
| APP         0%   | ~       |                                |       |       |       | 0,0   |       |       |       |       |       | 070   |       |       |       |       | 0,0   |       |       |       | 0,0   | 0%       |
| Total [kgP_st]         2.5E         2.9E         2.4E         3.0E         2.2E         2.2E         2.7E         1.8E         2.3E         2.4E         2.3E         2.3E         2.3E         3.3E  | tion    |                                |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       | 0%       |
| Total [kgP_st]         2.5E         2.9E         2.4E         3.0E         2.2E         2.2E         2.7E         1.8E         2.3E         2.4E         2.3E         2.3E         2.3E         3.3E  | ra      | -                              |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       | 0%       |
| Total [kgP_st]         2.5E         2.9E         2.4E         3.0E         2.2E         2.2E         2.7E         1.8E         2.3E         2.4E         2.3E         2.3E         2.3E         3.3E  | cine    |                                |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       | 100%     |
| Total [gg., 4]         0.3   | Inc     | whitee                         | 10070 | 10070 | 10070 | 10070 |       |       | 10070 | 10070 | 10070 | 10070 | 10070 | 10070 | 10070 | 10070 | 10070 | 10070 | 10070 | 10070 | 10070 | 10070    |
| Total [gg., 4]         0.3   |         |                                | 2.5E- | 2.9E- | 2.4E- | 3.0E- | 2.9E- | 2.3E- | 2.2E- | 2.2E- | 2.7E- | 1.8E- | 2.3E- | 2.6E- | 2.2E- | 2.4E- | 2.3E- | 2.1E- | 2.2E- | 2.6E- | 2.7E- | 2.0E-    |
| LUC         3%         2%         3%         3%         3%         3%         3%         2%         3%         3%         2%         3%         3%         2%         3%         3%         2%         3%         3%         2%         3%   |         | Total [kgP-eqt <sup>-1</sup> ] |       | 03    |       |       |       |       |       |       |       |       |       |       |       |       |       |       | 03    |       | 03    | 03       |
| LUC         3%         2%         3%         3%         3%         3%         3%         2%         3%         3%         2%         3%         3%         2%         3%         3%         2%         3%         3%         2%         3%   |         |                                |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |          |
| FP         93%         93%         92%         91%   |         | Ecotoxicity                    |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |          |
| PP         0%<   |         | LUC                            | 3%    | 2%    | 2%    | 3%    | 3%    | 3%    | 3%    | 3%    | 3%    | 2%    | 3%    | 3%    | 2%    | 3%    | 3%    | 2%    | 3%    | 3%    | 3%    | 3%       |
| By C         AFP         0%  | 1       |                                |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       | 65%      |
| WM&C         1%         2%         2%         3%         3%         2%         2%         3%         4%         7%         10%         5%         1%         3%         3%         2%         2%         3%         4%         7%         10%         5%         1%         3%         3%         2%         2           Total (CTU4 <sup>1</sup> )         3300         -2000         1800         -2000         2200 <t< th=""><th>ent</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th>0%</th></t<>   | ent     |                                |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       | 0%       |
| WM&C         1%         2%         2%         3%         3%         2%         2%         3%         4%         7%         10%         5%         1%         3%         3%         2%         2%         3%         4%         7%         10%         5%         1%         3%         3%         2%         2           Total (CTU4 <sup>1</sup> )         3300         -2000         1800         -2000         2200 <t< th=""><th>arr</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th>0,10</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th>27%</th></t<>  | arr     |                                |       |       |       |       |       |       |       |       | 0,10  |       |       |       |       |       |       |       |       |       |       | 27%      |
| $ \begin{array}{                                    $  | Ũ       |                                |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       | 2%       |
| IUC         4%         4%         6%         3%         4%         7%         4%   |         |                                |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       | 2%       |
| PP         89%         91%         99%         90%         90%         90%         90%         91%         90%         90%         91%         90%         90%         91%         91%         90%         91%   |         |                                |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       | -2300    |
| PP         1%<   |         |                                |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       | 3%       |
| WM&C         0%         0   | u       |                                |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       | 93%      |
| WM&C         0%         0   | ntic    |                                |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       | 1%<br>0% |
| WM&C         0%         0   | әлә     |                                |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |          |
| Total [CTU <sub>4</sub> t <sup>1</sup> ]         -2200         -2400         -2200         -1400         -2200         -2300         -2300         -2300         -2200         -2500         -2100         -2400         -2900         -3700         -37           UC         0% <th><math>P_{r}</math></th> <th>-</th> <th></th> <th>4%<br/>0%</th>   | $P_{r}$ | -                              |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       | 4%<br>0% |
| UC         0%<   |         |                                |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       | -3700    |
| FP         0%<   | u       |                                |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       | 0%       |
| LUC         0%   | stio    |                                |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       | 0%       |
| LUC         0%   | ige     |                                |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       | 0%       |
| LUC         0%   | ic d    | AFP                            | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%       |
| LUC         0%   | цо.     | TRCS                           | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%    | 0%       |
| LUC         0%   | aeı     | WM&C                           | 100%  | 100%  | 100%  | 100%  | 100%  | 100%  | 100%  | 100%  | 100%  | 100%  | 100%  | 100%  | 100%  | 100%  | 100%  | 100%  | 100%  | 100%  | 100%  | 100%     |
| FP         0%<   | An      | Total [CTUet-1]                | -120  | -120  | -120  | -140  | -120  | -110  | -140  | -110  | -120  | -100  | -120  | -140  | -110  | -130  | -110  | -110  | -120  | -130  | -120  | -90      |
| PP         0%<   |         | LUC                            |       |       |       |       |       |       |       |       | 0%    |       |       |       |       |       | 0%    |       |       |       |       | 0%       |
| Human Toxicity, cancer         Human Toxicity, cancer<  | uo      |                                |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       | 0%       |
| Human Toxicity, cancer         Human Toxicity, cancer<  | ati     |                                |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       | 0%       |
| Human Toxicity, cancer         Human Toxicity, cancer<  | ner     |                                |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       | 0%       |
| Human Toxicity, cancer         Human Toxicity, cancer<  | nci     |                                |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       | -2%      |
| Human Toxicity, cancer         Image: Constraint of the state of | I       |                                |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       | 102%     |
| LUC         3.3%         3.2%         2.8%         3.2%         2.5%         2.9%         2.7%         3.1%         2.9%         2.4%         2.6%         2.4%         3.4%         2.8%         2.8%         2.8%         3.4%           FP         82.2         73.4         80.8         76.9         62.7         69.6         76.3         76.8         76.7         73.1         66.9         55.0         34.8         59.9         58.2         77.3         71.3         73.2         77.9         74.9           PP         0.4%         0.3%         0.3%         0.6%         0.4%         0.4%         0.3%         0.2%         0.3%         0.2%         0.3%         0.2%         0.3%         0.2%         0.3%         0.2%         0.3%         0.4%         0.2%         0.3%         0.2%         0.3%         0.4%         0.4%  | 11      |                                | -65   | -76   | -63   | -79   | -76   | -60   | -58   | -57   | -71   | -47   | -62   | -70   | -58   | -64   | -59   | -55   | -57   | -70   | -70   | -53      |
| FP         82.2         73.4         80.8         76.9         62.7         69.6         76.3         76.8         76.7         73.1         66.9         55.0         34.8         59.9         58.2         77.3         71.3         73.2         77.9         74.9           PP         0.4%         0.3%         0.3%         0.3%         0.6%         0.4%         0.4%         0.3%         0.3%         0.3%         0.4%         0.4%         0.3%         0.3%         0.3%         0.4%         0.4%         0.4%         0.3%         0.3%         0.3%         0.4%         0.4%         0.4%         0.3%         0.2%         0.3%         0.4%         0.4%         0.4%         0.4%         0.4%         0.4%         0.3%         0.2%         0.3%         0.4% </th <th></th> <th></th> <th>2 20/</th> <th>2.20/</th> <th>2.80/</th> <th>2.20/</th> <th>2.5%</th> <th>2.00/</th> <th>2.70/</th> <th>2 10/</th> <th>2.00/</th> <th>2.40/</th> <th>2.60/</th> <th>2.10/</th> <th>1.60/</th> <th>2.20/</th> <th>2.40/</th> <th>2 40/</th> <th>2.80/</th> <th>2.80/</th> <th>2.80/</th> <th>3.9%</th>   |         |                                | 2 20/ | 2.20/ | 2.80/ | 2.20/ | 2.5%  | 2.00/ | 2.70/ | 2 10/ | 2.00/ | 2.40/ | 2.60/ | 2.10/ | 1.60/ | 2.20/ | 2.40/ | 2 40/ | 2.80/ | 2.80/ | 2.80/ | 3.9%     |
| TRCS         1.1%         1.3%         1.0%         1.0%         1.1%         1.0%         1.2%         0.9%         1.1%         0.7%         0.7%         0.7%         0.8%         0.9%         1.4%         1.0%         0.9%         0.9%           WM&C         13.0         21.8         15.2         18.6         33.8         26.1         19.4         18.6         19.1         23.0         29.3         42.0         62.8         36.6         38.2         17.6         24.6         22.8         18.1         18  | nen     |                                |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       | 74.0     |
| TRCS         1.1%         1.3%         1.0%         1.0%         1.1%         1.0%         1.2%         0.9%         1.1%         0.7%         0.7%         0.7%         0.8%         0.9%         1.4%         1.0%         0.9%         0.9%           WM&C         13.0         21.8         15.2         18.6         33.8         26.1         19.4         18.6         19.1         23.0         29.3         42.0         62.8         36.6         38.2         17.6         24.6         22.8         18.1         18  | mər     | FP                             |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       | /4.0     |
| TRCS         1.1%         1.3%         1.0%         1.0%         1.1%         1.0%         1.2%         0.9%         1.1%         0.7%         0.7%         0.7%         0.8%         0.9%         1.4%         1.0%         0.9%         0.9%           WM&C         13.0         21.8         15.2         18.6         33.8         26.1         19.4         18.6         19.1         23.0         29.3         42.0         62.8         36.6         38.2         17.6         24.6         22.8         18.1         18  | nag     | рр                             |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       | 0.4%     |
| TRCS         1.1%         1.3%         1.0%         1.0%         1.1%         1.0%         1.2%         0.9%         1.1%         0.7%         0.7%         0.7%         0.8%         0.9%         1.4%         1.0%         0.9%         0.9%           WM&C         13.0         21.8         15.2         18.6         33.8         26.1         19.4         18.6         19.1         23.0         29.3         42.0         62.8         36.6         38.2         17.6         24.6         22.8         18.1         18  | ma      |                                |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       | 2.8%     |
| <b>E</b><br>WM&C 13.0 21.8 15.2 18.6 33.8 26.1 19.4 18.6 19.1 23.0 29.3 42.0 62.8 36.6 38.2 17.6 24.6 22.8 18.1 15.2 18.6 96 96 96 96 96 96 96 96 96 96 96 96 96   |         |                                |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       | 0.9%     |
|  | ure     |                                |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       | 18.0     |
|  | $C_n$   | WM&C                           | %     | %     | %     | %     | %     | %     | %     | %     | %     | %     | %     | %     | %     | %     | %     | %     | %     | %     | %     | %        |

| 1                      | 1                            | I _         | I _         | 1           | I _         | - 1         | I _        | I _         | I .         | I _         | I _         | I _         | I          | 1 .        |             | I _        | 1 .         | I _         |             | I _         | 1 - 1       |
|------------------------|------------------------------|-------------|-------------|-------------|-------------|-------------|------------|-------------|-------------|-------------|-------------|-------------|------------|------------|-------------|------------|-------------|-------------|-------------|-------------|-------------|
|                        |                              | 4.4E-       | 3.2E-       | 4.5E-       | 4.4E-       | 3.7E-       | 3.0E-      | 3.7E-       | 3.6E-       | 4.4E-       | 3.2E-       | 3.3E-       | 3.2E-      | 1.9E-      | 3.1E-       | 2.8E-      | 3.4E-       | 3.5E-       | 4.3E-       | 4.8E-       | 3.3E-       |
|                        | Total [CTUht-1]              | 05          | 05          | 05          | 05          | 05          | 05         | 05          | 05          | 05          | 05          | 05          | 05         | 05         | 05          | 05         | 05          | 05          | 05          | 05          | 05          |
|                        | LUC                          | 2%          | 3%          | 2%          | 2%          | 2%          | 2%         | 1%          | 2%          | 2%          | 2%          | 2%          | 2%         | 2%         | 2%          | 3%         | 2%          | 2%          | 2%          | 2%          | 2%          |
|                        | FP                           | 96%         | 95%         | 96%         | 96%         | 96%         | 96%        | 97%         | 96%         | 96%         | 96%         | 96%         | 96%        | 96%        | 96%         | 95%        | 96%         | 96%         | 96%         | 96%         | 96%         |
|                        | PP                           | 1%          | 1%          | 1%          | 1%          | 1%          | 1%         | 1%          | 1%          | 1%          | 1%          | 1%          | 1%         | 1%         | 1%          | 1%         | 1%          | 1%          | 1%          | 1%          | 1%          |
| ion                    | AFP                          | 0%          | 0%          | 0%          | 0%          | 0%          | 0%         | 0%          | 0%          | 0%          | 0%          | 0%          | 0%         | 0%         | 0%          | 0%         | 0%          | 0%          | 0%          | 0%          | 0%          |
| Prevention             | TRCS                         | 1%          | 1%          | 1%          | 1%          | 1%          | 1%         | 1%          | 1%          | 1%          | 1%          | 1%          | 1%         | 1%         | 1%          | 1%         | 1%          | 1%          | 1%          | 1%          | 1%          |
| rev                    | WM&C                         | 0%          | 0%          | 0%          | 0%          | 0%          | 0%         | 0%          | 0%          | 0%          | 0%          | 0%          | 0%         | 0%         | 0%          | 0%         | 0%          | 0%          | 0%          | 0%          | 0%          |
| P                      |                              | -           | -           |             | -           | -           | -          | -           | -           | -           | _           | -           | -          | -          | -           | _          | -           | _           | -           | -           | -           |
|                        |                              | 5.9E-       | 5.5E-       | 6.3E-       | 6.8E-       | 7.7E-       | 5.9E-      | 7.9E-       | 6.1E-       | 7.8E-       | 6.0E-       | 6.2E-       | 6.7E-      | 5.1E-      | 6.7E-       | 5.5E-      | 5.4E-       | 6.2E-       | 6.9E-       | 9.3E-       | 7.2E-       |
|                        | Total [CTUht <sup>-1</sup> ] | 05          | 05          | 05          | 05          | 05          | 05         | 05          | 05          | 05          | 05          | 05          | 05         | 05         | 05          | 05         | 05          | 05          | 05          | 05          | 05          |
|                        | LUC                          | 0%          | 0%          | 0%          | 0%          | 0%          | 0%         | 0%          | 0%          | 0%          | 0%          | 0%          | 0%         | 0%         | 0%          | 0%         | 0%          | 0%          | 0%          | 0%          | 0%          |
| uo                     | FP                           | 0%          | 0%          | 0%          | 0%          | 0%          | 0%         | 0%          | 0%          | 0%          | 0%          | 0%          | 0%         | 0%         | 0%          | 0%         | 0%          | 0%          | 0%          | 0%          | 0%          |
| ssti                   | PP                           | 0%          | 0%          | 0%          | 0%          | 0%          | 0%         | 0%          | 0%          | 0%          | 0%          | 0%          | 0%         | 0%         | 0%          | 0%         | 0%          | 0%          | 0%          | 0%          | 0%          |
| dig                    | AFP                          | 0%          | 0%          | 0%          | 0%          | 0%          | 0%         | 0%          | 0%          | 0%          | 0%          | 0%          | 0%         | 0%         | 0%          | 0%         | 0%          | 0%          | 0%          | 0%          | 0%          |
| ic .                   | TRCS                         | 0%          | 0%          | 0%          | 0%          | 0%          | 0%         | 0%          | 0%          | 0%          | 0%          | 0%          | 0%         | 0%         | 0%          | 0%         | 0%          | 0%          | 0%          | 0%          | 0%          |
| rob                    | WM&C                         | 100%        | 100%        | 100%        | 100%        | 100%        | 100%       | 100%        | 100%        | 100%        | 100%        | 100%        | 100%       | 100%       | 100%        | 100%       | 100%        | 100%        | 100%        | 100%        | 100%        |
| Anaerobic digestion    |                              | -           | -           | -           | -           | -           | -          | -           | -           | -           | -           | -           | -          | -          | -           | -          | -           | -           | -           | -           | -           |
| Αı                     |                              | 1.6E-       | 1.6E-       | 1.6E-       | 1.8E-       | 1.8E-       | 1.5E-      | 1.7E-       | 1.5E-       | 1.8E-       | 1.4E-       | 1.6E-       | 1.9E-      | 1.4E-      | 1.8E-       | 1.6E-      | 1.5E-       | 1.6E-       | 1.9E-       | 1.8E-       | 1.4E-       |
|                        | Total [CTUht <sup>-1</sup> ] | 05          | 05          | 05          | 05          | 05          | 05         | 05          | 05          | 05          | 05          | 05          | 05         | 05         | 05          | 05         | 05          | 05          | 05          | 05          | 05          |
|                        | LUC                          | 0%          | 0%          | 0%          | 0%          | 0%          | 0%         | 0%          | 0%          | 0%          | 0%          | 0%          | 0%         | 0%         | 0%          | 0%         | 0%          | 0%          | 0%          | 0%          | 0%          |
|                        | FP                           | 0%          | 0%          | 0%          | 0%          | -1%         | 0%         | 0%          | 0%          | 0%          | 0%          | 0%          | 0%         | 0%         | 0%          | 0%         | 0%          | 0%          | 0%          | 0%          | 0%          |
| ion                    | PP                           | 0%          | 0%          | 0%          | 0%          | 0%          | 0%         | 0%          | 0%          | 0%          | 0%          | 0%          | 0%         | 0%         | 0%<br>0%    | 0%         | 0%          | 0%          | 0%          | 0%          | 0%          |
| rat                    | AFP                          | 0%          | 0%          | 0%          | 0%          |             | 0%         | 0%          | 0%          | 0%          |             | 0%          |            | 0%         |             | 0%         | 0%          | 0%          | 0%          | 0%          | 0%          |
| ine                    | TRCS                         | 0%          | 0%          | 0%          | 0%          | 0%          | 0%         | 0%          | 0%          | 0%          | -1%         | 0%          | 0%         | 0%         | 0%          | 0%         | 0%          | 0%          | 0%          | 0%          | -1%         |
| Incineration           | WM&C                         | 0%          | 0%          | 0%          | 0%          | 0%          | 0%         | 0%          | 0%          | 0%          | 0%          | 0%          | 0%         | 0%         | 0%          | 0%         | 0%          | 0%          | 0%          | 0%          | 0%          |
|                        |                              | -<br>9.9E-  | -<br>1.2E-  | -<br>9.6E-  | -<br>1.2E-  | -<br>1.2E-  | 9.3E-      | -<br>8.9E-  | -<br>8.8E-  | -<br>1.1E-  | -<br>7.4E-  | 9.5E-       | -<br>1.1E- | -<br>9.0E- | -<br>9.8E-  | 9.2E-      | -<br>8.6E-  | -<br>8.8E-  | -<br>1.1E-  | -<br>1.1E-  | -<br>8.2E-  |
|                        | Total [CTUht-1]              | 07          | 06          | 07          | 06          | 06          | 07         | 0.512=      | 0.01        | 06          | 07          | 07          | 06         | 07         | 07          | 07         | 0.01        | 0.0L-<br>07 | 06          | 06          | 0.212-      |
|                        |                              |             |             |             |             |             |            |             |             |             |             |             |            |            |             |            |             |             |             |             |             |
|                        | Fossil Resource              |             |             |             |             |             |            |             |             |             |             |             |            |            |             |            |             |             |             |             |             |
| t                      | LUC                          | 11%         | 12%         | 10%         | 11%         | 9%          | 10%        | 8%          | 10%         | 10%         | 7%          | 9%          | 8%         | 7%         | 9%          | 10%        | 12%         | 9%          | 9%          | 9%          | 12%         |
| nen                    | FP                           | 72%         | 63%         | 73%         | 67%         | 61%         | 63%        | 71%         | 69%         | 71%         | 72%         | 65%         | 58%        | 35%        | 61%         | 57%        | 65%         | 67%         | 69%         | 74%         | 63%         |
| gen                    | PP                           | 4%          | 3%          | 4%          | 4%          | 3%          | 4%         | 7%          | 4%          | 4%          | 4%          | 4%          | 3%         | 3%         | 4%          | 3%         | 4%          | 4%          | 4%          | 4%          | 3%          |
| management             | AFP                          | 0%          | 0%          | 0%          | 0%          | 0%          | 0%         | 0%          | 0%          | 0%          | 0%          | 0%          | 0%         | 0%         | 0%          | 0%         | 0%          | 0%          | 0%          | 0%          | 9%          |
| ш                      | TRCS                         | 6%          | 7%          | 5%          | 5%          | 4%          | 6%         | 5%          | 6%          | 5%          | 6%          | 5%          | 4%         | 4%         | 5%          | 5%         | 8%          | 6%          | 5%          | 4%          | 4%          |
| Current                | WM&C                         | 8%          | 15%         | 9%          | 12%         | 22%         | 17%        | 9%          | 10%         | 11%         | 10%         | 17%         | 26%        | 50%        | 22%         | 25%        | 11%         | 13%         | 13%         | 9%          | 9%          |
| urr                    |                              | 1.2E+       | -<br>8.0E+  | -<br>1.2E+  | 1.2E+       | -<br>9.1E+  | -<br>7.9E+ | -<br>1.1E+  | -<br>1.0E+  | -<br>1.2E+  | -<br>1.0E+  | -<br>8.8E+  | -<br>7.8E+ | 3.9E+      | -<br>7.9E+  | -<br>6.6E+ | -<br>8.7E+  | -<br>9.6E+  | -<br>1.2E+  | -<br>1.4E+  | -<br>9.9E+  |
| C C                    | Total [MJt <sup>-1</sup> ]   | 1.2E+<br>04 | 0.0E+<br>03 | 1.2E+<br>04 | 1.2E+<br>04 | 9.1E+<br>03 | 03         | 1.1E+<br>04 | 1.0E+<br>04 | 1.2E+<br>04 | 1.0E+<br>04 | 0.0L+<br>03 | 03         | 03         | 7.9E+<br>03 | 0.012+     | 0.7E+<br>03 | 9.0E+<br>03 | 1.2E+<br>04 | 1.4L+<br>04 | 9.9E+<br>03 |
|                        | LUC                          | 6%          | 7%          | 6%          | 6%          | 6%          | 6%         | 4%          | 5%          | 5%          | 4%          | 5%          | 6%         | 6%         | 5%          | 7%         | 6%          | 6%          | 6%          | 5%          | 6%          |
|                        | FP                           | 82%         | 82%         | 83%         | 83%         | 82%         | 83%        | 85%         | 83%         | 83%         | 84%         | 83%         | 84%        | 82%        | 84%         | 81%        | 81%         | 83%         | 83%         | 84%         | 84%         |
| ~                      | PP                           | 7%          | 5%          | 6%          | 6%          | 7%          | 6%         | 6%          | 6%          | 6%          | 6%          | 6%          | 6%         | 6%         | 6%          | 6%         | 6%          | 6%          | 7%          | 6%          | 4%          |
| ion                    | AFP                          | 0%          | 0%          | 0%          | 0%          | 0%          | 0%         | 0%          | 0%          | 0%          | 0%          | 0%          | 0%         | 0%         | 0%          | 0%         | 0%          | 0%          | 0%          | 0%          | 0%          |
| uə.                    | TRCS                         | 6%          | 6%          | 5%          | 5%          | 5%          | 6%         | 5%          | 6%          | 5%          | 6%          | 5%          | 5%         | 6%         | 5%          | 6%         | 6%          | 6%          | 5%          | 4%          | 5%          |
| Prevention             | WM&C                         | 0%          | 0%          | 0%          | 0%          | 0%          | 0%         | 0%          | 0%          | 0%          | 0%          | 0%          | 0%         | 0%         | 0%          | 0%         | 0%          | 0%          | 0%          | 0%          | 0%          |
| Р                      |                              | -           | -           | -           | -           | -           | -          | -           | -           | -           | -           | -           | -          | -          | -           | -          | -           | -           | -           | -           | -           |
|                        |                              | 2.1E+       | 1.95E       | 2.2E+       | 2.4E+       | 2.5E+       | 2.1E+      | 2.8E+       | 2.2E+       | 2.7E+       | 2.3E+       | 2.3E+       | 2.5E+      | 1.8E+      | 2.5E+       | 1.98E      | 1.9E+       | 2.3E+       | 2.6E+       | 3.0E+       | 2.4E+       |
|                        | Total [MJt <sup>-1</sup> ]   | 04          | +04         | 04          | 04          | 04          | 04         | 04          | 04          | 04          | 04          | 04          | 04         | 04         | 04          | +04        | 04          | 04          | 04          | 04          | 04          |
| 1                      |                              | 0.07        | 0%          | 0%          | 0%          | 0%          | 0%         | 0%          | 0%          | 0%          | 0%          | 0%          | 0%         | 0%         | 0%          | 0%         | 0%          | 0%          | 0%          | 0%          | 0%          |
| 0                      | LUC                          | 0%          |             |             |             |             |            |             |             |             |             |             |            |            |             |            |             |             |             |             |             |
| obic                   | FP                           | 0%          | 0%          | 0%          | 0%          | 0%          | 0%         | 0%          | 0%          | 0%          | 0%          | 0%          | 0%         | 0%         | 0%          | 0%         | 0%          | 0%          | 0%          | 0%          | 0%          |
| terobic                | FP<br>PP                     | 0%<br>0%    | 0%<br>0%    | 0%<br>0%    | 0%          | 0%          | 0%         | 0%          | 0%          | 0%          | 0%          | 0%          | 0%         | 0%         | 0%          | 0%         | 0%          | 0%          | 0%          | 0%          | 0%          |
| Anaerobic<br>diaestion | FP                           | 0%          | 0%          | 0%          |             |             |            |             |             |             |             |             |            |            |             |            |             |             |             |             |             |

| 1                  | WM&C  | 100%        | 100%            | 100%        | 100%        | 100%        | 100%        | 100%        | 100%        | 100%        | 100%             | 100%             | 100%             | 100%        | 100%             | 100%             | 100%             | 100%             | 100%        | 100%        | 100%            |
|--------------------|---|-------------|-----------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------------|------------------|------------------|-------------|------------------|------------------|------------------|------------------|-------------|-------------|-----------------|
|                    |   | 2 (E)       | 2 7E            | 2 (1)       | -<br>2 1E   | -<br>2 0E   | 2.5E        | -<br>2.4E+  | -<br>2.4E+  | -<br>2 9E   | -<br>2.0E+       | 2 (1)            | 2.05             | -<br>2.4E+  | 2 7E             | -<br>2 5 E -     |                  | -<br>2.4E        | -<br>2.9E+  | -<br>2.8E+  | 2.05            |
|                    | Total [MJt <sup>-1</sup> ]                          | 2.6E+<br>03 | 2.7E+<br>03     | 2.6E+<br>03 | 3.1E+<br>03 | 3.0E+<br>03 | 2.5E+<br>03 | 2.4E+<br>03 | 2.4E+<br>03 | 2.8E+<br>03 | 2.0E+<br>03      | 2.6E+<br>03      | 2.9E+<br>03      | 2.4E+<br>03 | 2.7E+<br>03      | 2.5E+<br>03      | 2.3E+<br>03      | 2.4E+<br>03      | 2.9E+<br>03 | 2.8E+<br>03 | 2.0E+<br>03     |
|                    | LUC   | 0%          | 0%              | 0%          | 0%          | 0%          | 0%          | 0%          | 0%          | 0%          | 0%               | 0%               | 0%               | 0%          | 0%               | 0%               | 0%               | 0%               | 0%          | 0%          | 0%              |
|                    | FP  | 0%          | 0%              | 0%          | 0%          | 0%          | 0%          | 0%          | 0%          | 0%          | 0%               | 0%               | 0%               | 0%          | 0%               | 0%               | 0%               | 0%               | 0%          | 0%          | 0%              |
| uo                 | PP  | 0%          | 0%              | 0%          | 0%          | 0%          | 0%          | 0%          | 0%          | 0%          | 0%               | 0%               | 0%               | 0%          | 0%               | 0%               | 0%               | 0%               | 0%          | 0%          | 0%              |
| ati                | AFP   | 0%          | 0%              | 0%          | 0%          | 0%          | 0%          | 0%          | 0%          | 0%          | 0%               | 0%               | 0%               | 0%          | 0%               | 0%               | 0%               | 0%               | 0%          | 0%          | 0%              |
| Incineration       | TRCS  | -1%         | -1%             | -1%         | -1%         | -1%         | -1%         | -1%         | -1%         | -1%         | -2%              | -1%              | -1%              | -1%         | -1%              | -1%              | -1%              | -1%              | -1%         | -1%         | -2%             |
| Inc                | WM&C  | 101%        | 101%            | 101%        | 101%        | 101%        | 101%        | 101%        | 101%        | 101%        | 102%             | 101%             | 101%             | 101%        | 101%             | 101%             | 101%             | 101%             | 101%        | 101%        | 102%            |
|                    |   | 3.1E+       | 3.6E+           | 3.0E+       | 3.8E+       | 3.7E+       | 2.8E+       | -<br>2.7E+  | 2.7E+       | 3.4E+       | 2.2E+            | 2.9E+            | 3.3E+            | 2.7E+       | 3.0E+            | 2.8E+            | 2.6E+            | 2.7E+            | 3.3E+       | 3.4E+       | 2.5E+           |
|                    | Total [MJt <sup>-1</sup> ]                          | 03          | 03              | 03          | 03          | 03          | 03          | 03          | 03          | 03          | 03               | 03               | 03               | 03          | 03               | 03               | 03               | 03               | 03          | 03          | 03              |
|                    |   |             |                 |             |             |             |             |             |             |             |                  |                  |                  |             |                  |                  |                  |                  |             |             |                 |
|                    |   |             |                 |             |             |             |             |             |             |             |                  |                  |                  |             |                  |                  |                  |                  |             |             |                 |
|                    | Water Depletion                                     | -2%         | -1%             | -2%         | -2%         | -1%         | -1%         | -3%         | -2%         | -2%         | -2%              | -1%              | -1%              | 0%          | -1%              | -1%              | -2%              | -2%              | -2%         | -2%         | -3%             |
| 'nt                | FP  | -2%<br>61%  | -1%<br>55%      | -2%<br>58%  | -2%<br>54%  | 33%         | 42%         | 25%         | 51%         | 46%         | 28%              | 35%              | 24%              | 16%         | 29%              | 32%              | -2%<br>58%       | -2%<br>41%       | 42%         | 43%         | -3%<br>49%      |
| Current management | PP  | 01%         | 0%              | 0%          | 0%          | 0%          | 42/0        | 0%          | 0%          | 40%         | 0%               | 0%               | 0%               | 0%          | 0%               | 0%               | 0%               | 41%              | 42/0        | 43%         | 49%<br>0%       |
| agu                | AFP   | 0%          | 0%              | 0%          | 0%          | 0%          | 0%          | 0%          | 0%          | 0%          | 0%               | 0%               | 0%               | 0%          | 0%               | 0%               | 0%               | 0%               | 0%          | 0%          | -3%             |
| nan                | TRCS  | 6%          | 6%              | 5%          | 4%          | 3%          | 5%          | 6%          | 6%          | 5%          | 4%               | 4%               | 3%               | 2%          | 3%               | 3%               | 6%               | 5%               | 4%          | 5%          | 6%              |
| ntn                | WM&C  | 34%         | 41%             | 38%         | 44%         | 65%         | 55%         | 72%         | 46%         | 51%         | 71%              | 62%              | 75%              | 82%         | 69%              | 65%              | 37%              | 56%              | 55%         | 55%         | 51%             |
| rre                |   | -           | -               | -           | -           | -           | -           | -           | -           | -           | -                | -                | -                | -           | -                | -                | -                | -                | -           | -           | -               |
| Ca                 | an cura alu   | 2.2E+       | 2.2E+           | 2.3E+       | 2.4E+       | 2.4E+       | 2.0E+       | 1.1E+       | 1.8E+       | 2.1E+       | 1.2E+            | 2.0E+            | 2.2E+            | 2.0E+       | 2.0E+            | 2.1E+            | 2.1E+            | 1.8E+            | 2.2E+       | 1.9E+       | 1.3E+           |
|                    | Total [kg <sub>water</sub> t <sup>-1</sup> ]<br>LUC | 03<br>-2%   | 03<br>-3%       | 03<br>-2%   | 03<br>-2%   | 03<br>-2%   | 03<br>-2%   | 03<br>-2%   | 03<br>-2%   | 03<br>-1%   | <b>03</b><br>-1% | <b>03</b><br>-2% | <b>03</b><br>-2% | 03<br>-2%   | <b>03</b><br>-2% | <b>03</b><br>-2% | <b>03</b><br>-2% | <b>03</b><br>-2% | 03<br>-2%   | 03<br>-1%   | 03<br>-1%       |
|                    | FP  | -2%<br>95%  | -5%<br>95%      | -2%<br>96%  | -2%<br>94%  | -2%<br>97%  | -2%<br>95%  | -2%<br>95%  | -2%<br>95%  | -1%<br>97%  | -1%<br>96%       | -2%<br>96%       | -2%<br>97%       | -2%<br>94%  | -2%<br>96%       | -2%<br>96%       | -2%<br>95%       | -2%<br>96%       | -2%<br>97%  | -1%<br>98%  | -1%<br>97%      |
|                    | PP  | 0%          | 0%              | 0%          | 0%          | 0%          | 0%          | 0%          | 0%          | 0%          | 0%               | 0%               | 0%               | 0%          | 0%               | 0%               | 0%               | 0%               | 0%          | 0%          | 0%              |
| tion               | AFP   | 0%          | 0%              | 0%          | 0%          | 0%          | 0%          | 0%          | 0%          | 0%          | 0%               | 0%               | 0%               | 0%          | 0%               | 0%               | 0%               | 0%               | 0%          | 0%          | 0%              |
| nəc                | TRCS  | 7%          | 8%              | 6%          | 7%          | 4%          | 7%          | 7%          | 6%          | 4%          | 5%               | 5%               | 5%               | 9%          | 5%               | 6%               | 7%               | 6%               | 4%          | 3%          | 5%              |
| Prevention         | WM&C  | 0%          | 0%              | 0%          | 0%          | 0%          | 0%          | 0%          | 0%          | 0%          | 0%               | 0%               | 0%               | -1%         | 0%               | 0%               | 0%               | 0%               | 0%          | 0%          | 0%              |
|                    |   |             | -               | -           | -           |             | -           |             | -           |             | -                | -                | -                | -           | -                | -                | -                | -                | -           | -           | •               |
|                    | T-4-1 [] (1]  | 2.4E+       | 1.9E+           | 2.6E+<br>03 | 2.4E+<br>03 | 3.5E+<br>03 | 2.3E+<br>03 | 2.3E+<br>03 | 2.4E+<br>03 | 3.4E+<br>03 | 2.7E+<br>03      | 2.6E+<br>03      | 2.5E+            | 1.5E+<br>03 | 2.4E+<br>03      | 2.4E+<br>03      | 2.1E+<br>03      | 2.5E+<br>03      | 3.2E+<br>03 | 4.1E+<br>03 | 3.6E+           |
|                    | Total [kg <sub>water</sub> t <sup>-1</sup> ]<br>LUC | 03<br>0%    | <b>03</b><br>0% | 03          | 0%          | 0%          | 0%          | 0%          | 0%          | 0%          | 03               | 0%               | <b>03</b><br>0%  | 0%          | 0%               | 0%               | 0%               | 0%               | 03          | 0%          | <b>03</b><br>0% |
| u                  | FP  | 0%          | 0%              | 0%          | 0%          | 0%          | 0%          | 0%          | 0%          | 0%          | 0%               | 0%               | 0%               | 0%          | 0%               | 0%               | 0%               | 0%               | 0%          | 0%          | 0%              |
| digestion          | PP  | 0%          | 0%              | 0%          | 0%          | 0%          | 0%          | 0%          | 0%          | 0%          | 0%               | 0%               | 0%               | 0%          | 0%               | 0%               | 0%               | 0%               | 0%          | 0%          | 0%              |
| dige               | AFP   | 0%          | 0%              | 0%          | 0%          | 0%          | 0%          | 0%          | 0%          | 0%          | 0%               | 0%               | 0%               | 0%          | 0%               | 0%               | 0%               | 0%               | 0%          | 0%          | 0%              |
| iic e              | TRCS  | 0%          | 0%              | 0%          | 0%          | 0%          | 0%          | 0%          | 0%          | 0%          | 0%               | 0%               | 0%               | 0%          | 0%               | 0%               | 0%               | 0%               | 0%          | 0%          | 0%              |
| Anaerobic          | WM&C  | 100%        | 100%            | 100%        | 100%        | 100%        | 100%        | 100%        | 100%        | 100%        | 100%             | 100%             | 100%             | 100%        | 100%             | 100%             | 100%             | 100%             | 100%        | 100%        | 100%            |
| nae                |   | - 1E        | -               | -           | -           |             | -           | 1.01        | 1.01        | -           | 1.0              | -                | -                | -           | -                | -                | 1.05             | 1.01             | -           |             | 1.07            |
| A                  | Total [kg <sub>water</sub> t <sup>-1</sup> ]        | 2.1E+<br>03 | 2.0E+<br>03     | 2.1E+<br>03 | 2.4E+<br>03 | 2.4E+<br>03 | 2.0E+<br>03 | 1.9E+<br>03 | 1.9E+<br>03 | 2.2E+<br>03 | 1.6E+<br>03      | 2.1E+<br>03      | 2.3E+<br>03      | 2.0E+<br>03 | 2.2E+<br>03      | 2.0E+<br>03      | 1.9E+<br>03      | 1.9E+<br>03      | 2.3E+<br>03 | 2.1E+<br>03 | 1.6E+<br>03     |
|                    | LUC   | 0%          | 0%              | 0%          | 0%          | 0%          | 0%          | 0%          | 0%          | 0%          | 0%               | 0%               | 0%               | 0%          | 0%               | 0%               | 0%               | 0%               | 0%          | 0%          | 0%              |
| ion                | FP  | 0%          | 0%              | 0%          | 0%          | 0%          | 0%          | 0%          | 0%          | 0%          | 0%               | 0%               | 0%               | 0%          | 0%               | 0%               | 0%               | 0%               | 0%          | 0%          | 0%              |
| Incineration       | PP  | 0%          | 0%              | 0%          | 0%          | 0%          | 0%          | 0%          | 0%          | 0%          | 0%               | 0%               | 0%               | 0%          | 0%               | 0%               | 0%               | 0%               | 0%          | 0%          | 0%              |
| ine                | AFP   | 0%          | 0%              | 0%          | 0%          | 0%          | 0%          | 0%          | 0%          | 0%          | 0%               | 0%               | 0%               | 0%          | 0%               | 0%               | 0%               | 0%               | 0%          | 0%          | 0%              |
| Inc                | TRCS  | 0%          | 0%              | 0%          | 0%          | 0%          | 0%          | 0%          | 0%          | 0%          | 0%               | 0%               | 0%               | 0%          | 0%               | 0%               | 0%               | 0%               | 0%          | 0%          | 0%              |
|                    | WM&C  | 100%        | 100%            | 100%        | 100%        | 100%        | 100%        | 100%        | 100%        | 100%        | 100%             | 100%             | 100%             | 100%        | 100%             | 100%             | 100%             | 100%             | 100%        | 100%        | 100%            |
|                    |   | -<br>6.6E+  | -<br>7.8E+      | -<br>6.6E+  | -<br>8.1E+  | -<br>7.9E+  | -<br>6.4E+  | -<br>6.1E+  | -<br>6.1E+  | -<br>7.4E+  | -<br>5.2E+       | -<br>6.5E+       | -<br>7.2E+       | 6.2E+       | -<br>6.7E+       | -<br>6.2E+       | -<br>5.9E+       | -<br>6.1E+       | -<br>7.3E+  | -<br>7.3E+  | -<br>5.7E+      |
|                    | Total [kg <sub>water</sub> t <sup>-1</sup> ]        | 0.01        | 02              | 0.0E+<br>02 | 0.1E+<br>02 | 02          | 0.4E+<br>02 | 0.1L+<br>02 | 0.1E+<br>02 | 02          | 5.2E+<br>02      | 0.3E+<br>02      | 02               | 0.2E+<br>02 | 0.7E+<br>02      | 0.2E+<br>02      | 5.9E+<br>02      | 0.1E+<br>02      | 7.5E+<br>02 | 02          | 02              |
|                    | - • • • • · · · · · · · · · · · · · · ·             |             |                 |             |             |             |             |             |             |             |                  |                  |                  |             |                  |                  |                  |                  |             |             |                 |

102 Appendix G

103 Herein the results obtained for the economic assessment of Scenario I (CM), Scenario II (AD), and Scenario III (I) are

104 listed in Table G1. Note that  $t_c$  stands for the tax deduction, f for the fee paid to the company, WM for the the waste

105 management of the wasted food, Sf for the cost of purchasing the surplus food,  $C_{sf}$  for the total costs incurred by the

106 retailer excluding the purchase of the food products, and  $C_{sf}^*$  for the total costs incurred by the retailer including the

107 purchase of the food products.

108Table G1: Costs calculated for each retail over the 13 months for Scenario I (CM), Scenario II (AD), and Scenario III (I). Please109note that the numbers were rounded to two significant digits.

| Retail | Scenario            | t <sub>c</sub> [€ t <sup>1</sup> ] | f [€ t <sup>1</sup> ] | WM<br>[€ t <sup>1</sup> ] | Sf [€ t <sup>1</sup> ] | $C_{sf} [\notin t^1]$ | $C_{sf}^*[\notin t^1]$ | Retail | Scenario            | t <sub>c</sub> [€ t <sup>1</sup> ] | f [€ t <sup>1</sup> ] | WM<br>[€ t <sup>1</sup> ] | Sf [€ t <sup>1</sup> ] | $C_{sf}[\ell t^1]$ | $C_{sf}^*[\notin t^1]$ |
|--------|---------------------|------------------------------------|-----------------------|---------------------------|------------------------|-----------------------|------------------------|--------|---------------------|------------------------------------|-----------------------|---------------------------|------------------------|--------------------|------------------------|
|        | Scenario I<br>(CM)  | -680                               | 240                   | 20                        | 1800                   | -420                  | 1300                   |        | Scenario I<br>(CM)  | -580                               | 200                   | 26                        | 1700                   | -350               | 1400                   |
| 1      | Scenario<br>II (AD) | 0                                  | 0                     | 57                        | 1800                   | 57                    | 1800                   | 2      | Scenario<br>II (AD) | 0                                  | 0                     | 57                        | 1700                   | 57                 | 1800                   |
|        | Scenario<br>III (I) | 0                                  | 0                     | 130                       | 1800                   | 130                   | 1900                   |        | Scenario<br>III (I) | 0                                  | 0                     | 130                       | 1700                   | 130                | 1900                   |
|        | Scenario I<br>(CM)  | -610                               | 210                   | 24                        | 1800                   | -370                  | 1400                   |        | Scenario I<br>(CM)  | -620                               | 220                   | 25                        | 1900                   | -380               | 1500                   |
| 3      | Scenario<br>II (AD) | 0                                  | 0                     | 57                        | 1800                   | 57                    | 1800                   | 4      | Scenario<br>II (AD) | 0                                  | 0                     | 57                        | 1900                   | 57                 | 1900                   |
|        | Scenario<br>III (I) | 0                                  | 0                     | 130                       | 1800                   | 130                   | 1900                   |        | Scenario<br>III (I) | 0                                  | 0                     | 130                       | 1900                   | 130                | 2000                   |
|        | Scenario I<br>(CM)  | -360                               | 130                   | 38                        | 1800                   | -200                  | 1600                   |        | Scenario I<br>(CM)  | -510                               | 180                   | 31                        | 1800                   | -300               | 1500                   |
| 5      | Scenario<br>II (AD) | 0                                  | 0                     | 57                        | 1800                   | 57                    | 1900                   | 6      | Scenario<br>II (AD) | 0                                  | 0                     | 57                        | 1800                   | 57                 | 1900                   |
|        | Scenario<br>III (I) | 0                                  | 0                     | 130                       | 1800                   | 130                   | 2000                   |        | Scenario<br>III (I) | 0                                  | 0                     | 130                       | 1800                   | 130                | 2000                   |
|        | Scenario I<br>(CM)  | -680                               | 240                   | 24                        | 1900                   | -410                  | 1500                   |        | Scenario I<br>(CM)  | -630                               | 220                   | 25                        | 1800                   | -380               | 1400                   |
| 7      | Scenario<br>II (AD) | 0                                  | 0                     | 57                        | 1900                   | 57                    | 2000                   | 8      | Scenario<br>II (AD) | 0                                  | 0                     | 57                        | 1800                   | 57                 | 1900                   |
|        | Scenario<br>III (I) | 0                                  | 0                     | 130                       | 1900                   | 130                   | 2100                   |        | Scenario<br>III (I) | 0                                  | 0                     | 130                       | 1800                   | 130                | 2000                   |
|        | Scenario I<br>(CM)  | -600                               | 210                   | 27                        | 1900                   | -360                  | 1500                   |        | Scenario I<br>(CM)  | -650                               | 230                   | 30                        | 2200                   | -390               | 1800                   |
| 9      | Scenario<br>II (AD) | 0                                  | 0                     | 57                        | 1900                   | 57                    | 2000                   | 10     | Scenario<br>II (AD) | 0                                  | 0                     | 57                        | 2200                   | 57                 | 2300                   |
|        | Scenario<br>III (I) | 0                                  | 0                     | 130                       | 1900                   | 130                   | 2000                   |        | Scenario<br>III (I) | 0                                  | 0                     | 130                       | 2200                   | 130                | 2400                   |
|        | Scenario I<br>(CM)  | -470                               | 160                   | 34                        | 1900                   | -270                  | 1600                   |        | Scenario I<br>(CM)  | -360                               | 130                   | 41                        | 2100                   | -190               | 1900                   |
| 11     | Scenario<br>II (AD) | 0                                  | 0                     | 57                        | 1900                   | 57                    | 1900                   | 12     | Scenario<br>II (AD) | 0                                  | 0                     | 57                        | 2100                   | 57                 | 2100                   |
|        | Scenario<br>III (I) | 0                                  | 0                     | 130                       | 1900                   | 130                   | 2000                   |        | Scenario<br>III (I) | 0                                  | 0                     | 130                       | 2100                   | 130                | 2200                   |
|        | Scenario I<br>(CM)  | -130                               | 47                    | 48                        | 1400                   | -40                   | 1400                   |        | Scenario I<br>(CM)  | -430                               | 47                    | 37                        | 2100                   | -240               | 1800                   |
| 13     | Scenario<br>II (AD) | 0                                  | 0                     | 57                        | 1400                   | 57                    | 1400                   | 14     | Scenario<br>II (AD) | 0                                  | 0                     | 57                        | 2100                   | 57                 | 2100                   |
|        | Scenario<br>III (I) | 0                                  | 0                     | 130                       | 1400                   | 130                   | 1500                   |        | Scenario<br>III (I) | 0                                  | 0                     | 130                       | 2100                   | 130                | 2200                   |
|        | Scenario I<br>(CM)  | -310                               | 110                   | 39                        | 1600                   | -160                  | 1400                   |        | Scenario I<br>(CM)  | -530                               | 180                   | 23                        | 1500                   | -320               | 1200                   |
| 15     | Scenario<br>II (AD) | 0                                  | 0                     | 57                        | 1600                   | 57                    | 1700                   | 16     | Scenario<br>II (AD) | 0                                  | 0                     | 57                        | 1500                   | 57                 | 1500                   |
|        | Scenario<br>III (I) | 0                                  | 0                     | 130                       | 1600                   | 130                   | 1700                   |        | Scenario<br>III (I) | 0                                  | 0                     | 130                       | 1500                   | 130                | 1600                   |

|    | Scenario I<br>(CM)  | -520 | 180 | 30  | 1800 | -310 | 1500 |    | Scenario I<br>(CM)  | -580 | 200 | 30  | 2000 | -340 | 1700 |
|----|---------------------|------|-----|-----|------|------|------|----|---------------------|------|-----|-----|------|------|------|
| 17 | Scenario<br>II (AD) | 0    | 0   | 57  | 1800 | 57   | 1900 | 18 | Scenario<br>II (AD) | 0    | 0   | 57  | 2000 | 57   | 2100 |
|    | Scenario<br>III (I) | 0    | 0   | 130 | 1800 | 130  | 2000 |    | Scenario<br>III (I) | 0    | 0   | 130 | 2000 | 130  | 2200 |
|    | Scenario I<br>(CM)  | -680 | 240 | 27  | 2100 | -410 | 1700 |    | Scenario I<br>(CM)  | -550 | 190 | 25  | 1600 | -330 | 1200 |
| 19 | Scenario<br>II (AD) | 0    | 0   | 57  | 2100 | 57   | 2200 | 20 | Scenario<br>II (AD) | 0    | 0   | 57  | 1600 | 57   | 1600 |
|    | Scenario<br>III (I) | 0    | 0   | 130 | 2100 | 130  | 2300 |    | Scenario<br>III (I) | 0    | 0   | 130 | 1600 | 130  | 1700 |

111 The contribution of each cost incurred by the retail in *Scenario I (CM)* is summarised in Table G2.

| 112 | Table G 2: Costs | [€ t <sup>-1</sup> ] incurred by the ret | ailer when managing th | e surplus food accordingly to | the current management. Plea | ise |
|-----|------------------|--|------------------------|-------------------------------|------------------------------|-----|
| 113 | note that number | s were rounded to two sig                | gnificant digits.      |                               | -                            |     |
|     |                  |  |                        |                               |                              |     |

| Retail | Tax credit [€ t <sup>-1</sup> ] | Fee for<br>Company [€ t <sup>-1</sup> ] | Avoided Waste<br>Management [€ t <sup>-1</sup> ] | Waste<br>Management [€ t <sup>-1</sup> ] |
|--------|---------------------------------|---|--|--|
| 1      | -4700                           | 1600                                    | -270   | 140                                      |
| 2      | -2800                           | 980                                     | -150   | 120                                      |
| 3      | -8800                           | 2900                                    | -490   | 360                                      |
| 4      | -4400                           | 1500                                    | -250   | 210                                      |
| 5      | -2200                           | 770                                     | -110   | 210                                      |
| 6      | -3400                           | 1200                                    | -180   | 220                                      |
| 7      | -3600                           | 1300                                    | -210   | 160                                      |
| 8      | -7700                           | 2600                                    | -420   | 340                                      |
| 9      | -3700                           | 1300                                    | -180   | 160                                      |
| 10     | -3600                           | 1300                                    | -180   | 180                                      |
| 11     | -2900                           | 1000                                    | -170   | 240                                      |
| 12     | -2700                           | 920                                     | -120   | 290                                      |
| 13     | -900                            | 310                                     | -56  | 290                                      |
| 14     | -3400                           | 1200                                    | -170   | 320                                      |
| 15     | -5200                           | 1700                                    | -360   | 750                                      |
| 16     | -5100                           | 1800                                    | -380   | 260                                      |
| 17     | -3600                           | 1200                                    | -200   | 180                                      |
| 18     | -4400                           | 1500                                    | -230   | 230                                      |
| 19     | -5500                           | 1900                                    | -220   | 200                                      |
| 20     | -5700                           | 2000                                    | -260   | 290                                      |

#### 115 Appendix H

116 Herein the European laws regulating food redistribution are discussed. The main barriers and possible ways

to overcome their limitations are also presented. The laws concerning and influencing food donations are the following:

(i) the General Food Law; (ii) the Food Hygiene Package; (iii) Food Labelling and Durability; (iv) the VAT Directive;

and (v) the *Waste Framework Directive (WFD)* (Deloitte 2014). These are discussed below together with their key

120 barriers and the solutions proposed by the Member States to overcome their limitations.

121

122 The General Food Law (Regulation (EC) No 178/2002) provides guidelines to assure a coherent approach when 123 developing food legislations at national level (Deloitte, 2014). All food business operators have to comply with this 124 regulation, including charities and redistribution organisations (European Commission, 2017). The law concerns 125 responsibility, liability, traceability, and food hygiene and safety. The latter are intended to ensure the safety of food 126 products for consumers. Nevertheless, the requirements of food safety and hygiene should not be exceeded, otherwise 127 the risk of generating more food waste could arise (European Union, 2016). Regarding responsibility, all food business 128 operators are responsible for the hygiene of the food at the stage of the FSC under their responsibility (Deloitte, 2014). 129 In respect to traceability, food business operators have to ensure that consumers are protected against any risk and, 130 hence, have to implement a traceability system at their stage of the FSC (European Commission, 2017). Finally, 131 liability concerns that food business operators are liable with damage if a product is defective (Deloitte, 2014). 132 Liability is one of the main barriers in respect to food donations (De Pieri et al., 2017). Indeed, in case of food 133 poisoning, food producers and retailers would compromise their reputation (Deloitte, 2014). To overcome these 134 problems, several solutions have been applied at national level across Member States. For instance, the Good 135 Samaritan legislation was approved in Italy, recognising food charities as the final consumers and hence avoiding that 136 people could sue food donors (Deloitte, 2014). The Good Samaritan legislation is a clear example of policy that 137 encourages retailers to prefer redistribution to options that are lower in the hierarchy. This highly affects their 138 environmental performance, as supported by this study.

The *Food Hygiene Package* includes both Regulation (EC) No 852/2004 and Regulation (EC) No 853/2004, which have to be observed by all food business operators (Deloitte, 2014). The former focuses on the hygiene of food products, whilst the second on the hygiene requirements for redistribution of food of animal origin (European Commission, 2017). The main limitation of these regulations is the lack of knowledge at European level (European

143 Union, 2016). Furthermore, these legislations were transported into stricter regulations at national level (Deloitte, 144 2014). To overcome these problems, the European Commission decided to simplify the regulations without 145 jeopardizing food safety (Deloitte, 2014). Hence, if this law is perceived as too strict, retailers would be discouraged 146 to donate food, even if this could lead to a significant reduction in emissions compared to recovering energy from 147 food waste.

148 The Food Labelling and Durability (Regulation (EC) No 1169/2011) concerns the conveyance of information 149 to consumers to ensure their protection and health, but also to allow them to make aware choices and safe use of food 150 (European Commission, 2017). Food manufacturers have to establish whether to label a food product with a "use by" 151 or a "best before" date (European Commission, 2017). "Use by" dates are applied to food products that are no longer 152 safe to eat from a microbiological standpoint and pose a danger to human health (Deloitte, 2014; European 153 Commission, 2017). On the other hand, "best before" dates are used for food products that are still safe to eat and only 154 present flaws in the quality (e.g. appearance) (Deloitte, 2014; European Commission, 2017). Therefore, "use by" dates 155 are related to food safety, whilst "best before" dates to food quality (European Commission, 2017). Across the 156 European Union there is a general confusion in regards to "best before" dates and it is thought that food products that 157 have exceeded it cannot be donated (Deloitte, 2014). To overcome this problem, Belgium, for instance, provided 158 guidelines on how to assess the additional lifetime of food products that have reached their "best before" date (Deloitte, 159 20214). This, along with initiatives such as the Samaritan law, may ultimately encourage redistribution of surplus food 160 over less environmentally and socially sound management options.

161 The VAT Directive (Directive 2006/112/EC) controls the Value Added Tax (VAT) at European level and has 162 to be implemented at national level (European Commission, 2017). The directive states that food donations are taxable 163 if they are made by a taxable person and whether the VAT on the purchase of the goods is entirely or partially 164 deductible (Deloitte, 2014). Further, the taxable amount is calculated as the purchase price at the moment of the 165 donation corrected by the state of the goods at the time of the donation (European Commission, 2017). However, food 166 donors are not subject to VAT if the food donated is close to its expiration date, as the value of the food products is 167 considered as low or close to zero (when donated), thus having negative effects for food donations (Deloitte, 2014; 168 European Commission, 2017). To encourage food donations, some of the Member States implemented tax deductions, 169 tax credits, or corporate tax incentives (European Commission, 2017). The latter was implemented in France and the

- 170 results obtained in this study for the cost analysis on *Scenario I (CM)* show that such an incentive can boost the amount
- 171 of surplus food donated as the retailers would generate income from donations.

The *Waste Framework Directive* (Directive 2008/98/EC) establishes that the first stage of the waste hierarchy is prevention, and that Member States have to implement prevention programs (European Commission, 2017). However, the directive neither specifies how the hierarchy should be applied to the food waste case nor gives a common definition of what food waste is (European Union, 2016). On top of these barriers, many of the Member States have implemented fiscal incentives at the lower stages of the hierarchy (e.g. for anaerobic digestion), *de facto* preventing or making less economically attractive food redistribution (Deloitte, 2014).

#### 178 References

- 179 2-0 LCA Consultants (2007). LCA Food Database. Available at http://gefionau.dk/lcafood/. Accessed on June 2016.
- 180 Agence française de sécurité sanitarie des aliments (2007). "Consommations Alimentaires 2 (Inca 2)". Available at
- 181 https://www.anses.fr/fr/content/inca-2-les-résultats-dune-grande-étude.
- 182 Camera di Commercio Industria Artigianato e Agricoltura di Roma (2015). "Prezzi Medi Mensili all'ingrosso Praticati
- sulla Piazza di Roma." Available at https://www.rm.camcom.it/pagina1148\_listino-prezzi-allingrosso.html.
- 184 ChefSteps (2017). Accessed on 9/05/2017. Availabla at https://www.chefsteps.com/activities/croissant-dough.
- 185 Clavreul, J., Baumeister, H., Christensen, T.H., & Damgaard, A. (2014). An environmental assessment system for
- 186 environmental technologies. Environmental Modelling and Software, 60, 18-30. doi: 10.1016/j.envsoft.2014.06.007
- 187 De Pieri, B., Tallarico, T., & Baglioni, S. (2017). European Policy for Food Security: The Surplus Food Redistribution
- 188 Option." In Foodsaving in Europe, 13-35. Palgrave Macmillan, Cham. https://doi.org/10.1007/978-3-319-56555-2
- 189 Deloitte (2014). "Comparative Study on EU Member States. Legislation and Practices on Food Donation." Available
- 190 at https://www.eesc.europa.eu/resources/docs/executive-summary\_comparative-study-on-eu-member-states-
- 191 legislation-and-practices-on-food-donation.pdf.
- Doublet, G., Jungblkuth, N., Stucky, M., & Schori, S. (2013). Harmonised environmental sustainability in the
  European food and drink products. SENSE project: ESU-services Ltd. Available at http://esuservices.ch/fileadmin/download/doublet-2013-SENSE\_Deliverable-2\_1-LCAorangejuice.pdf
- European Commission (2017). "Official Journal of the European Unio, C361." Vol. 60. Available at https://eurlex.europa.eu/legal-content/EN/TXT/?uri=OJ%3AC%3A2017%3A361%3AFULL.
- European Union (2016). "Combating Food Waste: An Opportunity for the EU to Improve the Resource-Efficiency of
  the Food Supply Chain. Special Report No. 34 (EN). European Court of Auditors (ECA) European Union."
  https://doi.org/10.2865/8374
- 200 France AgriMer (2014). "Consommation Des Produits Carnés En 2014."
   201 http://www.franceagrimer.fr/content/download/40104/372599/file/STA-VIA-CONSO 2014-aout2015.pdf
- 202 Halaal Recipes (2017). Butter biscuits. Available at https://halaal.recipes/recipes/details/3830/butter-biscuits

- 203 Interfel (2018). Les fruits et légumes frais. Available at https://www.lesfruitsetlegumesfrais.com/ (accessed March
  204 2018)
- Les Fabricants de Biscuits & Gâteaux de France (2016). Chiffres-Clés 2015. Available at
   http://www.alliance7.com/wp-content/uploads/2016/07/chiffres-clés-biscuits-gâteaux-2015.pdf.
- 207 Lillywhite, R., Sarrouy, C., Davidson, J., May, D., & Plackett, C. (2013). Energy dependency and food chain security
- 208 FO0415. The University of Warwick. Available at sciencesearch.defra.gov.uk.
- Lo Giudice, A., & Clasadonte, M.T. (2014). LCI Preliminary results of in the Sicilian durum wheat pasta chain
  production. Journal Commodity Science Technology Quality 2011, 50 (I), 65-79.
- 211 Maison du Lait (2018). La filière laitière française en chiffres. http://www.filiere-laitiere.fr/fr/chiffres-cles/filiere212 laitiere-francaise-en-chiffres
- 213 Masanet, E., Therkelsen, P., & Worrell, E. (2012). Energy Efficiency Improvement and Cost Saving Opportunities
- 214 for the Baking Industry. An ENERGY STAR Guide for Plant and Energy Managers. Lawrence Berkeley National
- Laboratory. Available at https://eetd.lbl.gov/sites/all/files/baking\_guide\_final\_28dec2012c.pdf
- 216 Ministère de l'agriculture, & France AgriMer (2016). Construction de l'observatoire de La Formation Des Prix et Des
- 217 Marges Des Produits Alimentaires. Available at
- agriculture.gouv.fr/telecharger/78959?token=9c711ac06ab931cce257e6b59d37f116.
- Paul Holliwood (2017). Danish Pastry Dough. Accessed on 9/05/2017. Available at
  http://paulhollywood.com/recipes/danish-pastry-dough/
- Rosa, D., Figueiredo, F., Castanheira, E. G., & Freire, F. (2016). Life-cycle assessment of fresh and frozen chestnut.
  Journal of Cleaner Production 140 (2017), 742-752.
- Shamshirband, S., Khoshnevisan, B., Yousefi, M., Bolandnazar, E., Anuar, N.B., Wahab, A.W.A. & Khan, S.U.R.
  (2015). A multi-objective evolutionary algorithm for energy management of agricultural systems—a case study in
- Iran. Renewable and Sustainable Energy Reviews, 44, pp.457-465.
- 226 Wernet, G., Bauer, C., Steubing, B., Reinhard, J., Moreno-Ruiz, E., & Weidema, B. (2016). The ecoinvent database
- version 3 (part I): overview and methodology. The International Journal of Life Cycle Assessment, [online] 21(9),
- 228 pp.1218–1230. Available at: <a href="http://link.springer.com/10.1007/s11367-016-1087-8">http://link.springer.com/10.1007/s11367-016-1087-8</a> Accessed in May 2017